KOMITE AKREDITASI NASIONAL
LP - 708 - IDN

TEST REPORT

Test Report No.	**QF/2024060260**
Date	**10 July 2024**

Client's name	**PT. Musim Mas**
Address	Jl.K.L Yos Sudarso Km.7.8 Tanjung Mulia - Medan 20241, Indonesia

The following sample(s) was/were submitted and identified by client as:

Sample Description	City Water
Service Confirmation No.	SOO240610-KM2-0002
Sample No.	smp/2024060751
Sample Condition	Sample is contained in bottle packaging
Date Received	13 June 2024
Date Commenced	13 June 2024

DRAFT

Approved and digitally signed on behalf of
PT. Qualis Indonesia

Mohammad Aripin
Laboratory Manager

*) This document is electronically generated and bears no signature. Please scan above QR code to verify document originality.
Dokumen ini diterbitkan secara elektronik dan tidak diperlukan tanda tangan basah. Silakan memindai kode QR di atas untuk verifikasi keaslian dokumen.

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia.

PT. Qualis Indonesia || Testing, Certification, Inspection, Calibration

Head Office & Laboratory
Jl. Pajajaran no. 17, Gandasari, Kec. Jatiuwung, Tangerang 15137 – INDONESIA
T: (021) 5565 2583/86 || F: (021) 5565 2489 || www.qualis-indonesia.com

Marketing Office
Artha Gading Niaga Blok H no. 1-2, Kelapa Gading, Jakarta Utara 14240 – INDONESIA
T: (021) 4585 0885 || F: (021) 4585 0661 || www.qualis-indonesia.com

Submitted samples were tested and the following results were obtained:

Test Items	Methods	Units	Requirement Permenkes No. 2 Thn. 2023	LOD	Results	Conclusion
- Temperature	Thermometer	°C	Room Temperature ±3	-	23.5	Pass
- Total Dissolve Solid (TDS)	In House Method	mg/L	300	1	51.6	Pass
- Turbidity	TSQ-LAB-TPF-162 Point 4 (Photometer)	NTU	3	0.01	0.44	Pass
- Color	TSQ-LAB-TPF-162 Point 10 (Photometer)	TCU	10	1	< 1	Pass
- Odour	SNI 3554: 2015	-	Odorless	-	Odorless	Pass
- pH	SNI 3554: 2015	-	6.5-8.5	-	7.42	Pass
- Nitrate (NO_3-)	TSQ-LAB-TPF-162 Point 6 (Photometer)	mg/L	20	0.01	2	Pass
- Nitrite (NO_2-)	TSQ-LAB-TPF-162 Point 7 (Photometer)	mg/L	3	0.01	0.02	Pass
- Chromium Hexavalent (Cr^{+6})	APHA 3125 ed.23 rd Th 2017 (ICP-MS)	mg/L	0.01	0.0003	< 0.0003	Pass
- Iron (Fe)	APHA 3125 ed.23 rd Th 2017 (ICP-MS)	mg/L	0.2	0.0018	< 0.0018	Pass
- Manganese (Mn)	APHA 3125 ed.23 rd Th 2017 (ICP-MS)	mg/L	0.1	0.0021	< 0.0021	Pass
- Residual Chlor (Cl)	TSQ-LAB-TPF-162 Point 5 (Photometer)	mg/L	0.5	0.1	< 0.1	Pass
- Arsenic (As)	APHA 3125 ed.23 rd Th 2017 (ICP-MS)	mg/L	0.01	0.0012	< 0.0012	Pass
- Cadmium (Cd)	APHA 3125 ed.23 rd Th 2017 (ICP-MS)	mg/L	0.003	0.0009	< 0.0009	Pass
- Lead (Pb)	APHA 3125 ed.23 rd Th 2017 (ICP-MS)	mg/L	0.01	0.0001	< 0.0001	Pass
- Fluoride (F)	TSQ-LAB-TPF-162 Point 2 (Photometer)	mg/L	1.5	0.01	0.05	Pass

DRAFT

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia

- Aluminium (Al)	APHA 3125 ed.23 rd Th 2017 (ICP-MS)	mg/L	0.2	0.0036	< 0.0036	Pass
- Total Chromium (Cr)	APHA 3125 ed.23 rd Th 2017 (ICP-MS)	mg/L	0.05	0.0003	< 0.0003	Pass
- Ammonia (NH_3)	TSQ-LAB-TPF-162 Point 1 (Photometer)	mg/L	1.5	0.01	0.11	Pass
- #Hydrogen Disulfide (H_2S)	UJI – LL 048 (Spectrophotometry)	mg/L	0.1	0.0018	< 0.0018	Pass
- Cyanide (CN)	TSQ-LAB-TPF-162 Point 8 (Photometer)	mg/L	0.07	0.03	< 0.03	Pass
- Copper (Cu)	APHA 3125 ed.23 rd Th 2017 (ICP-MS)	mg/L	2	0.02	< 0.02	Pass
- Selenium (Se)	APHA 3125 ed.23 rd Th 2017 (ICP-MS)	mg/L	0.01	0.0017	< 0.0017	Pass
- Zinc (Zn)	APHA 3125 ed.23 rd Th 2017 (ICP-MS)	mg/L	3	0.005	< 0.005	Pass
- Nickel (Ni)	APHA 3125 ed.23 rd Th 2017 (ICP-MS)	mg/L	0.07	0.0006	< 0.0006	Pass
- Diazo Dye	GC MS	mg/L	-	5	< 5	-
- Phenol (C_6H_6O)	HPLC	mg/L	-	0.001	< 0.001	-
- Phosphate (PO_4)	Photometer	mg/L	-	0.01	0.53	-
- #Methylene Blue Active Substance (MBAS)	SM 23rd Edition 2017 Method 5540 : C	mg/L	-	0.0016	< 0.0016	-
- #Surfactan (Detergent)	APHA 23rd Edition 2017 Method 5540:C	mg/L	-	0.0016	< 0.0016	-
Microbiology :						
- *Escherichia coli*	ISO 9308-1:2014	cfu/100mL	0	-	0	Pass
- Coliform	ISO 9308-1:2014	cfu/100mL	0	-	0	Pass
- *Listeria monocytogenes*	SNI ISO 11290-1: 2012	Per 25 mL	-	-	Negative	-

Remark: 1. LOD = "Limit of Detection"
"Test(s) marked # on this Report was tested/ analyzed by an external laboratory with prior approval of the client"

**********End of Report**********

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia

Please be informed that this report is issued under the following conditions:
Harap diketahui bahwa laporan ini diterbitkan dengan ketentuan sebagai berikut:

1. Test/calibration result in the form of official report will be issued immediately after testing/calibration has been completed.
   Hasil pengujian/kalibrasi dalam bentuk laporan resmi akan diterbitkan segera setelah pengujian/kalibrasi selesai dilakukan

2. Unless otherwise specified by the Client, this report shall only contain technical evaluation results conducted by PT QUALIS INDONESIA. In the event of a requirement to submit analysis, interpretation of the results, opinions and/or professional recommendations expressed thereupon, then these shall be indicated PT QUALIS INDONESIA in writing and additional fee, if applicable, borne by the Client.
   Laporan ini hanya berisi hasil evaluasi teknis yang dilakukan oleh PT QUALIS INDONESIA kecuali diminta sebaliknya oleh Klien. Dalam hal diperlukannya penyampaian analisis, interpretasi terhadap hasil, pendapat dan/atau rekomendasi profesional, maka semua perlu disampaikan secara tertulis kepada PT QUALIS INDONESIA dan jika ada biaya tambahan maka akan dibebankan kepada Klien.

3. This report applies to the sample of the specific product/equipment given at the time of its testing/calibration. The results are not used to indicate or imply that they are applicable to other similar items. In addition, such results must not be used to indicate or imply that PT QUALIS INDONESIA approves, recommends or endorses the manufacturer, supplier or user of such product/equipment, or that PT QUALIS INDONESIA in any way "guarantees" the later performance of the product/equipment. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product/equipment.
   Laporan ini berlaku untuk sampel produk/peralatan tertentu yang diajukan pada saat pengujian/kalibrasi. Segala hasil tidak dapat digunakan untuk menunjukkan atau menyiratkan bahwa hasil evaluasi sampel berlaku untuk barang serupa lainnya. Selain itu, hasil tersebut tidak dapat digunakan untuk menunjukkan atau menyiratkan bahwa PT QUALIS INDONESIA menyetujui, merekomendasikan atau mengesahkan pabrikan, pemasok atau pengguna produk/peralatan tersebut, atau bahwa PT QUALIS INDONESIA dalam bentuk apapun "menjamin" kinerja produk/peralatan untuk seterusnya. Kecuali dinyatakan lain dalam laporan ini, tidak ada pengujian yang dilakukan untuk menentukan efek jangka panjang penggunaan produk/peralatan yang dimaksud.

4. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client. PT QUALIS INDONESIA therefore assumes no responsibility for the accuracy of information on the brand name, model number, origin of manufacture, consignment or any other information supplied.
   Sampel yang dicantumkan dalam laporan ini diserahkan/disediakan/diproduksi oleh Klien. Oleh karena itu, PT QUALIS INDONESIA tidak bertanggung jawab atas keakuratan informasi tentang nama merek, nomor model, asal-usul pembuatan, pengiriman atau informasi lainnya apapun yang diberikan.

5. Additional copies of the report are available to the Client at an additional fee. No third party can obtain a copy of this report through PT QUALIS INDONESIA, unless the Client has authorized PT QUALIS INDONESIA in writing to do so.
   Salinan tambahan dari laporan ini tersedia untuk Klien dengan biaya tambahan. Tidak ada pihak ketiga yang dapat memperoleh salinan laporan ini melalui PT QUALIS INDONESIA, kecuali Klien telah memberi kuasa kepada PT QUALIS INDONESIA secara tertulis untuk melakukannya.

6. PT QUALIS INDONESIA may at its sole discretion add to or amend the conditions of the report at the time of report issuance. Such report and additions or amendments shall be binding on the Client.
   Atas kebijakannya sendiri, PT QUALIS INDONESIA dapat menambah atau mengubah ketentuan laporan pada saat penerbitan laporan. Laporan dan penambahan atau amandemen tersebut bersifat mengikat untuk Klien.

7. All copyright in the report shall remain with PT QUALIS INDONESIA and the Client shall, upon payment of PT QUALIS INDONESIA's fees for the carrying out of the tests/calibrations, be granted the permission to use or publish the report to the third parties subject to the terms and conditions herein, provided that PT QUALIS INDONESIA is always at its absolute discretion entitled to impose such terms and conditions on the report as it sees relevant.
   Seluruh hak cipta atas laporan tetap menjadi milik PT QUALIS INDONESIA dan setelah pembayaran biaya pelaksanaan pengujian/kalibrasi kepada PT QUALIS INDONESIA, Klien akan diberikan ijin untuk menggunakan atau mempublikasikan laporan kepada pihak ketiga dengan syarat dan ketentuan sebagaimana yang tertera dalam laporan ini, dengan catatan bahwa atas pertimbangan mutlaknya, PT QUALIS INDONESIA berhak memberlakukan syarat dan ketentuan yang dimaksud pada laporan yang dianggap relevan.

8. Nothing in this report shall be interpreted to mean that PT QUALIS INDONESIA has verified or ascertained any endorsement or marks from any other testing authority or bodies that may be found on that sample.
   Tidak ada hal apapun dalam laporan ini yang dapat ditafsirkan bahwa PT QUALIS INDONESIA telah memverifikasi atau memberikan pengesahan atau tanda dari otoritas atau badan pengujian lain yang mungkin ditemukan pada sampel tersebut.

9. This report shall not be reproduced in parts and no reference shall be made by the Client to PT QUALIS INDONESIA, or to the report or results furnished by PT QUALIS INDONESIA in any advertisements or sales promotion.
   Laporan ini tidak diperkenankan untuk dicetak ulang secara sebagian dan Klien tidak diperkenankan untuk membuat referensi terhadap PT QUALIS INDONESIA dalam iklan atau promosi penjualan, atau terhadap laporan atau hasil yang diterbitkan oleh PT QUALIS INDONESIA.

DRAFT