TEST REPORT

Test Report No.	**QF/2022110400**
Date	**18 January 2023**

Client's name	**PT. Coca-cola Indonesia**
Address	Jl. Raya Jakarta - Bogor Km. 38, Cilangkap, Cimanggis, Depok

The following sample(s) was/were submitted and identified by client as:

Sample Description	After UV
Sample No.	smp/2022110951
Sample Condition	Sample is contained in jerry can
Date Received	16 November 2022
Date Commenced	16 November 2022

Approved and digitally signed on behalf of
PT. Qualis Indonesia

Mohammad Aripin
Laboratory Manager

*) This document is electronically generated and bears no signature. Please scan above QR code to verify document originality.
Dokumen ini diterbitkan secara elektronik dan tidak diperlukan tanda tangan basah. Silakan memindai kode QR di atas untuk verifikasi keaslian dokumen.

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia.

Submitted samples were tested and the following results were obtained:

Test Item(s)	Method(s)	Unit(s)	Requirement	LOR	Result(s)	Conclusion
Physical						
- Taste	Organoleptic	-	No off-taste	-	No off-taste	Pass
- Apperance	Organoleptic	-	Normal	-	Normal	Pass
- Odor	Organoleptic	-	No off-odor	-	No off-odor	Pass
Chemical						
- Alkalinity	APHA2320 B	mg/L	Max 85 mg/L	-	6.50	Pass
- Total Chlorine	Photometer	mg/L	Max 0.0 mg/L	-	0.09	Pass
- pH	pH Meter	-	Min 4.9	-	7.07	Pass
- Total Dissolved Solids (TDS)	Photometer	mg/L	Max 500 mg/L	-	3.09	Pass
- Turbidity	Photometer	NTU	Max 0.3 NTU	-	0.02	Pass
Microbiology						
- Coliform	ISO 9308-1:2014	cfu/100 mL	< 1 cfu/100 mL	-	0	Pass
- *Escherichia coli*	ISO 9308-1:2014	cfu/100 mL	< 1 cfu/100 mL	-	0	Pass
- Mesophilic (Total Plate Count)	SNI ISO 4833:2015	cfu/mL	< 25 cfu/1 mL	-	< 10	Pass
- Yeast and Mold	Membran Filter	cfu/100 mL	< 10/100 mL	-	0	Pass
Inorganic						
- Aluminum	ICP-MS	mg/L	0.2 mg/L	0.0036	< 0.0036	Pass
- Antimony	ICP-MS	mg/L	0.02 mg/L	0.0003	< 0.0003	Pass
- Arsenic (Total)	ICP-MS	mg/L	0.01 mg/L	0.0008	< 0.0008	Pass
- Barium	ICP-MS	mg/L	0.7 mg/L	0.0005	< 0.0005	Pass
- Boron	ICP-MS	mg/L	2.4 mg/L	0.0012	0.0454	Pass
- Cadmium	ICP-MS	mg/L	0.003 mg/L	0.0006	< 0.0006	Pass
- Chloride	Photometer	mg/L	250 mg/L	-	1.2	Pass
- Chromium (Total)	ICP-MS	mg/L	0.05 mg/L	0.0027	< 0.0027	Pass
- Copper	ICP-MS	mg/L	2 mg/L	0.02	< 0.02	Pass
- Cyanide (Total)	Photometer	mg/L	0.07 mg/L	0.03	< 0.03	Pass
- Fluoride	Photometer	mg/L	1.5 mg/L	-	0.01	Pass
- Iron	ICP-MS	mg/L	0.1 mg/L	0.02	< 0.02	Pass
- Lead	ICP-MS	mg/L	0.005 mg/L	0.0009	< 0.0009	Pass
- Manganese	ICP-MS	mg/L	0.05 mg/L	0.0003	0.0050	Pass
- Mercury	ICP-MS	mg/L	0.001 mg/L	0.0006	< 0.0006	Pass

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia

- Nickel	ICP-MS	mg/L	0.02 mg/L	0.0006	< 0.0006	Pass
- Nitrate (NO_3^-)	Photometer	mg/L	45 mg/L	-	0.40	Pass
- Nitrite (NO_2^-)	Photometer	mg/L	3 mg/L	-	0.02	Pass
- Selenium	ICP-MS	mg/L	0.04 mg/L	0.0017	< 0.0017	Pass
- Sulfate	Photometer	mg/L	250 mg/L	-	1	Pass
- Total combined chloride and sulfate1	Photometer	mg/L	400 mg/L	-	2.20	Pass
- Uranium	ICP-MS	mg/L	0.03 mg/L	0.0021	< 0.0021	Pass
- Zinc	ICP-MS	mg/L	5 mg/L	0.02	< 0.02	Pass
Organic						
- Acrylamide	GC-MS	mg/L	0.0005 mg/L	0.0001	< 0.0001	Pass
- Benzene	GC-MS	mg/L	0.005 mg/L	0.0005	< 0.0005	Pass
- Benzo(a)pyrene	GC-MS	mg/L	0.0007 mg/L	0.0001	< 0.0001	Pass
- Carbon tetrachloride	GC-MS	mg/L	0.004 mg/L	0.0005	< 0.0005	Pass
- 1,2-Dichloroethane	GC-MS	mg/L	0.002 mg/L	0.0001	< 0.0001	Pass
- 1,2-Dichloroethene (Total of cis & trans isomers)	GC-MS	mg/L	0.05 mg/L	0.0001	< 0.0001	Pass
- #cis-1,2-Dichloroethene (cis-1,2-Dichloroethylene)	GC-MS	mg/L	0.05 mg/L	0.0001	< 0.0001	Pass
- #trans-1,2-Dichloroethene (trans-1,2-Dichloroethylene)	GC-MS	mg/L	0.05 mg/L	0.00006	< 0.0006	Pass
- Di(2-ethylhexyl) phthalate	GC-MS	mg/L	0.006 mg/L	0.0001	< 0.0001	Pass
- Dichloromethane (Methylene chloride)	GC-MS	mg/L	0.02 mg/L	0.0001	< 0.0001	Pass
- #Edetic acid (EDTA)	HPLC OWI-TO29	mg/L	0.6 mg/L	0.2	< 0.2	Pass
- Ethylbenzene	GC-MS	mg/L	0.3 mg/L	0.0001	< 0.0001	Pass
- Hexachlorobutadien	GC-MS	mg/L	0.0006 mg/L	0.0001	< 0.0001	Pass
- #Nitrilotriacetic acid (NTA)	USEPA SW 846 Method 8270D ;3510C (1998;1996)	mg/L	0.2 mg/L	0.1	< 0.1	Pass
- Styrene	GC-MS	mg/L	0.02 mg/L	0.0001	< 0.0001	Pass
- Tetrachloroethene	GC-MS	mg/L	0.04 mg/L	0.0001	< 0.0001	Pass
- Toluene	GC-MS	mg/L	0.7 mg/L	0.0005	< 0.0005	Pass

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia

- Trichloroethene (Trichloroethylene)	GC-MS	mg/L	0.001 mg/L	0.0001	0.0001	Pass
- #Vinyl Chloride	USEPA SW 846 Method 8260C;5000 (2006;1996)	mg/L	0.0003 mg/L	0.0002	< 0.0002	Pass
- Xylenes (Total)	USEPA SW 846 Method 8015C ;5030B (2007;1996)	mg/L	0.5 mg/L	0.0001	< 0.0005	Pass
Disinfection By Products (DBP) and Disinfectants						
- #Bromate	LC-ICP-MS	mg/L	0.01 mg/L	0.005	< 0.002	Pass
- #Chlorate	Ion Chromatography with Conductivity Detector	mg/L	0.7 mg/L	0.005	0.097	Pass
- #Chlorite	Ion Chromatography with Conductivity Detector	mg/L	0.7 mg/L	0.100	< 0.100	Pass
Haloacetic Acids						
- Monochloroacetate	GC-MS	mg/L	0.06 mg/L	0.0001	< 0.0001	Pass
- Dichloroacetate					< 0.0001	Pass
- Trichloroacetate					< 0.0001	Pass
- Bromoacetic acid					< 0.0001	Pass
- Dibromoacetic acid					< 0.0001	Pass
- #Dibromoacetonitrile	USEPA SW 846 Method 8260C;5000 (2006;1996)	mg/L	0.07 mg/L	0.01	< 0.01	Pass
- #Dichloroacetonitrile	USEPA SW 846 Method 8260C;5000 (2006;1996)	mg/L	0.02 mg/L	0.001	< 0.001	Pass
- #Bromoform	USEPA SW 846 Method 8260C;5000 (2006;1996)	mg/L	0.08 mg/L	0.001	< 0.001	Pass
- #Dibromochloro-methane	USEPA SW 846 Method 8260C;5000 (2006;1996)	mg/L	0.08 mg/L	0.001	< 0.001	Pass

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia

- #Bromodichloro-methane	USEPA SW 846 Method 8260C;5000 (2006;1996)	mg/L	0.08 mg/L	0.001	< 0.001	Pass
- Chloroform	GC-MS	mg/L	0.08 mg/L	0.0001	< 0.0001	Pass
Pesticides						
- Alachlor	GC-MS	mg/L	0.02 mg/L	0.0001	< 0.0001	Pass
- Aldicarb	GC-MS	mg/L	0.01 mg/L	0.0001	< 0.0001	Pass
- Aldicarb Sulfone	GC-MS	mg/L	0.01 mg/L	0.0001	< 0.0001	Pass
- Aldicarb Sulfoxide	GC-MS	mg/L	0.01 mg/L	0.0001	< 0.0001	Pass
- Aldrin & Dieldrin (combined)	GC-MS	mg/L	0.00003 mg/L	0.00001	< 0.00001	Pass
- Atrazine	GC-MS	mg/L	0.003 mg/L	0.0001	< 0.0001	Pass
- Carbofuran	GC-MS	mg/L	0.007 mg/L	0.0004	< 0.0004	Pass
- Chlordan (Total of alpha and gamma isomers)	GC-MS	mg/L	0.0002 mg/L	0.0001	< 0.0001	Pass
- Chlorotoluron	GC-MS	mg/L	0.03 mg/L	0.0001	< 0.0001	Pass
- Chlorpyrifos	GC-MS	mg/L	0.03 mg/L	0.0002	< 0.0002	Pass
- Cyanazine	GC-MS	mg/L	0.0006 mg/L	0.0001	< 0.0001	Pass
- 2,4-Dichlorophenoxyaceti c acid (2,4-D)	GC-MS	mg/L	0.03 mg/L	0.0001	< 0.0001	Pass
- 2,4-DB	GC-MS	mg/L	0.09 mg/L	0.0001	< 0.0001	Pass
- 2,4-DDT and Metabolites	GC-MS	mg/L	0.001 mg/L	0.0001	< 0.0001	Pass
- 1,2-Dibromo-3-Chloropropane (DBCP)	GC-MS	mg/L	0.001 mg/L	0.0001	< 0.0001	Pass
- 1,2-Dibromoethane (Ethylene Dibromide / EDB)	USEPA 8260B	mg/L	0.0004 mg/L	0.0001	< 0.0001	Pass
- 1,2-Dichloropropane (1,2-DCP)	GC-MS	mg/L	0.04 mg/L	0.00005	< 0.00005	Pass
- 1,3-Dichloropropene (Total of cis & trans isomers)	GC-MS	mg/L	0.02 mg/L	0.00005	< 0.00005	Pass
- Dichloroprop	GC-MS	mg/L	0.01 mg/L	0.0001	< 0.0001	Pass
- Dimethoate	GC-MS	mg/L	0.006 mg/L	0.0001	< 0.0001	Pass
- Endrin	GC-MS	mg/L	0.0006 mg/L	0.0001	< 0.0001	Pass
- Fenoprop (Silvex/2,4,5-TP)	GC-MS	mg/L	0.009 mg/L	0.0001	< 0.0001	Pass
- Heptachlor	GC-MS	mg/L	0.00003 mg/L	0.00002	< 0.00002	Pass
- Heptachlor Epoxide	GC-MS	mg/L	0.00003 mg/L	0.00002	< 0.00002	Pass

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia

- Isoproturon	GC-MS	mg/L	0.009 mg/L	0.0001	< 0.0001	Pass
- Lindane (gamma-BHC)	GC-MS	mg/L	0.002 mg/L	0.0001	< 0.0001	Pass
- MCPA	GC-MS	mg/L	0.002 mg/L	0.0001	< 0.0001	Pass
- Mecoprop (MCPP)	GC-MS	mg/L	0.01 mg/L	0.0001	< 0.0001	Pass
- Methoxychlor	GC-MS	mg/L	0.02 mg/L	0.0001	< 0.0001	Pass
- Metolachlor	GC-MS	mg/L	0.01 mg/L	0.0001	< 0.0001	Pass
- Molinate	GC-MS	mg/L	0.006 mg/L	0.0001	< 0.0001	Pass
- Pendimethalin	GC-MS	mg/L	0.02 mg/L	0.00005	< 0.00005	Pass
- Pentachlorophenol	GC-MS	mg/L	0.009 mg/L	0.0001	< 0.0001	Pass
- Simazine	GC-MS	mg/L	0.002 mg/L	0.0001	< 0.0001	Pass
- 2,4,5-T	GC-MS	mg/L	0.009 mg/L	0.0001	< 0.0001	Pass
- Terbuthylazine	GC-MS	mg/L	0.007 mg/L	0.0001	< 0.0001	Pass
- 2,4,6-Trichlorophenol	GC-MS	mg/L	0.2 mg/L	0.0001	< 0.0001	Pass
- Trifluralin	GC-MS	mg/L	0.02 mg/L	0.0001	< 0.0001	Pass
Radionuclicides						
- #Gross Alpha particle activity (including radium-226, but excluding radon and uranium)	SOP 007.003/KN 05 02/KMR 2.1	Bq/L	0.50 Bq/L or 13.50 pCi/L	0.01	< 0.01	Pass
- #Gross Beta particle activity	SOP 007.003/KN 05 02/KMR 2.1	Bq/L	1.0 Bq/L or 27.0 pCi/L	0.02	0.21 ± 0.02	Pass
- #Radium-226	SOP 005.003/KL 02/KMR 2.1	Bq/L	1.0 Bq/L or 27.0 pCi/L	0.03	< 0.03	Pass

Remark: LOR = ''Limit of Reporting"

"Test(s) marked # on this Report was tested/ analyzed by an external laboratory with prior approval of the client"

**********End of Report**********

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia

Please be informed that this report is issued under the following conditions:
Harap diketahui bahwa laporan ini diterbitkan dengan ketentuan sebagai berikut:

1. Test/calibration result in the form of official report will be issued immediately after testing/calibration has been completed.
   Hasil pengujian/kalibrasi dalam bentuk laporan resmi akan diterbitkan segera setelah pengujian/kalibrasi selesai dilakukan

2. Unless otherwise specified by the Client, this report shall only contain technical evaluation results conducted by PT QUALIS INDONESIA. In the event of a requirement to submit analysis, interpretation of the results, opinions and/or professional recommendations expressed thereupon, then these shall be indicated PT QUALIS INDONESIA in writing and additional fee, if applicable, borne by the Client.
   Laporan ini hanya berisi hasil evaluasi teknis yang dilakukan oleh PT QUALIS INDONESIA kecuali diminta sebaliknya oleh Klien. Dalam hal diperlukannya penyampaian analisis, interpretasi terhadap hasil, pendapat dan/atau rekomendasi profesional, maka semua perlu disampaikan secara tertulis kepada PT QUALIS INDONESIA dan jika ada biaya tambahan maka akan dibebankan kepada Klien.

3. This report applies to the sample of the specific product/equipment given at the time of its testing/calibration. The results are not used to indicate or imply that they are applicable to other similar items. In addition, such results must not be used to indicate or imply that PT QUALIS INDONESIA approves, recommends or endorses the manufacturer, supplier or user of such product/equipment, or that PT QUALIS INDONESIA in any way "guarantees" the later performance of the product/equipment. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product/equipment.
   Laporan ini berlaku untuk sampel produk/peralatan tertentu yang diajukan pada saat pengujian/kalibrasi. Segala hasil tidak dapat digunakan untuk menunjukkan atau menyiratkan bahwa hasil evaluasi sampel berlaku untuk barang serupa lainnya. Selain itu, hasil tersebut tidak dapat digunakan untuk menunjukkan atau menyiratkan bahwa PT QUALIS INDONESIA menyetujui, merekomendasikan atau mengesahkan pabrikan, pemasok atau pengguna produk/peralatan tersebut, atau bahwa PT QUALIS INDONESIA dalam bentuk apapun "menjamin" kinerja produk/peralatan untuk seterusnya. Kecuali dinyatakan lain dalam laporan ini, tidak ada pengujian yang dilakukan untuk menentukan efek jangka panjang penggunaan produk/peralatan yang dimaksud.

4. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client. PT QUALIS INDONESIA therefore assumes no responsibility for the accuracy of information on the brand name, model number, origin of manufacture, consignment or any other information supplied.
   Sampel yang dicantumkan dalam laporan ini diserahkan/disediakan/diproduksi oleh Klien. Oleh karena itu, PT QUALIS INDONESIA tidak bertanggung jawab atas keakuratan informasi tentang nama merek, nomor model, asal-usul pembuatan, pengiriman atau informasi lainnya apapun yang diberikan.

5. Additional copies of the report are available to the Client at an additional fee. No third party can obtain a copy of this report through PT QUALIS INDONESIA, unless the Client has authorized PT QUALIS INDONESIA in writing to do so.
   Salinan tambahan dari laporan ini tersedia untuk Klien dengan biaya tambahan. Tidak ada pihak ketiga yang dapat memperoleh salinan laporan ini melalui PT QUALIS INDONESIA, kecuali Klien telah memberi kuasa kepada PT QUALIS INDONESIA secara tertulis untuk melakukannya.

6. PT QUALIS INDONESIA may at its sole discretion add to or amend the conditions of the report at the time of report issuance. Such report and additions or amendments shall be binding on the Client.
   Atas kebijakannya sendiri, PT QUALIS INDONESIA dapat menambah atau mengubah ketentuan laporan pada saat penerbitan laporan. Laporan dan penambahan atau amandemen tersebut bersifat mengikat untuk Klien.

7. All copyright in the report shall remain with PT QUALIS INDONESIA and the Client shall, upon payment of PT QUALIS INDONESIA's fees for the carrying out of the tests/calibrations, be granted the permission to use or publish the report to the third parties subject to the terms and conditions herein, provided that PT QUALIS INDONESIA is always at its absolute discretion entitled to impose such terms and conditions on the report as it sees relevant.
   Seluruh hak cipta atas laporan tetap menjadi milik PT QUALIS INDONESIA dan setelah pembayaran biaya pelaksanaan pengujian/kalibrasi kepada PT QUALIS INDONESIA, Klien akan diberikan ijin untuk menggunakan atau mempublikasikan laporan kepada pihak ketiga dengan syarat dan ketentuan sebagaimana yang tertera dalam laporan ini, dengan catatan bahwa atas pertimbangan mutlaknya, PT QUALIS INDONESIA berhak memberlakukan syarat dan ketentuan yang dimaksud pada laporan yang dianggap relevan.

8. Nothing in this report shall be interpreted to mean that PT QUALIS INDONESIA has verified or ascertained any endorsement or marks from any other testing authority or bodies that may be found on that sample.
   Tidak ada hal apapun dalam laporan ini yang dapat ditafsirkan bahwa PT QUALIS INDONESIA telah memverifikasi atau memberikan pengesahan atau tanda dari otoritas atau badan pengujian lain yang mungkin ditemukan pada sampel tersebut.

9. This report shall not be reproduced in parts and no reference shall be made by the Client to PT QUALIS INDONESIA, or to the report or results furnished by PT QUALIS INDONESIA in any advertisements or sales promotion.
   Laporan ini tidak diperkenankan untuk dicetak ulang secara sebagian dan Klien tidak diperkenankan untuk membuat referensi terhadap PT QUALIS INDONESIA dalam iklan atau promosi penjualan, atau terhadap laporan atau hasil yang diterbitkan oleh PT QUALIS INDONESIA.