LP - 708 - IDN

☒ PASS

☐ FAIL

TEST REPORT

No.QI-26/02/0001

Applicant Company Name	**PT. Coba K3L**
Attention	**Mr Arjuna Kimia**
Address	**Jalan Pajajaran 17 Desa Gandasari Kecamatan Jatiuwung, Tangerang, 15810, ID**

Request No.	smp/26020048	Test performance date	05 February 2026
Received Date of Sample	06 February 2026	Issue date	06 February 2026
		Test Report valid until	31 March 2026

Sample Description	Baby Wear
Material/fiber type	Cotton
Brand Product	CRESSIDA
Factory Name	ABS PVT LTD
Factory Address	A20-BAVALA GIDC, AHMEDABAD
Country of Origin	INDIA

Approved and digitally signed on behalf of
PT. Qualis Indonesia

Jang Yadi
Chemical Laboratory Manager

This document is electronically generated and bears no signature. Please scan above QR code to verify document originality.

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia.

PT. Qualis Indonesia || Testing, Certification, Inspection, Calibration

Head Office & Laboratory
Jl. Pajajaran No. 17, Gandasari, Kec. Jatiuwung, Tangerang 15137 – INDONESIA
T:(021) 5565 2583/86 || F:(021) 5565 2489 || www.qualis-indonesia.com

Marketing Office
Artha Gading Niaga Blok H No. 1-2, Kelapa Gading, Jakarta Utara 14240 – INDONESIA
T:(021) 4585 0885 || F:(021) 4585 0661 || www.qualis-indonesia.com

Type	A. Oblong Baby Dominant Black Color, Type Code: KCBDS.1EB261H B. Oblong Baby Dominant White Color Type Code: KCBDS.1EB253P C. Oblong Baby Dominant Brown Color, Type Code: KCBDS.1EB255C D. Oblong Baby Dominant Green Color, Type Code: KCBDS.1EB256J E. Oblong Baby Dominant Red Color, Type Code: KCBDS.1EB258R F. Oblong Baby Dominant Blue Color, Type Code: KCBDS.1FB262B G. Oblong Baby Dominant Yellow Color, Type Code: KCBDS.1FB266K
Group of Product	Baby Wear
Description of Product	
Remark	N/A

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia.

Sample Picture:

Description and Color	Photo Photograph
Sample A Black	
Sample F Blue	
Sample E Red	

Qualis

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia.

Sample G Yellow	
Sample D Green	
Sample B White	

Qualis

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia.

Sample C Multicolor	

Note: Test samples are selected by the laboratory and composited in accordance with the Decree of the Director General of Consumer Protection and Trade Order Number 36 of 2023 concerning Technical Instructions for Procedures for Implementing Verification of Registration and Testing of Goods Related to Security, Safety, Health and the Environment.

Overall Conclusion:

For compliance with the requirements Select Requirement:

No.	Test Parameters	Test Method	Results
1	Azo Dyes	TSQ-LAB-QAF-087	PASS
2	Extractable Heavy Metals Content	TSQ-LAB-QAF-087	PASS
3	Formaldehyde Content	TSQ-LAB-QAF-087	PASS

Sample Description:

Sr. No.	Sample Description	Sample ID
1	**Sample A - Cotton (Black)**	**001**
2	**Sample F - Cotton (Blue)**	**002**
3	**Sample E - Cotton (Red)**	**003**
4	**Sample G - Cotton (Yellow)**	**004**
5	**Sample D - Cotton (Green)**	**005**
6	**Sample B - Cotton (White)**	**006**
7	**Sample C - Cotton (Multicolor)**	**007**

Note: main colors: red, yellow, green, blue, orange, brown, purple, black, white and multicolor

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia.

Test Result

1. Azo Dyes

Test Method: TSQ-LAB-QAF-087, TSQ-LAB-QAF-087, TSQ-LAB-QAF-087,

4,4'-oxydianiline	N.D	20 mg/kg
Benzidine	N.D	20 mg/kg
4,4'-diaminodiphenylmethane	N.D	20 mg/kg
o-aminoazotoluene	N.D	20 mg/kg
4,4'-methylene-bis-(2-chloroaniline)	N.D	20 mg/kg
3,3'-dichlorobenzidine	N.D	20 mg/kg
3,3'-dimethylbenzidine	N.D	20 mg/kg
4,4'-thiodianiline	N.D	20 mg/kg
4,4'-methylenedi-o-toluidine	N.D	20 mg/kg
3,3' dimethoxybenzidine	N.D	20 mg/kg
Remark	**PASS**	

Method Detection Limit= o-toluidine
: 20 (mg/kg), 2,4-xylidine: 20 (mg/kg), 2,6-xylidine: 20 (mg/kg), 2-methoxyaniline: 20 (mg/kg), 4-chloroaniline: 20 (mg/kg), p-cresidine: 20 (mg/kg), 2,4,5-trimethylaniline: 20 (mg/kg), 4-chloro-o-toluidine: 20 (mg/kg), 2,4-toluendamine: 20 (mg/kg), 2,4-diaminoanisole: 20 (mg/kg), 2-naphthylamine: 20 (mg/kg), 5-nitro-o-toluidine: 20 (mg/kg), 4-aminobiphenyl: 20 (mg/kg), 4-aminoazobenzene: 20 (mg/kg), 4,4'-oxydianiline: 20 (mg/kg), Benzidine: 20 (mg/kg), 4,4'-diaminodiphenylmethane: 20 (mg/kg), o-aminoazotoluene: 20 (mg/kg), 4,4'-methylene-bis-(2-chloroaniline): 20 (mg/kg), 3,3'-dichlorobenzidine: 20 (mg/kg), 3,3'-dimethylbenzidine: 20 (mg/kg), 4,4'-thiodianiline: 20 (mg/kg), 4,4'-methylenedi-o-toluidine: 20 (mg/kg), 3,3' dimethoxybenzidine: 20 (mg/kg)

2. Formaldehyde Content

Test Method: TSQ-LAB-QAF-087 - Analyzed by GC-MS

Element/Compound	**Result (mg/kg) (001+002+003 +004+005+006+007)**	**Requirement (mg/kg)**
Formaldehyde	N.D	16 mg/kg
Remark	**PASS**	

Method Detection Limit= Formaldehyde: 16 (mg/kg)

3. Extractable Heavy Metals Content

Test Method: TSQ-LAB-QAF-087 - Analyzed by GC-MS

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia.

Element/Compound	Result (mg/kg) (001+002+003 +004+005+006+007)	Requirement (mg/kg)
Lead (Pb)	N.D	16 mg/kg
Cadmium (Cd)	N.D	16 mg/kg
Copper (Cu)	N.D	16 mg/kg
Nickel (Ni)	N.D	16 mg/kg
Remark	**PASS**	

Method Detection Limit= Lead (Pb): 0.1 (mg/kg), Cadmium (Cd): 0.05 (mg/kg), Copper (Cu): 5 (mg/kg), Nickel (Ni): 0.5 (mg/kg)

********** End of the Test Report**********

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia.

Please be informed that this report is issued under the following conditions:
Harap diketahui bahwa laporan ini diterbitkan dengan ketentuan sebagai berikut:

1. Test/calibration result in the form of official report will be issued immediately after testing/calibration has been completed. Hasil pengujian/kalibrasi dalam bentuk laporan resmi akan diterbitkan segera setelah pengujian/kalibrasi selesai dilakukan.
2. Unless otherwise specified by the Client, this report shall only contain technical evaluation results conducted by PT QUALIS INDONESIA. In the event of a requirement to submit analysis, interpretation of the results, opinions and/or professional recommendations expressed thereupon, then these shall be indicated PT QUALIS INDONESIA in writing and additional fee, if applicable, borne by the Client.
   Laporan ini hanya berisi hasil evaluasi teknis yang dilakukan oleh PT QUALIS INDONESIA kecuali diminta sebaliknya oleh Klien. Dalam hal diperlukannya penyampaian analisis, interpretasi terhadap hasil, pendapat dan/atau rekomendasi profesional, maka semua perlu disampaikan secara tertulis kepada PT QUALIS INDONESIA dan jika ada biaya tambahan maka akan dibebankan kepada Klien.
3. This report applies to the sample of the specific product/equipment given at the time of its testing/calibration. The results are not used to indicate or imply that they are applicable to other similar items. In addition, such results must not be used to indicate or imply that PT QUALIS INDONESIA approves, recommends or endorses the manufacturer, supplier or user of such product/equipment, or that PT QUALIS INDONESIA in any way "guarantees" the later performance of the product/equipment. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product/equipment.
   Laporan ini berlaku untuk sampel produk/peralatan tertentu yang diajukan pada saat pengujian/kalibrasi. Segala hasil tidak dapat digunakan untuk menunjukkan atau menyiratkan bahwa hasil evaluasi sampel berlaku untuk barang serupa lainnya. Selain itu, hasil tersebut tidak dapat digunakan untuk menunjukkan atau menyiratkan bahwa PT QUALIS INDONESIA menyetujui, merekomendasikan atau mengesahkan pabrikan, pemasok atau pengguna produk/peralatan tersebut, atau bahwa PT QUALIS INDONESIA dalam bentuk apapun "menjamin" kinerja produk/peralatan untuk seterusnya. Kecuali dinyatakan lain dalam laporan ini, tidak ada pengujian yang dilakukan untuk menentukan efek jangka panjang penggunaan produk/peralatan yang dimaksud.
4. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client. PT QUALIS INDONESIA therefore assumes no responsibility for the accuracy of information on the brand name, model number, origin of manufacture, consignment or any other information supplied.
   Sampel yang dicantumkan dalam laporan ini diserahkan/disediakan/diproduksi oleh Klien. Oleh karena itu, PT QUALIS INDONESIA tidak bertanggung jawab atas keakuratan informasi tentang nama merek, nomor model, asal-usul pembuatan, pengiriman atau informasi lainnya apapun yang diberikan.
5. Additional copies of the report are available to the Client at an additional fee. No third party can obtain a copy of this report through PT QUALIS INDONESIA, unless the Client has authorized PT QUALIS INDONESIA in writing to do so.
   Salinan tambahan dari laporan ini tersedia untuk Klien dengan biaya tambahan. Tidak ada pihak ketiga yang dapat memperoleh salinan laporan ini melalui PT QUALIS INDONESIA, kecuali Klien telah memberi kuasa kepada PT QUALIS INDONESIA secara tertulis untuk melakukannya.
6. PT QUALIS INDONESIA may at its sole discretion add to or amend the conditions of the report at the time of report issuance. Such report and additions or amendments shall be binding on the Client.
   Atas kebijakannya sendiri, PT QUALIS INDONESIA dapat menambah atau mengubah ketentuan laporan pada saat penerbitan laporan. Laporan dan penambahan atau amandemen tersebut bersifat mengikat untuk Klien.
7. All copyright in the report shall remain with PT QUALIS INDONESIA and the Client shall, upon payment of PT QUALIS INDONESIA's fees for the carrying out of the tests/calibrations, be granted the permission to use or publish the report to the third parties subject to the terms and conditions herein, provided that PT QUALIS INDONESIA is always at its absolute discretion entitled to impose such terms and conditions on the report as it sees relevant.
   Seluruh hak cipta atas laporan tetap menjadi milik PT QUALIS INDONESIA dan setelah pembayaran biaya pelaksanaan pengujian/kalibrasi kepada PT QUALIS INDONESIA, Klien akan diberikan ijin untuk menggunakan atau mempublikasikan laporan kepada pihak ketiga dengan syarat dan ketentuan sebagaimana yang tertera dalam laporan ini, dengan catatan bahwa atas pertimbangan mutlaknya, PT QUALIS INDONESIA berhak memberlakukan syarat dan ketentuan yang dimaksud pada laporan yang dianggap relevan.
8. Nothing in this report shall be interpreted to mean that PT QUALIS INDONESIA has verified or ascertained any endorsement or marks from any other testing authority or bodies that may be found on that sample.
   Tidak ada hal apapun dalam laporan ini yang dapat ditafsirkan bahwa PT QUALIS INDONESIA telah memverifikasi atau memberikan pengesahan atau tanda dari otoritas atau badan pengujian lain yang mungkin ditemukan pada sampel tersebut.
9. This report shall not be reproduced in parts and no reference shall be made by the Client to PT QUALIS INDONESIA, or to the report or results furnished by PT QUALIS INDONESIA in any advertisements or sales promotion.
   Laporan ini tidak diperkenankan untuk dicetak ulang secara sebagian dan Klien tidak diperkenankan untuk membuat referensi terhadap PT QUALIS INDONESIA dalam iklan atau promosi penjualan, atau terhadap laporan atau hasil yang diterbitkan oleh PT QUALIS INDONESIA