

EMS ReadyKit API 0.2.0 OAS 3.1

/openapi.json

Vehicle readiness and inventory management platform for Fire and EMS. Non-production technical demonstration. Does not process patient data.

Authorize 

stations

GET	/api/v1/stations/my	List stations the current user is assigned to		
GET	/api/v1/stations	List all stations (Administrator only)		
POST	/api/v1/stations	Create a station (Administrator only)		
PATCH	/api/v1/stations/{station_id}	Edit a station — Administrator only		
DELETE	/api/v1/stations/{station_id}	Deactivate a station — Administrator only		
GET	/api/v1/stations/{station_id}	Get a station		
GET	/api/v1/stations/{station_id}/locations	List checkable non-vehicle locations at a station		
GET	/api/v1/stations/{station_id}/supply-room	Get the supply room for a station (SUPPLY-B3)		
POST	/api/v1/stations/{station_id}/supply-room	Create supply room for a station (get-or-create)		
GET	/api/v1/stations/{station_id}/expiring-soon	Stock lots expiring within N days at this station (SUP-F3)		

GET	<code>/api/v1/stations/{station_id}/supply-alerts</code> Items below par in the station supply room (SR-B3)	 
GET	<code>/api/v1/stations/{station_id}/damaged-items</code> Items currently marked damaged at this station (SUP-DMG1)	 
GET	<code>/api/v1/stations/{station_id}/settings</code> Read station settings (CH-B8) — Supervisor+	 
PATCH	<code>/api/v1/stations/{station_id}/settings</code> Update station settings (CH-B7) — Admin only	 
PATCH	<code>/api/v1/stations/{station_id}/retire</code> Permanently retire a station (RET-B3) — Administrator only	 

station-members



GET	<code>/api/v1/stations/my/roles</code> List the current user's active roles at a given station (ACC-B7)	 
GET	<code>/api/v1/stations/{station_id}/members</code> List members of a station	 
POST	<code>/api/v1/stations/{station_id}/members</code> Add a user to a station with a given role (ACC-B7: one row per role)	 
PATCH	<code>/api/v1/stations/{station_id}/members/{member_id}</code> Edit a station member's preferred name (ACC-B6)	 
DELETE	<code>/api/v1/stations/{station_id}/members/{member_id}</code> Remove a specific role from a station member (soft delete)	 
GET	<code>/api/v1/stations/{station_id}/members/import/template</code> Download CSV template for bulk membership import (ACC-B8)	 
POST	<code>/api/v1/stations/{station_id}/members/import</code> Bulk import station members from CSV (ACC-B8)	 

vehicles



GET	<code>/api/v1/vehicles</code> List vehicles (scoped to user's stations for non-Administrators)	 
POST	<code>/api/v1/vehicles</code> Create a vehicle	 
GET	<code>/api/v1/vehicles/{vehicle_id}</code> Get a vehicle	 

PATCH `/api/v1/vehicles/{vehicle_id}` Mark vehicle active or inactive



GET `/api/v1/stations/{station_id}/vehicles` List vehicles for a station



PATCH `/api/v1/vehicles/{vehicle_id}/retire`
Permanently retire a vehicle (RET-B1) — Administrator only



POST `/api/v1/vehicles/{vehicle_id}/repair-requests` File a repair request



GET `/api/v1/vehicles/{vehicle_id}/repair-requests` List repair requests for a vehicle



PATCH `/api/v1/vehicles/{vehicle_id}/repair-requests/{repair_id}`
Update repair request status



repair-requests



PATCH `/api/v1/vehicles/{vehicle_id}` Mark vehicle active or inactive



POST `/api/v1/vehicles/{vehicle_id}/repair-requests` File a repair request



GET `/api/v1/vehicles/{vehicle_id}/repair-requests` List repair requests for a vehicle



PATCH `/api/v1/vehicles/{vehicle_id}/repair-requests/{repair_id}`
Update repair request status



check-history



GET `/api/v1/checks/daily/my-history` My submitted checks



GET `/api/v1/checks/daily/{check_id}/detail` Get full check detail



PATCH `/api/v1/checks/daily/{check_id}/acknowledge`
Acknowledge a check with corrective action



DELETE `/api/v1/checks/daily/{check_id}` Soft-delete a check



GET `/api/v1/checks/daily/deleted`
List soft-deleted checks for a station (CH-B5, Supervisor+)



PATCH

/api/v1/checks/daily/{check_id}/restore
Restore a soft-deleted check (CH-B6, Supervisor+)



DELETE

/api/v1/checks/daily/{check_id}/force
Permanently delete a soft-deleted check (CH-B4, Admin only)



checks



GET

/api/v1/checks/daily/{check_id} Get a daily inventory check



POST

/api/v1/checks/daily Submit a daily inventory check



GET

/api/v1/checks/daily/last-readings
Last recorded readings for each item, adjusted for post-check usage (USAGE-B1)



GET

/api/v1/checks/daily/vehicle/{vehicle_id} List daily checks for a vehicle



GET

/api/v1/checks/daily/station/{station_id}/today
Get today's compliance status for a station



GET

/api/v1/checks/daily/station/{station_id}
Get compliance checks for a station within a date range (B-E3)



GET

/api/v1/checks/daily/location/{location_id}
Get checks for a portable location (jump bag / equipment)



GET

/api/v1/checks/daily/station/{station_id}/date-range
Earliest check date for a station -- used to bound calendar navigation



POST

/api/v1/checks/controlled-substance Submit a controlled substance check



GET

/api/v1/checks/controlled-substance/{cs_check_id}
Get a controlled substance check



GET

/api/v1/checks/controlled-substance/vehicle/{vehicle_id}
List CS checks for a vehicle



usage



POST /api/v1/checks/usage Log items used after a call (vehicle or portable location)



GET /api/v1/checks/usage/station/{station_id} Usage history for a station



GET /api/v1/checks/usage/station/{station_id}/frequent
Top items used at this station (last 90 days)



items



GET /api/v1/items List items



POST /api/v1/items Create an item



GET /api/v1/items/{item_id} Get an item



inventory



GET /api/v1/inventory/locations List inventory locations



POST /api/v1/inventory/locations
Create a JUMP_BAG or EQUIPMENT inventory location



GET /api/v1/inventory/locations/{location_id} Get an inventory location



PATCH /api/v1/inventory/locations/{location_id}/retire
Permanently retire a location (RET-B2) -- Administrator only



GET /api/v1/inventory/locations/{location_id}/stock List stock lots at a location



GET /api/v1/inventory/locations/{location_id}/par-levels List par levels at a location



GET /api/v1/inventory/locations/{location_id}/compartments
List compartments at a location



POST /api/v1/inventory/locations/{location_id}/compartments Create a compartment



GET /api/v1/inventory/compartments/{compartment_id} Get a compartment



PATCH	/api/v1/inventory/compartments/{compartment_id} Edit a compartment (ADMIN-UX1-B1)	 
POST	/api/v1/inventory/lots Create a stock lot	 
GET	/api/v1/inventory/lots/retired List retired stock lots at a location (RET-B6) -- Supervisor+	 
GET	/api/v1/inventory/lots/{lot_id} Get a stock lot	 
PUT	/api/v1/inventory/lots/{lot_id} Correct expiry date or lot number on a stock lot (Supervisor+)	 
PATCH	/api/v1/inventory/lots/{lot_id}/retire Retire (dispose) a stock lot (RET-B5) -- Supervisor+	 
GET	/api/v1/inventory/expiring List expiring stock lots (Administrator only)	 
POST	/api/v1/inventory/par-levels Create a par level	 
GET	/api/v1/inventory/par-levels/{par_id} Get a par level	 
PATCH	/api/v1/inventory/par-levels/{par_id} Soft-deactivate a par level (B-E9) -- Supervisor+	 
GET	/api/v1/inventory/locations/{location_id}/stock-summary Stock vs par summary for a location (SUPPLY-B2)	 
GET	/api/v1/inventory/locations/{location_id}/transfers Transfer history for a location (SUPPLY-F4)	 
GET	/api/v1/inventory/receive-stock/template Download CSV template for bulk stock receive	 
PATCH	/api/v1/inventory/items/{item_id}/status Mark an item damaged/unavailable at a compartment (DMG-B1)	 
POST	/api/v1/inventory/locations/{location_id}/receive-stock/csv Bulk receive stock from CSV file (SUPPLY-F3)	 
GET	/api/v1/inventory/supply-catalog Station supply catalog with on-hand counts (SR-B1)	 
PATCH	/api/v1/inventory/supply-catalog/items/{item_id}/count Correct on-hand count for a supply-room item (SR-B2)	 

admin



GET	/api/v1/admin/items	List all items in the catalog (ADMIN-B1)		✓
POST	/api/v1/admin/items	Add an item to the catalog (ADMIN-B2)		✓
GET	/api/v1/admin/items/search	Typeahead item search (ADMIN-B1)		✓
GET	/api/v1/admin/items/import/template	Download CSV import template (ADMIN-B18)		✓
POST	/api/v1/admin/items/import	Bulk import items from CSV (ADMIN-B17)		✓
GET	/api/v1/admin/items/{item_id}	Get a single catalog item (ADMIN-B1)		✓
PATCH	/api/v1/admin/items/{item_id}	Edit a catalog item (ADMIN-B3)		✓
PATCH	/api/v1/admin/items/{item_id}/deactivate	Soft-deactivate a catalog item -- Administrator only (ADMIN-B4)		✓
PATCH	/api/v1/admin/items/{item_id}/ai-fields	Update AI identification fields -- Admin only (AI-B1)		✓
GET	/api/v1/admin/items/{item_id}/assignments/count	Active assignment count for an item (ADMIN-F4)		✓
GET	/api/v1/admin/items/{item_id}/assignments	List vehicle/compartment assignments for an item (ADMIN-F4)		✓
POST	/api/v1/admin/items/{item_id}/assign	Assign an item to a vehicle compartment (ADMIN-B6)		✓
PATCH	/api/v1/admin/par-levels/{par_id}	Edit a par level min/max (ADMIN-B7)		✓
DELETE	/api/v1/admin/par-levels/{par_id}	Remove a par level assignment -- alias for PATCH /deactivate (ADMIN-F4)		✓
PATCH	/api/v1/admin/par-levels/{par_id}/deactivate	Soft-deactivate a par level assignment (ADMIN-B8)		✓
GET	/api/v1/admin/vehicles/{vehicle_id}/compartments	List compartments for a vehicle (ADMIN-F4)		✓

GET	/api/v1/admin/compartments/{compartment_id}/assignments List item par levels for a compartment	 
PATCH	/api/v1/admin/vehicles/{vehicle_id}/color Set or clear a vehicle's color (ADMIN-UX1-V, Supervisor+)	 
PATCH	/api/v1/admin/vehicles/{vehicle_id}/details Update vehicle number and type -- Admin only	 
POST	/api/v1/admin/stations Create a new station -- Administrator only (ADMIN-B15)	 
PATCH	/api/v1/admin/locations/{location_id} Rename an inventory location label (SS-B1) -- Admin only	 
GET	/api/v1/admin/retired List retired vehicles, locations, or stations (RET-B4) -- Admin only	 
GET	/api/v1/admin/email-alignment-check Flag StationMember rows whose user_id is not a valid-looking email (LAUNCH-OPS9) -- Admin only	 

audit

^

GET	/api/v1/audit Query audit events	 
-----	-------------------------------------	---

system

^

GET	/health Health	
-----	-------------------	---

Schemas

^

AcknowledgeRequest > Expand all object

AssignItemRequest > Expand all object

AuditEventRead > Expand all object

Body_import_items_csv_api_v1_admin_items_import_post > Expand all object

Body_import_station_members_csv_api_v1_stations__station_id__members_imp
>

Expand all **object**



Body_receive_stock_csv_api_v1_inventory_locations__location_id__receive_stoc
>

Expand all **object**



CheckLineItemCreate > Expand all **object**

CheckLineItemRead > Expand all **object**

CheckStatus > Expand all **string**

CompartmentCreate > Expand all **object**

CompartmentRead > Expand all **object**

CompartmentUpdate > Expand all **object**

ControlledSubstanceCheckCreate > Expand all **object**

ControlledSubstanceCheckRead > Expand all **object**

CsvReceiveResult > Expand all **object**

DailyInventoryCheckCreate > Expand all **object**

DailyInventoryCheckRead > Expand all **object**

FrequentItemRead > Expand all **object**

HTTPValidationError > Expand all **object**

InventoryLocationCreate > Expand all **object**

InventoryLocationRead > Expand all **object**

ItemCategory > Expand all **string**

ItemCheckType > Expand all **string**

ItemCreate > Expand all **object**

ItemRead > Expand all **object**

ItemStatusPatch > Expand all **object**

ItemUpdate > Expand all **object**

LastReadingItem > Expand all **object**

LineItemStatus > Expand all **string**

LocationRetire > Expand all **object**

LocationType > Expand all **string**

LotRetire > Expand all **object**

ParLevelAssignment > Expand all **object**

ParLevelCreate > Expand all **object**

ParLevelRead > Expand all **object**

RepairRequestCreate > Expand all **object**

RepairRequestOut > Expand all **object**

RepairRequestUpdate > Expand all **object**

RepairSeverity > Expand all **string**

RepairStatus > Expand all **string**

SoftDeleteRequest > Expand all **object**

StationCreate > Expand all **object**

StationMemberCreate > Expand all **object**

StationMemberRead > Expand all **object**

StationMemberUpdate > Expand all **object**

StationRead > Expand all **object**

StationRetire > Expand all **object**

StationSettingsPatch > Expand all **object**

StationSettingsRead > Expand all **object**

StockItemSummary > Expand all **object**

StockLotCreate > Expand all **object**

StockLotRead > Expand all **object**

StockLotUpdate > Expand all **object**

StockTransferRead > Expand all **object**

SupplyCatalogCountPatch > Expand all **object**

SupplyCatalogItem > Expand all **object**

UpdateParLevelRequest > Expand all **object**

UsageEventCreate > Expand all **object**

UsageEventRead > Expand all **object**

UsageItemCreate > Expand all **object**

UsageItemRead > Expand all **object**

ValidationError > Expand all **object**

VehicleColorUpdate > Expand all **object**

VehicleCreate > Expand all **object**

VehicleDetailsUpdate > Expand all **object**

VehicleRead > Expand all **object**

VehicleRetire > Expand all **object**

VehicleType > Expand all **string**

VehicleUpdate > Expand all **object**

_AiFieldsPatch > Expand all **object**

_DamagedItem > Expand all **object**

_EmailAlignmentIssue > Expand all **object**

_EmailAlignmentReport > Expand all **object**

_ExpiringGroup > Expand all **object**

_ExpiringLot > Expand all **object**

_LocationLabelPatch > Expand all **object**

_ParLevelDeactivate > Expand all **object**

_ParLevelDeactivateRequest > Expand all **object**

_RetiredItem > Expand all **object**

_SupplyAlertItem > Expand all **object**