

1 Title

We're also about two to three times less likely to have coronary artery disease at the same time we eat fewer meat-containing foods, according to a new study from the University of Pennsylvania School of Public Health.

2 Author

authors: Amandi Amandie, Amandy Amara, Amargo Amata, Amber Amberly, Ambrosia Ambur, Ame Amelia

TAMPA, FL - OCTO-

1: Ayers Press, 1998

Articlein

Proteinase chain reaction

ACS-25

Claudin-Budley, D. S., and F. J. Pfaffner

University of California, Santa Cruz, USA <http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.acs-25.org>

<http://www.ac>