

MySQL_dataset-3

Commit 41:

684bca6835f8a4de290f23edaafce38731508015

Non-C file modifications, therefore no performance regression testing is required.

Commit 42:

323175cc0ab314eff7f80634763f2dd63660cbd1

Unable to provide test cases

Commit 43:

445770f1c3972d32fe9de060f210c7032808ef95

Unable to provide test cases

Commit 44:

21d3f7636c389379eb3c27949d6d09e07e8124e3

Non-C file modifications, therefore no performance regression testing is required.

Commit 45:

e00328b4d068c7485ac2ffe27207ed1f462c718d

The 1st symbolic execution

Testcase:OPTIMIZE TABLE posts;

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  152.6779
4  The new version is executed by default
```

```
5 155.5163
6 The old version
7 153.281400000000002
8 Comparison of New and old versions (along symbolic execution path)
9 -0.0039372030787820644
10 Comparison of New and old versions (along the default execution path)
11 0.014580373091581769
```

No performance regression

Commit 46:

627ae8cf596036ec190015f6f4620068c3f042dc

The 1st symbolic execution

Testcase:UPDATE comments SET post_id=post_id+1 WHERE id>1000;

No conditional branches, no need for symbolic execution.

代码块

```
1 end-to-end diff:
2 The new version executes along symbols
3 82.123
4 The new version is executed by default
5 82.6819
6 The old version
7 82.8398
8 Comparison of New and old versions (along symbolic execution path)
9 -0.008652845612857493
10 Comparison of New and old versions (along the default execution path)
11 -0.0019060886192385537
```

No performance regression

Commit 47:

639963536927182ce64b1edb75b0ee1fc28355bf

Non-C file modifications, therefore no performance regression testing is required.

Commit 48:

808f6bfc22d034f7efb9eb9b2acc8e502b4946c8

The 1st symbolic execution

Testcase:OPTIMIZE TABLE posts;

No conditional branches, no need for symbolic execution.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  149.5418
4  The new version is executed by default
5  151.882
6  The old version
7  151.3152
8  Comparison of New and old versions (along symbolic execution path)
9  -0.011719906526244616
10 Comparison of New and old versions (along the default execution path)
11 0.0037458232880768134
```

No performance regression

Commit 49:

697a8c52cfe31946f705dd42640845568422a6ba

Unable to provide test cases

Commit 50:

8db6e23e9c1909e26fb8b79f58b72f8e7e5e4656

Unable to provide test cases

Commit 51:

30f6466eb1ed5fb801fcdf94132794e5463ec842

Non-C file modifications, therefore no performance regression testing is required.

Commit 52:

4506020b61a6307e65dd6b5237fe0313aae430ae

Non-C file modifications, therefore no performance regression testing is required.

Commit 53:

d8aed8b8de1c2756e0d8e2c68c229df805c9f666

Non-C file modifications, therefore no performance regression testing is required.

Commit 54:

dea401079e42c2cb87eda70db5dcf1ee6e57640a

Unable to provide test cases

Commit 55:

d7c209edf4bfb821e54f299344f0b1c1d34f8230

Non-C file modifications, therefore no performance regression testing is required.

Commit 56:

10cc4de6cb786bdf1f583ace1cfcebfab6cda059

The 1st symbolic execution

Testcase:ALTER TABLE users CHANGE COLUMN username username VARCHAR(60);

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  3.58609999999999996
4  The new version is executed by default
5  3.5783
6  The old version
7  3.62070000000000003
8  Comparison of New and old versions (along symbolic execution path)
9  -0.009556163172867298
```

```
10 Comparison of New and old versions (along the default execution path)
11 -0.011710442732068444
```

No performance regression

The 2nd symbolic execution

Testcase:ALTER TABLE users CHANGE COLUMN username username VARCHAR(60);

Symbolic execution completed successfully.

代码块

```
1 end-to-end diff:
2 The new version executes along symbols
3 3.6408
4 The new version is executed by default
5 3.6991
6 The old version
7 3.7378
8 Comparison of New and old versions (along symbolic execution path)
9 -0.02595109422655037
10 Comparison of New and old versions (along the default execution path)
11 -0.010353683985231944
```

No performance regression

Commit 57:

5daa0c7c4dd579bc9a2c42703e0891baffef9de8

Unable to provide test cases

Commit 58:

e3c9955d236ac19bae4674fea46576aeb41e0d90

The 1st symbolic execution

Testcase:UPDATE comments SET post_id=post_id+1 WHERE id>1000;

Compilation error occurred, terminated.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  83.0273
4  The new version is executed by default
5  83.245399999999999
6  The old version
7  81.9034
8  Comparison of New and old versions (along symbolic execution path)
9  0.013722263056234441
10 Comparison of New and old versions (along the default execution path)
11 0.016385156171782666
```

No performance regression

Commit 59:

a57ac0c08ec939ecdfed514b1bda70b64775733d

Non-C file modifications, therefore no performance regression testing is required.

Commit 60:

64c9a68cc3aaf65994f9597feb9f0fcb06b57420

The 1st symbolic execution

Testcase:UPDATE comments SET post_id=post_id+1 WHERE id>1000;

Symbolic execution exception occurred, resulting in a timeout.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  81.9645
4  The new version is executed by default
5  81.195799999999999
6  The old version
7  80.7689
8  Comparison of New and old versions (along symbolic execution path)
```

9	0.014802727287359353
10	Comparison of New and old versions (along the default execution path)
11	0.0052854502166055145

No performance regression