

MySQL_dataset-7

Commit 121:

afadc5c77d8082e8619ad738709bb303eec77d4e

The 1st symbolic execution

Testcase:SET PERSIST max_connections = 200;

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  0.0002
4  The new version is executed by default
5  0.1721
6  The old version
7  0.1689
8  Comparison of New and old versions (along symbolic execution path)
9  -0.9988158673771462
10 Comparison of New and old versions (along the default execution path)
11 0.018946121965660204
```

No performance regression

Commit 122:

745449df874d4b490dc54ba0fd64571c65854c6c

Non-C file modifications, therefore no performance regression testing is required.

Commit 123:

1ada17ef870165f22d6e3c57900be7826a70d978

The 1st symbolic execution

Testcase:ALTER TABLE employee CHANGE eid eid INT NOT NULL;

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  4.0164
4  The new version is executed by default
5  3.8152999999999997
6  The old version
7  3.9728000000000003
8  Comparison of New and old versions (along symbolic execution path)
9  0.010974627466773973
10 Comparison of New and old versions (along the default execution path)
11 -0.03964458316552573
```

No performance regression

Commit 124: 7b81cc3bebb1672b3bc8ca250aab905e246d5414

The 1st symbolic execution

Testcase:UPDATE IGNORE users SET email = 'new_user1@example.com' WHERE NOT id = 1;

Compilation error occurred, terminated.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  1.4192
4  The new version is executed by default
5  1.4179
6  The old version
7  1.417
8  Comparison of New and old versions (along symbolic execution path)
9  0.0015525758645024558
10 Comparison of New and old versions (along the default execution path)
11 0.0006351446718418495
```

No performance regression

Commit 125:

0bdd58b9a6f2fb403549339397c91d7f0141d4f1

Unable to provide test cases

Commit 126:

e319d3a153be085dbb11fae71baa550363aaeb3b

Unable to provide test cases

Commit 127:

00e9ed1f75bd4ccd45bdc682ef2d43ac5342bd5d

The 1st symbolic execution

Testcase:SELECT * FROM posts WHERE MATCH(title, content) AGAINST('search term' IN NATURAL LANGUAGE MODE);

Symbolic execution exception occurred, resulting in a timeout.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  0.4101
4  The new version is executed by default
5  0.3483
6  The old version
7  0.3477
8  Comparison of New and old versions (along symbolic execution path)
9  0.17946505608283006
10 Comparison of New and old versions (along the default execution path)
11 0.0017256255392579505
```

There may be performance regression

Commit 128:

c17d86b8f14b1a79fc1b95f0e3084c17a3aa62ad

The 1st symbolic execution

Testcase:INSERT INTO eids(id, eid) VALUES (65536, 72004) ON DUPLICATE KEY UPDATE eid = 72004;

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  0.0289
4  The new version is executed by default
5  0.0355
6  The old version
7  0.028999999999999998
8  Comparison of New and old versions (along symbolic execution path)
9  -0.003448275862068945
10 Comparison of New and old versions (along the default execution path)
11 0.22413793103448273
```

There may be performance regression

Commit 129: 0fa789a93f69a4e503095fe6ab29dac0d11bbacb

The 1st symbolic execution

Testcase:SELECT username FROM users WHERE id BETWEEN 700 AND 1200;

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  0.586000000000000001
4  The new version is executed by default
5  0.5723
6  The old version
7  0.5726
8  Comparison of New and old versions (along symbolic execution path)
9  0.023402025847013758
10 Comparison of New and old versions (along the default execution path)
11 -0.0005239259517987548
```

There may be performance regression

The 2nd symbolic execution

Testcase:SELECT DISTINCT u.username, COUNT(p.id) AS post_count, AVG(LENGTH(p.content)) AS avg_content_length FROM users u LEFT JOIN posts p ON u.id = p.user_id GROUP BY u.username HAVING COUNT(p.id) > 1 AND AVG(LENGTH(p.content)) > 100;

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  8.571299999999999
4  The new version is executed by default
5  8.1935
6  The old version
7  8.1579
8  Comparison of New and old versions (along symbolic execution path)
9  0.050674806016254105
10 Comparison of New and old versions (along the default execution path)
11 0.004363868152343192
```

There may be performance regression

The 3rd symbolic execution

Testcase:SELECT * FROM (SELECT user_id FROM posts UNION SELECT user_id FROM comments) AS derived_table WHERE user_id > 10;

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  3.5866
4  The new version is executed by default
5  3.5778
6  The old version
7  3.4568
8  Comparison of New and old versions (along symbolic execution path)
```

```
9 0.03754917843091875
10 Comparison of New and old versions (along the default execution path)
11 0.03500347141865309
```

There may be performance regression

The 4th symbolic execution

Testcase:UPDATE IGNORE users SET email = 'new_user1@example.com' WHERE id = @user_id;

Compilation error occurred, terminated.

代码块

```
1 end-to-end diff:
2 The new version executes along symbols
3 0.0322
4 The new version is executed by default
5 0.0318
6 The old version
7 0.028699999999999996
8 Comparison of New and old versions (along symbolic execution path)
9 0.12195121951219524
10 Comparison of New and old versions (along the default execution path)
11 0.10801393728223017
```

There may be performance regression

The 5th symbolic execution

Testcase:SELECT DISTINCT u.username, COUNT(p.id) AS post_count FROM users u, posts p
WHERE u.id = p.user_id AND u.id IN (SELECT user_id FROM posts WHERE created_at > '2025-01-01') GROUP BY u.username HAVING COUNT(p.id) > 1;

Symbolic execution completed successfully.

代码块

```
1 end-to-end diff:
2 The new version executes along symbols
3 5.9380000000000001
4 The new version is executed by default
5 5.9098
```

```
6 The old version
7 5.9138
8 Comparison of New and old versions (along symbolic execution path)
9 0.004092123507727762
10 Comparison of New and old versions (along the default execution path)
11 -0.0006763840508641563
```

No performance regression

The 6th symbolic execution

Testcase:SELECT DISTINCT u.username, COUNT(p.id) AS post_count FROM users u, posts p
WHERE u.id = p.user_id AND p.created_at BETWEEN '2025-01-01' AND '2025-12-31' GROUP BY
u.username ORDER BY post_count DESC LIMIT 5;

Compilation error occurred, terminated.

代码块

```
1 end-to-end diff:
```

No performance regression

The 7th symbolic execution

Testcase:SELECT DISTINCT u.username, p.title, c.comment FROM users u, posts p, comments c
WHERE u.id = p.user_id AND p.id = c.post_id AND u.id IN (SELECT user_id FROM posts WHERE
created_at > '2025-01-01') ORDER BY c.comment DESC;

Symbolic execution completed successfully.

代码块

```
1 end-to-end diff:
2 The new version executes along symbols
3 8.5211
4 The new version is executed by default
5 20.8291
6 The old version
7 20.8947
8 Comparison of New and old versions (along symbolic execution path)
9 -0.5921884497025561
10 Comparison of New and old versions (along the default execution path)
```

```
11      -0.0031395521352304595
```

No performance regression

The 8th symbolic execution

Testcase:SELECT DISTINCT u.username, COUNT(p.id) AS post_count FROM users u, posts p
WHERE u.id = p.user_id AND p.created_at BETWEEN '2025-01-01' AND '2025-12-31' GROUP BY
u.username ORDER BY post_count DESC LIMIT 5;

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  4.9146
4  The new version is executed by default
5  4.9704999999999995
6  The old version
7  4.9251
8  Comparison of New and old versions (along symbolic execution path)
9  -0.002131936407382492
10 Comparison of New and old versions (along the default execution path)
11 0.009218086942397086
```

No performance regression

Commit 130:

77fca51c4c514a6e17d7fc3c6b310a6a196e8de6

Unable to provide test cases

Commit 131:

64e226ca7f7aca86301eb137bb93fface678607f

Non-C file modifications, therefore no performance regression testing is required.

Commit 132:

c0abf2eba5e02428b28f85afc26cb8958d5a4b64

Unable to provide test cases

Commit 133:

e5a2ee34718dd76742e3e32b9041c0a6b3b1c0b2

Non-C file modifications, therefore no performance regression testing is required.

Commit 134:

bf8c8bb488d77367981d6fb71888d390c4741174

Non-C file modifications, therefore no performance regression testing is required.

Commit 135:

6ba1fef58b043ac5e9657ded777d20619b9b2f4e

The 1st symbolic execution

Testcase:UPDATE comments SET post_id=post_id+1 WHERE id>1000;

Compilation error occurred, terminated.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  86.5133
4  The new version is executed by default
5  82.9059
6  The old version
7  84.6643
8  Comparison of New and old versions (along symbolic execution path)
9  0.021839193142800493
10 Comparison of New and old versions (along the default execution path)
11 -0.020769084490156946
```

There may be performance regression