

Httpd_dataset-3

Commit 41:

540ecf89abe2639e9079bdc57a8d5b98f046f8c7

Non-C file modifications, therefore no performance regression testing is required.

Commit 42:

0343adfaedd03a85211d6997562cc7123f81c494

The 1st symbolic execution

Testcase:curl --http2 -o /dev/null <http://localhost:8328/h2proxy/lists.html>

No conditional branches, no need for symbolic execution.

代码块

```
1  end-to-end diff:
2  Average (excluding the first number): 0.205019
3  Average (excluding the first number): 0.170150
4  Average (excluding the first number): 0.157734
5  The new version executes along symbols
6  0.2050188989213833
7  The new version is executed by default
8  0.15773356299966218
9  The old version
10 0.17015029605637003
11 Comparison of New and old versions (along symbolic execution path)
12 0.20492825268703307
13 Comparison of New and old versions (along the default execution path)
14 -0.07297508934450657
```

There may be performance regression

The 2nd symbolic execution

Testcase:curl --http2 -o /dev/null <http://localhost:8328/h2proxy/lists.html>

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  Average (excluding the first number): 0.400466
3  Average (excluding the first number): 0.132804
4  Average (excluding the first number): 0.122941
5  The new version executes along symbols
6  0.40046575094991366
7  The new version is executed by default
8  0.122941126918239
9  The old version
10 0.1328036769641495
11 Comparison of New and old versions (along symbolic execution path)
12 2.0154718612047153
13 Comparison of New and old versions (along the default execution path)
14 -0.07426413388066734
```

There may be performance regression

The 3rd symbolic execution

Testcase:curl --http2 -o /dev/null <http://localhost:8328/h2proxy/lists.html>

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  Average (excluding the first number): 0.117590
3  Average (excluding the first number): 0.124592
4  Average (excluding the first number): 0.117087
5  The new version executes along symbols
6  0.11759039957531851
7  The new version is executed by default
8  0.1170872395553852
9  The old version
10 0.124591777987659
11 Comparison of New and old versions (along symbolic execution path)
12 -0.05619454610427006
13 Comparison of New and old versions (along the default execution path)
14 -0.06023301499892816
```

No performance regression

Commit 43:

66f943e9593cee4863383af7a7811b3755d7b5cc

Non-C file modifications, therefore no performance regression testing is required.

Commit 44:

355fd0f17602e0760af12071289275038489e013

The 1st symbolic execution

Testcase:curl --http2 -o /dev/null <http://localhost:8328/h2proxy/lists.html>

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  Average (excluding the first number): 0.127740
3  Average (excluding the first number): 0.135428
4  Average (excluding the first number): 0.119724
5  The new version executes along symbols
6  0.12773979306542513
7  The new version is executed by default
8  0.1197238114555428
9  The old version
10 0.135427843743054
11 Comparison of New and old versions (along symbolic execution path)
12 -0.05676861172075765
13 Comparison of New and old versions (along the default execution path)
14 -0.11595866738679173
```

No performance regression

Commit 45:

fedf2e665fc0bbe90b22e5428eab5f0c5faaf0eb

Non-C file modifications, therefore no performance regression testing is required.

Commit 46:

1caed4ed9f235b5d95b27139c0b9048152c6e071

Unable to provide test cases

Commit 47:

e554c35f6e7d4733f75a19a06106c8562d1f3df3

Non-C file modifications, therefore no performance regression testing is required.

Commit 48:

d4a61302bc01dd29c07f81c35c7d9e10141472de

The 1st symbolic execution

Testcase:curl --http2 -o /dev/null <http://localhost:8328/h2proxy/lists.html>

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  Average (excluding the first number): 0.000940
3  Average (excluding the first number): 0.126424
4  Average (excluding the first number): 0.127490
5  The new version executes along symbols
6  0.0009395348603351956
7  The new version is executed by default
8  0.1274896089121235
9  The old version
10 0.1264243936858121
11 Comparison of New and old versions (along symbolic execution path)
12 -0.9925684052504131
13 Comparison of New and old versions (along the default execution path)
14 0.008425709590181232
```

No performance regression

The 2nd symbolic execution

Testcase:curl --http2 -o /dev/null <http://localhost:8328/h2proxy/lists.html>

Symbolic execution completed successfully.

```
1  end-to-end diff:
2  Average (excluding the first number): 0.121935
3  Average (excluding the first number): 0.136452
4  Average (excluding the first number): 0.125352
5  The new version executes along symbols
6  0.12193474134419552
7  The new version is executed by default
8  0.12535191026126466
9  The old version
10 0.13645231640364525
11 Comparison of New and old versions (along symbolic execution path)
12 -0.10639302755773444
13 Comparison of New and old versions (along the default execution path)
14 -0.0813500747729633
```

No performance regression

Commit 49:

3c28d00c50c0c84fa40a439b46b20a56759dc191

Non-C file modifications, therefore no performance regression testing is required.

Commit 50:

a7d4342f93ec03d47b18ef441187003cf5b28fae

Non-C file modifications, therefore no performance regression testing is required.

Commit 51:

4fc2ac255c8d55e0228a6a5d7a65e29b375b4745

Non-C file modifications, therefore no performance regression testing is required.

Commit 52:

42344a9fb2893f3cfe82d766c27fbe88f68256bd

Non-C file modifications, therefore no performance regression testing is required.

Commit 53:

1ad37ffa4ab23b9b8b4476c9fd29a0901a72f94c

Non-C file modifications, therefore no performance regression testing is required.

Commit 54:

92d9f509c12a50ce045d98fc08a8ca93ecfab3d4

Non-C file modifications, therefore no performance regression testing is required.

Commit 55:

357e6d175d4505441f4ef13ef6802aa5ce76b4b1

Non-C file modifications, therefore no performance regression testing is required.

Commit 56:

4bdf63c811a0e1c44e87a769ab190338ecd4124f

Non-C file modifications, therefore no performance regression testing is required.

Commit 57:

0269bbef72084f057f91d06bcc0fd90d54f6b193

Non-C file modifications, therefore no performance regression testing is required.

Commit 58:

a4425392ea57cbc2d905b4c859ab0a3ecd249404

Non-C file modifications, therefore no performance regression testing is required.

Commit 59:

2b9eec484b8a315d2b75693887c45448b88fef03

Non-C file modifications, therefore no performance regression testing is required.

Commit 60:

f82a9e886f42db063fb87c2973b33a88320ae65b

Unable to provide test cases