

Httpd_dataset-5

Commit 81:

6764774d51f3dcb07e79779c64a463d3c112b53f

The 1st symbolic execution

Testcase:curl -I -H "User-Agent: curl" http://localhost:8328/header/middle_500k.txt

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  Average (excluding the first number): 0.000439
3  Average (excluding the first number): 0.000437
4  Average (excluding the first number): 0.000437
5  The new version executes along symbols
6  0.00043927326805643296
7  The new version is executed by default
8  0.00043710452319519773
9  The old version
10 0.00043673031164455676
11 Comparison of New and old versions (along symbolic execution path)
12 0.005822715630386208
13 Comparison of New and old versions (along the default execution path)
14 0.0008568481295283489
```

No performance regression

The 2nd symbolic execution

Testcase:curl --http2 -o /dev/null http://localhost:8328/middle_500k.txt

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  Average (excluding the first number): 0.002221
```

```
3 Average (excluding the first number): 0.002225
4 Average (excluding the first number): 0.002221
5 The new version executes along symbols
6 0.0022209448187732344
7 The new version is executed by default
8 0.0022214688007422875
9 The old version
10 0.0022252415151164137
11 Comparison of New and old versions (along symbolic execution path)
12 -0.0019308898894754372
13 Comparison of New and old versions (along the default execution path)
14 -0.0016954179348612714
```

No performance regression

Commit 82:

0e3e6597c1aad96e812940e795471f5b35d7b67e

Non-C file modifications, therefore no performance regression testing is required.

Commit 83:

c4218c88fe078570e7439c652a21f4773a432a76

Unable to provide test cases

Commit 84:

e657a3852976a41c61bac77abaf9261d3aa840d1

Non-C file modifications, therefore no performance regression testing is required.

Commit 85:

c615d0934f197092d4939877588d389d9d2a7bb0

Non-C file modifications, therefore no performance regression testing is required.

Commit 86:

4164c483c3421d57ab149362a60bf663c5a0086e

The 1st symbolic execution

Testcase:curl -o /dev/null <http://localhost:8328/asis/foo.asis>

No conditional branches, no need for symbolic execution.

代码块

```
1  end-to-end diff:
2  Average (excluding the first number): 0.000830
3  Average (excluding the first number): 0.000829
4  Average (excluding the first number): 0.000829
5  The new version executes along symbols
6  0.0008298293285425556
7  The new version is executed by default
8  0.0008287995412844037
9  The old version
10 0.00082858555221116
11 Comparison of New and old versions (along symbolic execution path)
12 0.0015010837783454756
13 Comparison of New and old versions (along the default execution path)
14 0.00025825827239276024
```

No performance regression

Commit 87:

0a909714c1e1e47858c066b9c42c2516c2adc2e0

Non-C file modifications, therefore no performance regression testing is required.

Commit 88:

aa40d12f57c0216ae83184d5033566f92fe6d4ca

Non-C file modifications, therefore no performance regression testing is required.

Commit 89:

c7157f323431720aee7cf2d0f504f81333dae3c2

Non-C file modifications, therefore no performance regression testing is required.

Commit 90:

274a11c631f8eef78ebbe502d3f1936b5406bd0a

Non-C file modifications, therefore no performance regression testing is required.

Commit 91:

e0be9fb7fc8b2b83c8d9d76ebd414ebb0e135581

Non-C file modifications, therefore no performance regression testing is required.

Commit 92:

3e7ac125c8a1ea4665cc06d354ec1dc9589a257c

Non-C file modifications, therefore no performance regression testing is required.

Commit 93:

adcdd632e9582c4060948b33398baf21de8a876f

Non-C file modifications, therefore no performance regression testing is required.

Commit 94:

9076153f5ed6636867becdd0edea5430cd79676f

Non-C file modifications, therefore no performance regression testing is required.

Commit 95:

6189768ae9473bc00dc2d8238ee15bcdd03c34fd

Unable to provide test cases

Commit 96:

41e5ff4ef4c6b28dd36f763bf0d1ca3e0a903b2f

Non-C file modifications, therefore no performance regression testing is required.

Commit 97:

e7fe55ccc01ee13cc53ba070b5d85e4daad26433

Non-C file modifications, therefore no performance regression testing is required.

Commit 98:

a7a9d814c7c23e990283277230ddd5a9efec27c7

The 1st symbolic execution

Testcase:curl -I http://localhost:8328/small_100k.json

Symbolic execution exception occurred, resulting in a timeout.

代码块

```
1  end-to-end diff:
2  Average (excluding the first number): 0.000796
3  Average (excluding the first number): 0.000797
4  Average (excluding the first number): 0.000797
5  The new version executes along symbols
6  0.0007959559461042765
7  The new version is executed by default
8  0.0007968706310110251
9  The old version
10 0.0007967898500576702
11 Comparison of New and old versions (along symbolic execution path)
12 -0.001046579538297749
13 Comparison of New and old versions (along the default execution path)
14 0.00010138301002334216
```

No performance regression

Commit 99:

b3d3ded288815bea063c3bf77dd80b26446f76ce

Unable to provide test cases

Commit 100:

8efe8ea18c6f7123c5779bb4d9551ccf407dc0c4

The 1st symbolic execution

Testcase:curl -o /dev/null http://localhost:8328/secure/middle_500k.txt

Symbolic execution exception occurred, resulting in a timeout.

代码块

```
1  end-to-end diff:
2  Average (excluding the first number): 0.000748
3  Average (excluding the first number): 0.000752
4  Average (excluding the first number): 0.000753
5  The new version executes along symbols
6  0.0007475622683885458
7  The new version is executed by default
8  0.0007526862084456425
9  The old version
10 0.000752074615125295
11 Comparison of New and old versions (along symbolic execution path)
12 -0.005999865765975234
13 Comparison of New and old versions (along the default execution path)
14 0.0008132083014736203
```

No performance regression