

Httpd_dataset-6

Commit 101:

c01e60707048be14a510f0a92128a5227923215c

The 1st symbolic execution

Testcase:curl -k -o /dev/null https://localhost:8329/middle_1m.jpg

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  Average (excluding the first number): 0.008143
3  Average (excluding the first number): 0.008086
4  Average (excluding the first number): 0.008086
5  The new version executes along symbols
6  0.008143122293739027
7  The new version is executed by default
8  0.008085691319857315
9  The old version
10 0.008085930678819861
11 Comparison of New and old versions (along symbolic execution path)
12 0.007072978632994275
13 Comparison of New and old versions (along the default execution path)
14 -2.9601906330122297e-05
```

No performance regression

Commit 102:

c4cfa50c9068e8b8134c530ab21674e77d1278a2

Unable to provide test cases

Commit 103:

88304321841a2fe8bd5eacc70e69418b0b545ca5

Unable to provide test cases

Commit 104:

87a7351c755c9ef8ab386e3090e44838c2a06d48

Unable to provide test cases

Commit 105:

ef98f4f494ff2f99d736a3716cd31219688b46f5

The 1st symbolic execution

Testcase:curl --http2 -o /dev/null http://localhost:8328/middle_500k.txt

No conditional branches, no need for symbolic execution.

代码块

```
1  end-to-end diff:
2  Average (excluding the first number): 0.002238
3  Average (excluding the first number): 0.002230
4  Average (excluding the first number): 0.002227
5  The new version executes along symbols
6  0.0022377639505019847
7  The new version is executed by default
8  0.002227031939077063
9  The old version
10 0.00222970350877193
11 Comparison of New and old versions (along symbolic execution path)
12 0.003615028499683451
13 Comparison of New and old versions (along the default execution path)
14 -0.001198172619972392
```

No performance regression

The 2nd symbolic execution

Testcase:curl --http2 -o /dev/null http://localhost:8328/middle_500k.txt

No conditional branches, no need for symbolic execution.

```
1  end-to-end diff:
2  Average (excluding the first number): 0.002224
3  Average (excluding the first number): 0.002220
4  Average (excluding the first number): 0.002229
5  The new version executes along symbols
6  0.002224398024404416
7  The new version is executed by default
8  0.002228863520111602
9  The old version
10 0.0022204722222222226
11 Comparison of New and old versions (along symbolic execution path)
12 0.0017680032845735307
13 Comparison of New and old versions (along the default execution path)
14 0.003779060060017971
```

No performance regression

The 3rd symbolic execution

Testcase:curl --http2 -o /dev/null http://localhost:8328/middle_500k.txt

Symbolic execution exception occurred, resulting in a timeout.

代码块

```
1  end-to-end diff:
2  Average (excluding the first number): 0.002226
3  Average (excluding the first number): 0.002230
4  Average (excluding the first number): 0.002227
5  The new version executes along symbols
6  0.002225698552403011
7  The new version is executed by default
8  0.002227414453079689
9  The old version
10 0.0022295585669419565
11 Comparison of New and old versions (along symbolic execution path)
12 -0.001731290936321979
13 Comparison of New and old versions (along the default execution path)
14 -0.0009616764027008645
```

No performance regression

Commit 106:

d20cd1405b0fccffd25f4063da952ab77c429621

Non-C file modifications, therefore no performance regression testing is required.

Commit 107:

f5ccaa3f2f622e36f439b714c38029bb127150ea

Non-C file modifications, therefore no performance regression testing is required.