

MariaDB_dataset-3

Commit 41:

d9c3b775b839081513c2c6325c4fae367eae964e

The 1st symbolic execution

Testcase:SELECT DISTINCT u.username, COUNT(p.id) AS post_count FROM users u, posts p
WHERE u.id = p.user_id AND p.created_at BETWEEN '2025-01-01' AND '2025-12-31' GROUP BY
u.username ORDER BY post_count DESC LIMIT 5;

No conditional branches, no need for symbolic execution.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  0.34009999999999996
4  The new version is executed by default
5  0.3484
6  The old version
7  0.348
8  Comparison of New and old versions (along symbolic execution path)
9  -0.02270114942528741
10 Comparison of New and old versions (along the default execution path)
11 0.0011494252873563548
```

No performance regression

The 2nd symbolic execution

Testcase:CREATE TEMPORARY TABLE IF NOT EXISTS temp_users LIKE users;

No conditional branches, no need for symbolic execution.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  0.0023
```

```
4 The new version is executed by default
5 0.0021999999999999997
6 The old version
7 0.0023
8 Comparison of New and old versions (along symbolic execution path)
9 0.0
10 Comparison of New and old versions (along the default execution path)
11 -0.043478260869565334
```

No performance regression

The 3rd symbolic execution

Testcase:CREATE TEMPORARY TABLE IF NOT EXISTS temp_users AS SELECT * FROM users;

No conditional branches, no need for symbolic execution.

代码块

```
1 end-to-end diff:
2 The new version executes along symbols
3 0.0036999999999999997
4 The new version is executed by default
5 0.0036
6 The old version
7 0.0036
8 Comparison of New and old versions (along symbolic execution path)
9 0.02777777777777773
10 Comparison of New and old versions (along the default execution path)
11 0.0
```

No performance regression

The 4th symbolic execution

Testcase:REPLACE INTO users (username, email) SELECT username, CONCAT(username, '@example.com') FROM users WHERE id < 1000;

Symbolic execution completed successfully.

代码块

```
1 end-to-end diff:
2 The new version executes along symbols
```

```
3 0.3762
4 The new version is executed by default
5 0.3603
6 The old version
7 0.3658
8 Comparison of New and old versions (along symbolic execution path)
9 0.028430836522689896
10 Comparison of New and old versions (along the default execution path)
11 -0.015035538545653376
```

No performance regression

Commit 42:

aae9b50a53463d1ebfbf7b22cd78eda097536b46

The 1st symbolic execution

Testcase:SELECT DISTINCT u.username, COUNT(p.id) AS post_count FROM users u, posts p
WHERE u.id = p.user_id AND u.id IN (SELECT user_id FROM posts WHERE created_at > '2025-01-01') GROUP BY u.username HAVING COUNT(p.id) > 1;

Compilation error occurred, terminated.

代码块

```
1 end-to-end diff:
```

No performance regression

Commit 43:

f099f778b3a63e2cc1f433cb69750b99fafe56bc

The 1st symbolic execution

Testcase:OPTIMIZE TABLE posts;

Compilation error occurred, terminated.

代码块

```
1 end-to-end diff:
```

No performance regression

Commit 44:

7728b90a0d636c11c2a1c17c82683d10902be0ed

Unable to provide test cases

Commit 45:

2c4fee837653d79e76e30046b7df1e5230ac37d0

The 1st symbolic execution

Testcase:DROP TABLE IF EXISTS posts;

Symbolic execution completed successfully.

代码块

```
1 end-to-end diff:
2 The new version executes along symbols
3 0.00240000000000000002
4 The new version is executed by default
5 0.0157
6 The old version
7 0.0158
8 Comparison of New and old versions (along symbolic execution path)
9 -0.8481012658227849
10 Comparison of New and old versions (along the default execution path)
11 -0.006329113924050813
```

No performance regression

Commit 46:

bb5ae63aef85c0c704ef99634343c3ba21dda510

The 1st symbolic execution

Testcase:SELECT DISTINCT u.username, COUNT(p.id) AS post_count FROM users u, posts p
WHERE u.id = p.user_id AND p.created_at BETWEEN '2025-01-01' AND '2025-12-31' GROUP BY
u.username ORDER BY post_count DESC LIMIT 5;

No conditional branches, no need for symbolic execution.

代码块

1 end-to-end diff:

No performance regression

Commit 47:

23eb9d6821d2a6896a572fe8efa1e40324c811cd

Non-C file modifications, therefore no performance regression testing is required.

Commit 48:

595e8349464ae473f8d69ca359b24ab49ddd7373

Non-C file modifications, therefore no performance regression testing is required.

Commit 49:

4042652d7f3ce0f6d0dc84550521df5ca2d06c2c

Non-C file modifications, therefore no performance regression testing is required.

Commit 50:

bc87abc3817a31811a9d78fa3d5d63121d97f3c3

Non-C file modifications, therefore no performance regression testing is required.

Commit 51:

40c5b62531cd17fea09abb9e3e08e26894b4a924

The 1st symbolic execution

Testcase:SELECT DISTINCT u.username, COUNT(p.id) AS post_count FROM users u, posts p
WHERE u.id = p.user_id AND p.created_at BETWEEN '2025-01-01' AND '2025-12-31' GROUP BY

u.username ORDER BY post_count DESC LIMIT 5;

No conditional branches, no need for symbolic execution.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  0.3452
4  The new version is executed by default
5  0.3467
6  The old version
7  0.35009999999999997
8  Comparison of New and old versions (along symbolic execution path)
9  -0.013996001142530592
10 Comparison of New and old versions (along the default execution path)
11 -0.009711510996857924
```

No performance regression

The 2nd symbolic execution

Testcase:SELECT DISTINCT u.username, COUNT(p.id) AS post_count FROM users u, posts p
WHERE u.id = p.user_id AND p.created_at BETWEEN '2025-01-01' AND '2025-12-31' GROUP BY
u.username ORDER BY post_count DESC LIMIT 5;

No conditional branches, no need for symbolic execution.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  7.7894
4  The new version is executed by default
5  7.8451
6  The old version
7  7.8823
8  Comparison of New and old versions (along symbolic execution path)
9  -0.0117859001
10 Comparison of New and old versions (along the default execution path)
11 -0.00471943468
```

No performance regression

The 3rd symbolic execution

Testcase:SELECT DISTINCT u.username, p.title, c.comment FROM users u, posts p, comments c
WHERE u.id = p.user_id AND p.id = c.post_id ORDER BY p.title DESC;

No conditional branches, no need for symbolic execution.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  4.3892000000000001
4  The new version is executed by default
5  4.3426
6  The old version
7  4.3868
8  Comparison of New and old versions (along symbolic execution path)
9  0.0005470958329535479
10 Comparison of New and old versions (along the default execution path)
11 -0.010075681590225224
```

No performance regression

The 4th symbolic execution

Testcase:UPDATE comments SET post_id=post_id+1 WHERE id>1000;

No conditional branches, no need for symbolic execution.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  5.5169
4  The new version is executed by default
5  5.429
6  The old version
7  5.4152000000000005
8  Comparison of New and old versions (along symbolic execution path)
9  0.018780469788742656
10 Comparison of New and old versions (along the default execution path)
11 0.0025483823312158023
```

No performance regression

The 5th symbolic execution

Testcase:UPDATE comments SET post_id=post_id+1 WHERE id>1000;

No conditional branches, no need for symbolic execution.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  5.496
4  The new version is executed by default
5  5.4559
6  The old version
7  5.449
8  Comparison of New and old versions (along symbolic execution path)
9  0.008625435859790897
10 Comparison of New and old versions (along the default execution path)
11 0.0012662873921820345
```

No performance regression

The 6th symbolic execution

Testcase:SELECT DISTINCT u.username, COUNT(p.id) AS post_count FROM users u, posts p
WHERE u.id = p.user_id AND p.created_at BETWEEN '2025-01-01' AND '2025-12-31' GROUP BY
u.username ORDER BY post_count DESC LIMIT 5;

No conditional branches, no need for symbolic execution.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  0.41159999999999997
4  The new version is executed by default
5  0.3458
6  The old version
7  0.3395
8  Comparison of New and old versions (along symbolic execution path)
9  0.21237113402061836
10 Comparison of New and old versions (along the default execution path)
11 0.018556701030927752
```

No performance regression

The 7th symbolic execution

Testcase:SELECT DISTINCT u.username, COUNT(p.id) AS post_count FROM users u, posts p
WHERE u.id = p.user_id AND u.id IN (SELECT user_id FROM posts WHERE created_at > '2025-01-01') GROUP BY u.username HAVING COUNT(p.id) > 1;

No conditional branches, no need for symbolic execution.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  0.8484
4  The new version is executed by default
5  0.7892
6  The old version
7  0.7813
8  Comparison of New and old versions (along symbolic execution path)
9  0.08588250351977479
10 Comparison of New and old versions (along the default execution path)
11 0.010111352873416125
```

No performance regression

The 8th symbolic execution

Testcase:SELECT DISTINCT u.username, p.title, c.comment FROM users u, posts p, comments c
WHERE u.id = p.user_id AND p.id = c.post_id ORDER BY p.title DESC;

No conditional branches, no need for symbolic execution.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  4.3879
4  The new version is executed by default
5  4.3423
6  The old version
7  4.3442
8  Comparison of New and old versions (along symbolic execution path)
9  0.010059389530868813
```

```
10 Comparison of New and old versions (along the default execution path)
11 -0.0004373647622116875
```

No performance regression

Commit 52:

1b95e46524c3aea81aba79f9082eca584995fb34

Unable to provide test cases

Commit 53:

36dfe0867276be11d9f6393f0bdd895d38d5e1ec

The 1st symbolic execution

Testcase:UPDATE comments SET post_id=post_id+1 WHERE id>1000;

No conditional branches, no need for symbolic execution.

代码块

```
1 end-to-end diff:
2 The new version executes along symbols
3 5.5588
4 The new version is executed by default
5 5.489500000000000005
6 The old version
7 5.5501
8 Comparison of New and old versions (along symbolic execution path)
9 0.0015675393236158181
10 Comparison of New and old versions (along the default execution path)
11 -0.01091872218518569
```

No performance regression

Commit 54:

068fc787ee6ac748b498bd726eecf87159ac5b25

Unable to provide test cases

Commit 55:

24fd8c7856ef63fe19ce3b3d15c37cdad964ce00

Non-C file modifications, therefore no performance regression testing is required.

Commit 56:

11f6b9d12a7e0d1d7d87e91d5cb33c623742ab66

Unable to provide test cases

Commit 57:

16c462140030fc7eb1a470c36e924a15c1595a4e

Non-C file modifications, therefore no performance regression testing is required.

Commit 58:

e1da2c3d6746ab637e52d258ad4576c63b150fe1

Non-C file modifications, therefore no performance regression testing is required.

Commit 59:

74c189c3124a0ada02b51227a57e0ec851d057a0

Non-C file modifications, therefore no performance regression testing is required.

Commit 60:

c29e83f226190ed218961fa26b88acd99c6aef6b

Non-C file modifications, therefore no performance regression testing is required.