

MariaDB_dataset-4

Commit 61:

ee9359de89d9ae08eb41d1301e5114a2fffd812a

Non-C file modifications, therefore no performance regression testing is required.

Commit 62:

3e9e1a25b7331ab91b0d9da2c8af280731b40d94

Unable to provide test cases

Commit 63:

88cc11dc54b56868400d88299bee725eab47f053

Unable to provide test cases

Commit 64:

2b464774f240a18e1ff43cd18938a72a2d042e1f

The 1st symbolic execution

Testcase:UPDATE comments SET post_id=post_id+1 WHERE id>1000;

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  5.4601
4  The new version is executed by default
5  5.4121000000000001
6  The old version
7  5.4402
8  Comparison of New and old versions (along symbolic execution path)
9  0.0036579537517002696
10 Comparison of New and old versions (along the default execution path)
```

No performance regression

Commit 65:

c1f2b5a14172fe6740558a02b8ef2d3287b46d1f

Non-C file modifications, therefore no performance regression testing is required.

Commit 66:

1aba30b8f990148ac23f0069b59976920acd3d61

Unable to provide test cases

Commit 67:

fa47c73561efbb07500355c0e5161e7556e15c49

Non-C file modifications, therefore no performance regression testing is required.

Commit 68:

02b81afff8f17e2ac1b944e263e3c5277776fc46

The 1st symbolic execution

Testcase:SELECT DISTINCT u.username, COUNT(p.id) AS post_count FROM users u, posts p
WHERE u.id = p.user_id AND p.created_at BETWEEN '2025-01-01' AND '2025-12-31' GROUP BY
u.username ORDER BY post_count DESC LIMIT 5;

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  0.339400000000000003
4  The new version is executed by default
5  0.3398
6  The old version
7  0.3382
8  Comparison of New and old versions (along symbolic execution path)
```

```
9 0.003548196333530557
10 Comparison of New and old versions (along the default execution path)
11 0.0047309284447072456
```

No performance regression

Commit 69:

78d23a3e6057dbcba60372281c3880a4390afa41

The 1st symbolic execution

Testcase:INSERT INTO users (id, username, email) VALUES (65536, 'user4',
JSON_UNQUOTE(JSON_EXTRACT('{\"email\": \"user4@example.com\"}', '\$.email')) ON DUPLICATE
KEY UPDATE email = VALUES(email);

Compilation error occurred, terminated.

代码块

```
1 end-to-end diff:
```

No performance regression

Commit 70:

0f4a35a3270d11c834a36e9def62e9a4f0128e76

The 1st symbolic execution

Testcase:SELECT DISTINCT u.username, COUNT(p.id) AS post_count FROM users u, posts p
WHERE u.id = p.user_id AND p.created_at BETWEEN '2025-01-01' AND '2025-12-31' GROUP BY
u.username ORDER BY post_count DESC LIMIT 5;

Symbolic execution completed successfully.

代码块

```
1 end-to-end diff:
2 The new version executes along symbols
3 0.3406
4 The new version is executed by default
```

```
5 0.3402
6 The old version
7 0.3395
8 Comparison of New and old versions (along symbolic execution path)
9 0.003240058910161973
10 Comparison of New and old versions (along the default execution path)
11 0.002061855670103029
```

No performance regression

Commit 71: 07de0ac69e03fa9be733f7edf69447f1a7eedd5d

The 1st symbolic execution

Testcase:SELECT DISTINCT u.username, COUNT(p.id) AS post_count FROM users u, posts p
WHERE u.id = p.user_id AND p.created_at BETWEEN '2025-01-01' AND '2025-12-31' GROUP BY
u.username ORDER BY post_count DESC LIMIT 5;

No conditional branches, no need for symbolic execution.

代码块

```
1 end-to-end diff:
2 The new version executes along symbols
3 0.3292
4 The new version is executed by default
5 0.3317
6 The old version
7 0.333999999999999996
8 Comparison of New and old versions (along symbolic execution path)
9 -0.014371257485029855
10 Comparison of New and old versions (along the default execution path)
11 -0.006886227544910087
```

No performance regression

The 2nd symbolic execution

Testcase:UPDATE comments SET post_id=post_id+1 WHERE id>1000;

No conditional branches, no need for symbolic execution.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  5.2584
4  The new version is executed by default
5  5.4002
6  The old version
7  5.5793
8  Comparison of New and old versions (along symbolic execution path)
9  -0.057516175864355736
10 Comparison of New and old versions (along the default execution path)
11 -0.03210080117577475
```

No performance regression

The 3rd symbolic execution

Testcase:SELECT DISTINCT u.username, COUNT(p.id) AS post_count FROM users u, posts p
WHERE u.id = p.user_id AND p.created_at BETWEEN '2025-01-01' AND '2025-12-31' GROUP BY
u.username ORDER BY post_count DESC LIMIT 5;

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  0.337
4  The new version is executed by default
5  0.3356
6  The old version
7  0.3418
8  Comparison of New and old versions (along symbolic execution path)
9  -0.014043300175541168
10 Comparison of New and old versions (along the default execution path)
11 -0.018139262726740737
```

No performance regression

Commit 72:

26ea37be5d44e969ad5dbfe75f9d7eb5240ea803

The 1st symbolic execution

Testcase:SELECT DISTINCT u.username, COUNT(p.id) AS post_count FROM users u, posts p
WHERE u.id = p.user_id AND p.created_at BETWEEN '2025-01-01' AND '2025-12-31' GROUP BY
u.username ORDER BY post_count DESC LIMIT 5;

No conditional branches, no need for symbolic execution.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  0.335
4  The new version is executed by default
5  0.3528
6  The old version
7  0.3309
8  Comparison of New and old versions (along symbolic execution path)
9  0.012390450287095775
10 Comparison of New and old versions (along the default execution path)
11 0.06618313689936528
```

No performance regression

Commit 73:

d52ddae57b5875c34e8971a645cba50732cf2ded

Unable to provide test cases

Commit 74:

495d96709fb0b116dbac253bdf0a3c0b12bf775a

Unable to provide test cases

Commit 75:

6340c239334005c8dddf697c9af53a68b1e5a83b

Unable to provide test cases

Commit 76:

0e088b5d7e9415ef2a49d8b1ed33d8b500607aac

The 1st symbolic execution

Testcase:UPDATE comments SET post_id=post_id+1 WHERE id>1000;

No conditional branches, no need for symbolic execution.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  5.5360999999999999
4  The new version is executed by default
5  5.6266
6  The old version
7  5.5512999999999995
8  Comparison of New and old versions (along symbolic execution path)
9  -0.0027380973825950864
10 Comparison of New and old versions (along the default execution path)
11 0.013564390322987476
```

No performance regression

Commit 77:

c4fe794d22d5dfd23fabfcf0bc45d974621e0cc8

The 1st symbolic execution

Testcase:SELECT DISTINCT u.username, COUNT(p.id) AS post_count FROM users u, posts p
WHERE u.id = p.user_id AND p.created_at BETWEEN '2025-01-01' AND '2025-12-31' GROUP BY
u.username ORDER BY post_count DESC LIMIT 5;

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
```

```
2 The new version executes along symbols
3 0.3356
4 The new version is executed by default
5 0.3287
6 The old version
7 0.3377
8 Comparison of New and old versions (along symbolic execution path)
9 -0.006218537163162543
10 Comparison of New and old versions (along the default execution path)
11 -0.02665087355641104
```

No performance regression

Commit 78:

349f5bf2dacd84470a6284443cdf9f0563c0930c

Unable to provide test cases

Commit 79:

a0e89070cc9240601ec3f35cd047a34acf8a1dc0

The 1st symbolic execution

Testcase:UPDATE comments SET post_id=post_id+1 WHERE id>1000;

Compilation error occurred, terminated.

代码块

```
1 end-to-end diff:
```

No performance regression

Commit 80:

0737d8f35d68371137a702ef83e3e00c0d6af6cf

Non-C file modifications, therefore no performance regression testing is required.