

MariaDB_dataset-5

Commit 81:

6cd27dbc43bc51c57a443f60f901e8f35df30f77

Non-C file modifications, therefore no performance regression testing is required.

Commit 82:

6e2a0501b6f8eeaa11e77c0d6b57285e54c24ac6

Unable to provide test cases

Commit 83:

453a86f68e20b0f8e644d0febbce112985c601e0

The 1st symbolic execution

Testcase:SELECT DISTINCT u.username, COUNT(p.id) AS post_count FROM users u, posts p
WHERE u.id = p.user_id AND p.created_at BETWEEN '2025-01-01' AND '2025-12-31' GROUP BY
u.username ORDER BY post_count DESC LIMIT 5;

Symbolic execution completed successfully.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  3.4160
4  The new version is executed by default
5  3.3788
6  The old version
7  3.4420
8  Comparison of New and old versions (along symbolic execution path)
9  -0.00755374782
10 Comparison of New and old versions (along the default execution path)
11 -0.0183614178
```

No performance regression

Commit 84:

b89a1e7f358522b995c1f9240692f6b1bcdf4b31

Unable to provide test cases

Commit 85:

fa929a2be60bab22b4b94e13c354d20f452bbbf4

Unable to provide test cases

Commit 86:

b11767846f00417a7877180d5b18ca559b3d9cd0

The 1st symbolic execution

Testcase:INSERT INTO eids(id, eid) VALUES (65536, 72004) ON DUPLICATE KEY UPDATE eid = 72004;

Symbolic execution encountered a segmentation fault.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  0.0033
4  The new version is executed by default
5  0.0033
6  The old version
7  0.0033
8  Comparison of New and old versions (along symbolic execution path)
9  0.0
10 Comparison of New and old versions (along the default execution path)
11 0.0
```

No performance regression

Commit 87:

4fc1063796e4fdc0250b8ec2b917676630ff852b

Non-C file modifications, therefore no performance regression testing is required.

Commit 88:

c5d8b9963a670e24a0cb8ed3b73561e50fa87a36

The 1st symbolic execution

Testcase:SELECT user_id, COUNT(*) AS post_count, SUM(CASE WHEN LENGTH(content) > 100 THEN 1 ELSE 0 END) AS long_posts FROM posts GROUP BY user_id;

No conditional branches, no need for symbolic execution.

代码块

```
1  end-to-end diff:
2  The new version executes along symbols
3  0.3224
4  The new version is executed by default
5  0.321200000000000004
6  The old version
7  0.322800000000000003
8  Comparison of New and old versions (along symbolic execution path)
9  -0.0012391573729864046
10 Comparison of New and old versions (along the default execution path)
11 -0.004956629491945447
```

No performance regression

Commit 89:

1cb59a9bd4bd96fc1e271871b294fcb90fe3afa7

Non-C file modifications, therefore no performance regression testing is required.

Commit 90:

51c0afcd248ad57095fdcf56efec2865ea49bd83

Non-C file modifications, therefore no performance regression testing is required.

Commit 91:

00a9afb5818433c26537ccaf6b2c59ad493dd473

Non-C file modifications, therefore no performance regression testing is required.