

# Test Automation assignment

1. Check duplicate items from list A and list B and append to a new list. Using your preferred programming language.

List A : [1,2,3,5,6,8,9]

List B : [3,2,1,5,6,0]

2. Create automation script to test website 'http://the-internet.herokuapp.com/login' following test cases in table below. You can use your preferred programming language.
  - a. This is a simple login website. Here is the username and password.
    - i. Username: tomsmith
    - ii. Password: SuperSecretPassword!

| Test case name                    | Objective                                                                                            | Test Steps                                                                                                                                                                 | Expected Result                                                                                                                                                                                    |
|-----------------------------------|------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Login success                     | To verify that users can login successfully when input a correct username and password.              | 1. Open browser and go to 'http://the-internet.herokuapp.com/login'.<br>2. Input username 'tomsmith' and password 'SuperSecretPassword!'.<br>3. Click the 'Logout' button. | 1. Login page is shown.<br>2. Login success and message 'You logged into a secure area!' is shown.<br>3. Go back to the Login page and the message ' You logged out of the secure area!' is shown. |
| Login failed - Password incorrect | To verify that users can login unsuccessfully when they input a correct username but wrong password. | 1. Open browser and go to 'http://the-internet.herokuapp.com/login'.<br>2. Input username 'tomsmith' and password 'Password!'.                                             | 1. Login page is shown.<br>2. Login failed and the message 'Your password is invalid!' is shown.                                                                                                   |
| Login failed - Username not found | To verify that users can login unsuccessfully when they input a username that did not exist.         | 1. Open browser and go to 'http://the-internet.herokuapp.com/login'.<br>2. Input username 'tomholland' and password 'Password!'.                                           | 1. Login page is shown.<br>2. Login failed and the message 'Your username is invalid!' is shown.                                                                                                   |

3. Create automation script using your preferred programming language for test Rest API GET request.
  - a. Test scenarios: Send Get request to url: <https://reqres.in/api/users/12>

| Test case name                      | Objective                                                                                                      | Test Steps                                                                                                 | Expected Result                                                                                                                                                                                                                                                                                                           |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Get user profile success            | To verify get user profile api will return correct data when trying to get profile of existing user            | 1. Send Get request to url <a href="https://reqres.in/api/users/12">https://reqres.in/api/users/12</a>     | 1. Verify response status code should be '200'<br>2. Compare the response body with expected below.<br>'ID' == 12<br>'Email' == rachel.howell@reqres.in<br>'First Name' == Rachel<br>'Last Name' == Howell<br>'Avatar' == <a href="https://reqres.in/img/faces/12-image.jpg">https://reqres.in/img/faces/12-image.jpg</a> |
| Get user profile but user not found | To verify get user profile api will return 404 not found when trying to get exist profile of not existing user | 1. Send Get request to url <a href="https://reqres.in/api/users/1234">https://reqres.in/api/users/1234</a> | 1. Verify response status code should be '404'.<br>2. Response body should be '{}'                                                                                                                                                                                                                                        |

4. Design test coverage and create automated test scripts. Project manager assigns you to test mobile application. You can download source code from <https://github.com/avjinder/Minimal-Todo>  
Please prepare test cases and create automation test scripts to cover the features.


Please using Robot Framework + Appium framework

\*\*\* Please commit your automated source code into github/bitbucket.

5. Please create jenkins pipeline for executing automated script.

```
pipeline {
  agent {----}
  stages {
    stage('Checkout Code From Git') {
    }
  }
  stages {
    stage('Run Test Automate') {
    }
  }
  stages {
    stage('Send Result To Jenkins') {
    }
  }
}
```

6. A simple cipher is built on the *alphabet* wheel which has uppercase English letters ['A'-'Z'] written on it:



Given an encrypted string consisting of English letters ['A'-'Z'] only, decrypt the string by replacing each character with the  $k^{\text{th}}$  character away on the wheel in the

counterclockwise direction, Counter-clockwise is the opposite direction in which the hands on a clock usually move. (Using python)

### Example

encrypted = 'VTAOG'

k=2

Looking back 2 from 'V' returns 'T', from 'T' returns 'R' and so on. The decrypted string is 'TRYME'.

### Function Description

Complete the function *simpleCipher* in the editor below.

simpleCipher has the following parameter(s):

*encrypted*: a string

*k*: an integer