

UAT: Group Email / E-Blast (F7)

Test on the trial system (the administrator will provide the link and test accounts). · Follow each step on the live screen and compare with the Expected result. · Tick Pass / Fail and add evidence (document number / screenshot) for every step. · When done, sign off at the end of the document. · This set: 25 test cases.

Before you start (Preconditions)

- ☐ The relevant feature has been enabled for you by the system administrator
- ☐ There is a test member company on a package that has E-Blast quota (eblast_per_year > 0) and has a complete **primary contact email** for at least 1 person
- ☐ There is one more member on a package with **no quota** (eblast_per_year = 0) for the rejection case
- ☐ Working **admin**, **manager**, and **member** accounts are available (see the E2E test credentials)
- ☐ The email provider for E-Blasts is fully configured on the system side — use the provider's **test mode** on preview
- ☐ (template / allowed-formatting case) The relevant feature has been enabled for you by the system administrator if you plan to test TC-BC-23/24 — if it is off, mark those as N/A
- ☐ At least 1 test mailbox (for unsubscribe + delivery summary)

How to fill in: For each TC, mark **Pass / Fail** in the "Result" field and add evidence (document number / screenshot) in the "Notes" field.

TC-BC-01 — Member writes and submits an E-Blast into the queue (quota reserved) (1 / 25)

Role: member

#	Step	Expected result
1	Log in as member (package with quota) → go to the member portal broadcasts page (paste its web address)	See the quota bar + a button to start writing an E-Blast
2	Write a Subject (≤200 characters) + Body (≥1 character of safe HTML) + choose Audience All members	The rich-text editor works, the preview displays, and the approximate recipient count appears
3	Click Submit for review	Status Submitted , quota shows "5 of 6 remaining + 1 reserved" (or equivalent), and the confirmation page shows the ~48-hour SLA
4	(admin side) Open the staff-only Broadcasts page (paste its web address)	See the new item in the queue with status Awaiting review

☐ PASS	☐ FAIL	Notes (broadcast id): _____
--------------------------------------	--------------------------------------	-----------------------------

TC-BC-02 — Quota exhausted → Submit button disabled + API returns 409 (2 / 25)

Role: member

#	Step	Expected result
1	Use a member who has used up the full year's	Submit button is disabled + message "All E-

#	Step	Expected result
	quota and open the compose page	Blast quota for {year} has been used." (tooltip "Your {year} E-Blast quota is exhausted. Renews January 1 of next year.")
2	Try to submit directly via the API	Returns 409 `quota_exhausted` + writes an entry in the history log broadcast_quota_blocked

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-BC-03 — Empty recipient group (zero recipients) is rejected (3 / 25)

Role: member

#	Step	Expected result
1	Create a custom list where every email has already unsubscribed (or an empty tier) → Submit	Rejected on both client and server with "No eligible recipients matched."
2	Check that no row exists and no quota is reserved	No broadcast row, no reservation, writes an entry in the history log broadcast_empty_segment_blocked

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-BC-04 — Dangerous HTML content is filtered + rejected (4 / 25)

Role: member

#	Step	Expected result
1	Paste a body containing <code><script>alert(1)</script></code> + <code></code> then Submit	Returns 422 `broadcast_body_unsafe_html` identifying the offending construct, no row, no reservation
2	Check the history log	Writes broadcast_body_unsafe_html with the number of constructs (does not store the content)

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-BC-05 — Member with no quota (eblast_per_year=0) has the compose page hidden (5 / 25)

Role: member

#	Step	Expected result
1	Log in as a member on a package with no	Compose page is not shown — displays an

#	Step	Expected result
	quota → open the broadcasts tab	explainer + a CTA to upgrade the package
2	Try to submit directly via the API	Returns 403 <code>`broadcast_not_in_plan`</code> + an entry in the history log with the same name

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-BC-06 — Admin reviews the queue and approves to send immediately (Approve & send now) (6 / 25)

Role: admin

#	Step	Expected result
1	Open the staff-only Broadcasts page (paste its web address)	Defaults to filter Awaiting review sorted oldest first; the top bar shows "Target review SLA: 48 hours"
2	Click a row → Broadcast review page	See Subject / Message (rendered live) / Audience / Estimated recipients / Submitted by / timeline
3	Click Approve → choose Approve & send now → Approve	Status Submitted → Approved → Sending ; toast "Broadcast approved."
4	Check the member notification email + history log	Member receives an approval email in ~2 minutes; history log has <code>broadcast_approved</code> + <code>broadcast_send_started</code>

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-BC-07 — Approve and schedule (Approve & schedule, Asia/Bangkok) (7 / 25)

Role: admin

#	Step	Expected result
1	Open a Submitted row → Approve → choose Approve & schedule	A Send at field appears, help text says "≥5 minutes, Asia/Bangkok"
2	Choose a time +1 hour	Preview "Will be sent on:" shows the Bangkok time matching what you entered (not shifted by the browser's time zone)
3	Click Approve	Status Approved + sets <code>scheduled_for</code> (does not call the email provider yet)
4	Wait/trigger the scheduler after the time passes	The email provider is called once , status Approved → Sending , history log <code>broadcast_send_started</code> shows a delay

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-BC-08 — Reject requires a reason + returns the quota (8 / 25)

Role: admin

#	Step	Expected result
1	Open a Submitted row → click Reject	Dialog "Reject this broadcast?"; confirm button disabled until a reason is entered
2	Enter the reason "Off-tone for chamber" (counter n/2000) → Reject	Status Rejected ; toast "Broadcast rejected. The member has been notified."
3	Check the member quota + email + history log	Quota returns to its pre-submit value; member receives an email with the reason word-for-word; history log broadcast_rejected (stores a hash of the reason)
4	Try to reject with an empty / whitespace-only reason	Rejected — the reason must contain ≥1 non-whitespace character

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-BC-09 — Manager is read-only (no action buttons) (9 / 25)

Role: manager

#	Step	Expected result
1	Log in as manager → open the staff-only Broadcasts page (paste its web address)	See the queue + a " Read-only mode " bar (manager); no Approve/Reject/Bulk buttons
2	Open the Broadcast review page	See all the data but no action buttons at all
3	(with a halt) view the halt bar	See "Manager role — read-only" instead of the clear button
4	Call the approve/reject API directly	Returns 403 `not_authorized` + an entry in the history log

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-BC-10 — Prevent overlapping approval (concurrent action) returns 409 (10 / 25)

Role: admin (2 windows / 2 admins)

#	Step	Expected result
1	Open the same broadcast in 2 tabs → tab A clicks Approve successfully	Tab A succeeds normally
2	Tab B clicks Approve/Reject on the same row	Returns 409 ; toast "This broadcast was already actioned by another administrator." + refresh; no double-send ; history log broadcast_concurrent_action_blocked

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-BC-11 — Content cannot be edited after submit (immutable) (11 / 25)

Role: admin / member

#	Step	Expected result
1	Broadcast review page of a Submitted item	No button to edit subject/body/audience — the admin cannot edit the content either
2	Try to PATCH a row whose status ≠ draft via the API	Returns 409 <code>`broadcast_immutable_after_submit`</code> + an entry in the history log with the same name; no field is changed

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-BC-12 — Can be cancelled up to Approved but not while Sending (12 / 25)

Role: admin / member

#	Step	Expected result
1	An Approved (scheduled) item → cancel directly via the API (POST <code>/api/broadcasts/[id]/cancel</code> or POST <code>/api/admin/broadcasts/[id]/cancel</code>) — *N/A for the UI part: there is no cancel button on screen in the MVP, verify via the API only*	Status Cancelled , quota returned, the scheduler skips this row, history log <code>broadcast_cancelled</code> (an admin cancel requires a reason)
2	A Sending item (already accepted by the email provider) → try to cancel	Returns 409 <code>`broadcast_cancel_too_late`</code> + an entry in the history log with the same name; status does not change

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-BC-13 — Quota consumed at Sent (not at submit/approve) (13 / 25)

Role: admin + the delivery status update from the email provider

#	Step	Expected result
1	A Sending broadcast → simulate all the delivery status updates from the email provider (delivered/bounced/complained)	Creates <code>broadcast_deliveries</code> per event, aggregate counts correct, status Sending → Sent
2	Check the quota + history log at Sent	Quota consumes +1 (by the calendar year of the Sent timestamp); history log <code>broadcast_sent</code> + <code>broadcast_quota_consumed</code> ; member receives a summary email
3	Send the same delivery status update payload	No duplicate row, no double consumption, no

#	Step	Expected result
	again	duplicate entry in the history log

☐ PASS	☐ FAIL	Notes: _____
-------------------------------	-------------------------------	--------------

TC-BC-14 — Delivery status update with a bad signature is rejected with 401 (14 / 25)

Role: system / the delivery status update from the email provider · **Performed by:** system administrator (technical step)

#	Step	Expected result
1	Call /api/webhooks/resend-broadcasts with an HMAC that does not match the secret	Returns 401 , does not read/store the payload, only an entry in the history log broadcast_webhook_signature_rejected

☐ PASS	☐ FAIL	Notes: _____
-------------------------------	-------------------------------	--------------

TC-BC-15 — Recipient unsubscribe (public, no login) (15 / 25)

Role: recipient (not logged in)

#	Step	Expected result
1	From a broadcast email, click the unsubscribe link → the public unsubscribe page (paste its web address)	A bilingual public page confirming the unsubscribe for that chamber; creates a row in marketing_unsubscribes; history log broadcast_unsubscribed (email hash)
2	Reload the same page / click again	Message "Already unsubscribed / Your email is already on our suppression list. No further action needed."; no duplicate row/history-log entry
3	Click a forged/expired token	A bilingual fallback page suggesting contacting support; does not create a suppression; history log broadcast_unsubscribe_token_invalid

☐ PASS	☐ FAIL	Notes: _____
-------------------------------	-------------------------------	--------------

TC-BC-16 — Suppression is applied at send + does not affect transactional email (16 / 25)

Role: admin + member

#	Step	Expected result
1	One recipient is on the suppression list → send a new broadcast to a group that includes them	That email is not sent (filtered before reaching the email provider); the summary shows

#	Step	Expected result
		"Suppressed: 1" without naming them; history log <code>broadcast_suppression_applied</code>
2	An unsubscribed recipient who is also a member → test a transactional email (e.g. password reset / receipt)	Still receives transactional email as normal (suppression only governs marketing)

☐ PASS	☐ FAIL	Notes: _____
-------------------------------	-------------------------------	--------------

TC-BC-17 — Recipient cap of 5,000 per broadcast is rejected (17 / 25)

Role: member (or a fixture with many recipients)

#	Step	Expected result
1	Submit a broadcast where the group resolves + suppression removed is >5,000	Rejected at the submit boundary `broadcast_audience_too_large` "Audience exceeds the 5,000 recipient limit."; history log stores the number that exceeded (does not store the names)

☐ PASS	☐ FAIL	Notes: _____
-------------------------------	-------------------------------	--------------

TC-BC-18 — Auto-halt when complaint rate exceeds 5% + admin clears it

(18 / 25)

Role: system + admin + manager

#	Step	Expected result
1	Simulate a broadcast with ≥20 recipients whose complaint rate is >5%	System sets <code>broadcasts_halted_until_admin_review=true</code> ; history log <code>broadcast_complaint_rate_per_broadcast_breach</code> ; alerts on-call
2	A halted member tries to submit again	Blocked `broadcast_member_halted_pending_review`
3	Admin opens the staff-only Broadcasts page (paste its web address)	A red bar at the top "{n} member(s) are halted" + a Review + clear halt button
4	Click clear → type the company name to match → Clear halt	Toast "Broadcast halt cleared"; history log <code>broadcast_member_dispatch_resumed</code> ; the member can submit again
5	(manager) view the halt bar	See "Manager role — read-only" instead of the button (cannot clear)

☐ PASS	☐ FAIL	Notes: _____
-------------------------------	-------------------------------	--------------

TC-BC-19 — Member views their own quota + broadcast history (19 / 25)**Role:** member

#	Step	Expected result
1	A member with 2 sent + 1 submitted → open the broadcasts tab	Quota shows "2 sent · 1 reserved · 3 remaining of 6 · resets 1 January 20xx" (by locale)
2	View the history table	3 rows with correct statuses, sorted most recent first
3	A member who has never sent anything	Empty-state + CTA "Compose your first E-Blast" (no table)

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	---------------------

TC-BC-20 — Prevent a member from peeking at another member's broadcast (shows a "Not found" page (404), not 403) (20 / 25)**Role:** member

#	Step	Expected result
1	A member tries to open the URL of another member's broadcast (guessing the id)	Shows a "Not found" page (404) (not 403, to avoid leaking existence); history log broadcast_cross_member_probe

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	---------------------

TC-BC-21 — Banner acknowledging marketing terms (GDPR Art. 7) (21 / 25)**Role:** member

#	Step	Expected result
1	A member (with quota/active) whose broadcasts_acknowledged_at is empty → log in to the portal	A bilingual banner stating the broadcast rights + an I acknowledge button + a Remind me later link
2	Click I acknowledge	Records a timestamp; history log member_acknowledged_broadcasts_terms; banner disappears permanently (per tenant)
3	(another member) click Remind me later	Does not record a history-log entry/column; the banner appears again on the next sign-in
4	Admin/manager log in	Do not see the banner (member role only)

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	---------------------

TC-BC-22 — Bulk approve several items at once (22 / 25)**Role:** admin

#	Step	Expected result
1	Select several Submitted rows with checkboxes	A "{n} selected" bar + an Approve & send selected button
2	Click Approve & send selected (all succeed)	Toast "All selected broadcasts approved.", every row moves to Approved/Sending
3	Repeat with 1 row already actioned by another admin	Toast "{ok} approved, {fail} failed." — the failed row must be approved individually

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-BC-23 — Manage Templates (F7.1a US7 — skip/N/A if the feature is off)

(23 / 25)

Role: admin · **Condition:** skip/N/A if the feature is off

#	Step	Expected result
1	Admin clicks the Templates button on the Broadcasts page	Opens the staff-only Templates page (paste its web address); filters All/Starter only/Admin-authored; Starter rows have a badge
2	New template → fill in Name/Subject/Body/Locale → Save template	Toast "Template saved.", appears in the table
3	Edit a Starter template	Warning banner "This is a starter template"; editing creates a tenant version
4	(manager) open the staff-only Templates page directly	Shows a "Not found" page (404) (templates are admin-only)
5	(feature US7 off) open the same page	Shows a "Not found" page (404) + the Templates button does not appear on the Broadcasts page → mark this entire TC N/A

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-BC-24 — Broadcast settings: image allowed-list (F7.1a US2 — skip/N/A if the feature is off)

(24 / 25)

Role: admin / manager · **Condition:** skip/N/A if the feature is off

#	Step	Expected result
1	Admin opens Broadcast settings (the staff-only settings page — paste its web address)	An "Image source allowlist" card + the default list (locked)
2	Enter a hostname (cdn.example.com) → Add hostname	Toast "Hostname added.", a new row appears
3	Try to Remove a Default (locked) row	Cannot delete (error "Default entries cannot be removed.")
4	(manager, or feature US2 off) open the same page	Shows a "Not found" page (404) → mark N/A if the feature is off

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-BC-25 — Cross-tenant isolation (admin/member see only their own tenant) (25 / 25)

Role: admin/member · **Condition:** multi-tenant — can be run when a 2-tenant fixture exists

#	Step	Expected result
1	Admin of tenant A tries to open a broadcast id of tenant B (guessing)	Shows a "Not found" page (404) (does not leak); history log broadcast_cross_tenant_probe
2	Unsubscribe in tenant A	Does not cause the same recipient to be unsubscribed in tenant B

SweCham is single-tenant — this TC is mainly covered by the cross-tenant integration test (a Review-Gate blocker); on a preview without a 2-tenant fixture, mark **N/A** + reference the integration test result instead

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

Summary & sign-off (F7 Broadcasts / E-Blast)

Item	Value
Total number of TCs	25
Pass	_____
Fail	_____ (list TC numbers: _____)
N/A (feature off / single-tenant)	_____ (list TC numbers: _____)
Run on (preview URL)	_____
Test date	_____

Role	Name	Signature	Date
UAT certifier (SweCham)			
System administrator			

If you find a problem, note the symptom and the failing TC number, then report it to the system administrator.