

UAT: Members & Contacts (F3)

Test on the trial system (the administrator will provide the link and test accounts). · Follow each step on the live screen and compare with the Expected result. · Tick Pass / Fail and add evidence (document number / screenshot) for every step. · When done, sign off at the end of the document. · This set: 36 test cases.

Before you start (Preconditions)

- ☐ At least 1 **active** membership package (plan) for the current year (have Corporate + Partnership + Individual/Thai Alumni plans available if you need to test tier-specific rules)
- ☐ At least 1 existing test member company (for edit/archive/timeline) — around 10 or more is recommended so you can test search/filter
- ☐ An **admin**, a **manager**, and a **member** account (the member account linked to a test member) so you can test permissions
- ☐ Access to a test email inbox (for invitations, email-change, and revert tokens)
- ☐ The relevant feature has been enabled for you by the system administrator

How to fill in: For each TC, mark **Pass / Fail** in the "Result" field and add evidence (document number / screenshot) in the "Notes" field.

TC-MBR-01 — Create a new member with a primary contact (1 / 36)

Role: admin

#	Step	Expected result
1	Members → Add member	The form opens with Company / Address / Plan / Primary contact sections, and a note "' fields are required"
2	Fill in Company name, Country=SE, Plan (this year's Corporate), Primary contact (First/Last/Email)	Required fields show an asterisk and are marked as required
3	Click Create member	The member is saved as Active , the contact is set as Primary , the new member gets the default new-member flag, and a toast shows "Member created."
4	Open the new member's detail page	You see Company + Primary contact + Member No. (e.g. SCCM-00xx); the Timeline has a member_created entry

☐ PASS	☐ FAIL	Notes (member no. / evidence):
--------------------------------------	--------------------------------------	--

TC-MBR-02 — Warn when turnover does not meet the plan requirement, with override (2 / 36)

Role: admin

#	Step	Expected result
1	Create a member, choose a plan that requires high turnover (e.g. Premium) but enter a turnover below the threshold	A warning appears that the turnover does not meet the plan requirement; saving is blocked until you override

#	Step	Expected result
2	In the "Reason for bypassing validation" box, choose Reason = Other but leave Note empty	Blocked: "Note is required when reason is \"Other\"."
3	Enter a Note, then click Proceed with override	Saves successfully; the reason (code + note) is stored as an entry in the history log

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-03 — Warn when a Thai Alumni member is over 35 / a Start-up company is over 2 years old (3 / 36)

Role: admin

#	Step	Expected result
1	Choose the Thai Alumni plan, enter a Date of birth that makes the person older than 35 at the plan start date	An age warning appears; saving requires an override + a reason (recorded in the history log)
2	Choose the Start-up plan, enter a Founded year that makes the company older than 2 years	A company-age warning appears; saving requires an override + a reason

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-04 — Tax ID rules by tier (required for Corporate/Partnership; TH must be 13 digits) (4 / 36)

Role: admin

#	Step	Expected result
1	Create a Corporate/Partnership member but leave the Tax ID empty	Saving is blocked (Tax ID is required for this tier)
2	Set Country=TH and enter a Tax ID that is not 13 digits / has an invalid checksum	Rejected with a Thai-format error message
3	Create an Individual / Thai Alumni member and leave the Tax ID empty	Saving succeeds (not required)

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-05 — Soft duplicate check warns about a matching company name (does not block) (5 / 36)

Role: admin

#	Step	Expected result
1	Create a member whose name + country matches an existing one → click Create	A "Possible duplicate found" box appears showing the existing member (name / plan / status)
2	Click Proceed anyway	A separate new record is created (not blocked)
3	(Repeat) Click Open existing member	You are taken to the existing member's page instead, without creating a new one

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-06 — Create a member from the command palette (6 / 36)

Role: admin

#	Step	Expected result
1	Press Cmd/Ctrl+K → type "new member" or "create member"	The create-member action appears as the top choice
2	Select the action	You are taken to the Add member page

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-07 — Substring search (company/contact/email) (7 / 36)

Role: admin or manager

#	Step	Expected result
1	Type part of a company name in the "Search by company, contact name, email, or member number" box	Results narrow by company / contact name / email (case-insensitive) within about 500 ms
2	Search for part of a member number (e.g. 00)	Matches by member number as well

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-08 — Filters + bookmarkable URL (8 / 36)

Role: admin or manager

#	Step	Expected result
1	Select Status=Active + Plan=(pick one)	Only members matching all filters are shown
2	Look at the URL → copy it and open it in a new tab	The filter state is restored from the URL
3	Click Clear filters	Filters are cleared and return to default (Active+Inactive)

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-09 — Open the detail page + copy-to-clipboard (9 / 36)

Role: admin

#	Step	Expected result
1	Click a member row	Open the member's detail page (paste its web address) showing Company / Membership / Contacts (Primary + Other) / Renewal & Health / Timeline preview
2	Click the copy button on Email, Tax ID, and Member ID (in the Technical section)	The value is copied + a toast shows "Copied!"

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-10 — The Risk column shows a safe placeholder (F8) (10 / 36)

Role: admin

#	Step	Expected result
1	Look at the Risk/Engagement column for a member that has not been scored yet	It shows "—" (a neutral placeholder), does not error, and does not show fake data; a tooltip explains the score is calculated after 30 days

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-11 — Edit a member + change plan across tiers (downgrade does not warn) (11 / 36)

Role: admin

#	Step	Expected result
1	Open a Premium member (turnover meets the Regular requirement) → Edit → change the plan to Regular Corporate → Save changes	Saves with no warning (the downgrade is valid for the new plan); a toast shows "Member updated."
2	Look at the Timeline	There is a member_plan_changed entry (old → new plan)

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-12 — Set a Secondary contact as Primary (auto-demote) (12 / 36)**Role:** admin

#	Step	Expected result
1	A member with 2 or more contacts → the Secondary contact's dot menu → Make primary → confirm	The new person becomes Primary, and the previous Primary is automatically demoted to Secondary; a toast shows "Primary contact updated."
2	Refresh	There is exactly 1 Primary contact; the Timeline has a member_primary_contact_changed entry

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	---------------------

TC-MBR-13 — The last Primary contact cannot be removed (13 / 36)**Role:** admin

#	Step	Expected result
1	A member with a Primary + a Secondary → try Remove on the Primary	Blocked: "Cannot remove the primary contact. Promote another contact first." (or equivalent)
2	Set the Secondary as Primary first, then Remove the previous one	Remove succeeds (there is always at least one Primary)

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	---------------------

TC-MBR-14 — Add + edit a Secondary contact (14 / 36)**Role:** admin

#	Step	Expected result
1	Detail page → Add contact → fill in and Save	Added as a Secondary contact; a toast shows "Contact added."
2	Dot menu → Edit , change Phone/Role/language → Save	A toast shows "Contact updated."; the values are updated

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	---------------------

TC-MBR-15 — Bundle-change warning shows the real member count (15 / 36)**Role:** admin · **Condition:** a Partnership plan with includes_corporate_plan_id

#	Step	Expected result
1	Edit a Partnership member so the bundled corporate tier changes → Save changes	A "Plan bundle change" box appears showing the real member count (old bundle vs new

#	Step	Expected result
		bundle)
2	Click Cancel	No save happens; the form stays in draft state
3	Repeat and click Confirm bundle change	The save happens + a plan_bundle_changed entry in the history log referencing the member count at the time of confirmation

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-16 — Editing email via Edit contact is rejected (security) (16 / 36)

Role: admin

#	Step	Expected result
1	A contact linked to a portal account → Edit , look for the email field	The email field cannot be edited + a note "To change this contact's email, use the portal invitation flow."

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-17 — Change a portal-linked email: sign out sessions + re-verify + dual-channel (17 / 36)

Role: admin

#	Step	Expected result
1	Use the portal email-change flow to change the email of a contact who has an account	In a single transaction: update the contact + user email, immediately sign out that user's sessions , and disable login with the old email
2	Check the new email inbox	A verification email arrives with a 24-hour token (usable after a 5-minute delay); the new email cannot log in until verified
3	Check the old email inbox	An email arrives offering "this wasn't me — revert + freeze" with a 48-hour token
4	Look at the history log	It has member_contact_email_changed (high), user_sessions_revoked, email_verification_sent, email_change_notification_sent_to_old_address

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-18 — Revert token ("this wasn't me") from the old email (18 / 36)**Role:** member · **Condition:** holder of the old email (not signed in)

#	Step	Expected result
1	Click the "this wasn't me" token from the old email within 48 hours	The email is reverted (contact + user), the new-email verification token is invalidated, and the user is flagged requires_password_reset
2	Look at the history log	It has a member_email_change_reverted entry (high severity)
3	The old-email user tries to log in	They must do a password reset before they can use the account

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	---------------------

TC-MBR-19 — Re-send verification email after a permanent send failure (API-only) (19 / 36)**Role:** admin

UI not built yet — API-only: There is currently **no "Re-send verification email" button** on the member detail page (the route exists but no component calls it yet). Do not fail this TC just because you cannot find the button — test the endpoint directly: POST `/api/members/:memberId/contacts/:contactId/resend-verification` (admin-only)

#	Step	Expected result
1	Simulate a permanent send failure (retries exhausted → permanently_failed) for the verification email of a portal-linked contact	There is an outbox row with status permanently_failed ready to re-send
2	As admin, send POST <code>/api/members/:memberId/contacts/:contactId/resend-verification</code> (e.g. via a REST client)	200 { outbox_row_id, invalidated_prior }; a new 24-hour verification token + a new outbox row are issued; a email_verification_resent entry in the history log; no need for a database operator
3	Send it when the contact is not eligible (no failed outbox / no linked user)	409 not_eligible (no new token is issued)

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	---------------------

TC-MBR-20 — Invite a contact to the portal (20 / 36)**Role:** admin

#	Step	Expected result
1	A contact row with an email + not yet linked to an account → Invite to portal	A toast shows "Invitation sent."; an "Expires in N days" badge appears
2	Check the contact's email	An invitation email arrives scoped to this member with the member role (7-day token)
3	Accept the invitation successfully	The badge changes to "Portal linked"

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-21 — Invitation email bounces → badge + Re-send invite (21 / 36)

Role: admin

#	Step	Expected result
1	Simulate the invitation email bouncing (Resend email.bounced)	The contact gets an "Invite bounced" badge; the directory row shows a warning indicator; a invitation_bounced entry in the history log
2	Click Re-send invite	A new invitation is sent + the bounce flag is cleared; a toast shows "Invitation re-sent."

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-22 — Inline status toggle + optimistic rollback (22 / 36)

Role: admin

#	Step	Expected result
1	In the table, click the Status badge of an Active member	It switches to Inactive immediately (optimistic) + a toast "Status updated"; a member_status_changed entry in the history log
2	Simulate a server error during save	The value is rolled back + a toast "Save failed. Reverted."
3	Look at an Archived row	The Status is a plain badge (cannot be toggled inline)

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-23 — Bulk archive (type a confirmation phrase + all-or-nothing)

(23 / 36)

Role: admin

#	Step	Expected result
1	Tick several rows	A Bulk actions bar appears at the bottom showing "N selected"
2	Click Archive	A confirmation box lists the company names (trimmed to "...and N more" if over 5) + requires you to type the phrase "Archive N members"
3	Confirm	The whole batch is archived (all-or-nothing) + one history log entry per member; if one fails,

#	Step	Expected result
		the whole batch rolls back with no partial commit

☐ PASS	☐ FAIL	Notes: _____
-------------------------------	-------------------------------	--------------

TC-MBR-24 — Bulk send portal invites (summary of queued/skipped/failed)

(24 / 36)

Role: admin

#	Step	Expected result
1	Select several rows → Send invite → confirm	A summary toast "N invitation(s) queued · M skipped · K failed" (success/info/error depending on the result)

☐ PASS	☐ FAIL	Notes: _____
-------------------------------	-------------------------------	--------------

TC-MBR-25 — Bulk cap of 100 rows + rate limit (25 / 36)

Role: admin

#	Step	Expected result
1	Select more than 100 rows	The bulk button is disabled + a message "Maximum 100 members per batch. Split the selection." + a helper explaining the next step
2	Run a bulk action more than 10 times within 10 minutes	You get a 429 + a toast "Too many bulk actions. Wait a few minutes and try again."; a <code>bulk_action_rate_limit_exceeded</code> entry in the history log

☐ PASS	☐ FAIL	Notes: _____
-------------------------------	-------------------------------	--------------

TC-MBR-26 — manager has read-only access (26 / 36)

Role: manager

#	Step	Expected result
1	Log in as manager → open Members	You see the list + can search/filter; a "Read-only view..." bar is shown; no Add member button
2	Open a member detail page	No Edit / Archive / Add contact / Invite / Make primary / Remove
3	Click a Status badge in the table	It is not a toggle button (read-only)
4	Go directly to the staff-only pages for adding	Both show a "Not found" page (404)

#	Step	Expected result
	and editing a member (paste their web addresses)	

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-27 — A member sees only their own company (tenant / cross-member isolation) (27 / 36)

Role: member

#	Step	Expected result
1	Log in as member → go to the member portal	You see only your own company + plan + contacts + renewal history
2	Go to a staff-only page (paste its web address)	Access is denied (403 / redirect — you do not reach the admin side)
3	Go to another member's page (a different member id)	403 / "Not found" page (404) per F1 not-authorized; no other member's data leaks

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-28 — A member can edit whitelisted fields; forbidden fields are rejected with 403 (28 / 36)

Role: member

#	Step	Expected result
1	Member portal → Edit Profile	You see only First/Last name, Phone, Preferred Language, Website, Description; admin-only fields are fully hidden (not just disabled)
2	Change Phone → Save Changes	Saves successfully + a toast "Profile updated successfully."; a member_self_updated entry in the history log (fields_changed)
3	Simulate a forged payload sending plan/turnover/status	The server rejects it with 403 ; a member_self_update_forbidden entry in the history log (redacted)

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-29 — A member invites a colleague (Primary only) (29 / 36)

Role: member (primary + non-primary)

#	Step	Expected result
1	Log in as the Primary contact → go to the	An F1 invitation scoped to your own member is

#	Step	Expected result
	colleague-invite page (paste its web address), fill in name + email + role → Send Invitation	issued; a toast shows "Invitation sent successfully."
2	Log in as a non-primary contact and open the same page	It shows "Only the primary contact can invite colleagues." (both UI + server)

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-30 — Read-only mode: member edit returns 503 (30 / 36)

Role: member · **Condition:** read-only mode is enabled

#	Step	Expected result
1	Enable read-only mode → member edits their Profile and Saves	The edit returns 503 read-only-mode; reading (viewing the Profile) still works

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-31 — Timeline shows newest first + actor + translations (31 / 36)

Role: admin

#	Step	Expected result
1	A member with several events → detail page → View all activity	The Timeline page shows events newest first with their time (stored in Gregorian / displayed in Buddhist Era for th-TH), the actor's name (or "System"), localised labels, and a diff summary
2	Click Load older events	Loads 50 more at a time without freezing the screen; the query stays scoped to the tenant + member
3	Filter by source / actor / date range	The filtered list is correct

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-32 — A member views their own timeline (redacted) (32 / 36)

Role: member

#	Step	Expected result
1	The member opens their own timeline	They see only their own events; admin-only fields (override reason, internal notes) are redacted

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-33 — Archive a member + hide from directory + sign out portal sessions (33 / 36)

Role: admin + member

#	Step	Expected result
1	Detail page (Active) → Archive member → enter a Reason (optional) → Archive	Status becomes Archived , archived_at is set, the member is hidden from the default directory, a member_archived entry in the history log; a toast shows "{company} archived."
2	On the Members default view	That member disappears; choose Status= Archived to see it
3	A member linked to this company tries to log in to the portal	Their session is signed out / 403 "account inactive" (without revealing the underlying reason)

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-34 — Restore within 90 days; the button is disabled after 90 days (34 / 36)

Role: admin

#	Step	Expected result
1	An Archived member (within 90 days) → "Archived on {date}" banner, click Restore	Status returns to Active , archived_at is cleared, a member_undeleted entry in the history log; a toast shows "Member restored."
2	An Archived member over 90 days → open the detail page	The Restore button is disabled + a tooltip "Archived > 90 days — contact a system admin to restore"; the data is still readable

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-MBR-35 — A cross-tenant probe returns an "Not found" page (404) + history log entry (35 / 36)

Role: admin (tenant A)

#	Step	Expected result
1	An admin of tenant A opens a member page belonging to tenant B (paste the tenant B member's web address)	Shows a "Not found" page (404) (not 403/401); no tenant B data leaks
2	Look at the history log	It has a member_cross_tenant_probe entry (attempted_member_id, actor_user_id, actor_tenant_id) tied to the admin who actually

#	Step	Expected result
		clicked

☐ PASS	☐ FAIL	Notes: _____
-------------------------------	-------------------------------	--------------

TC-MBR-36 — Empty states + accessibility/translations in three languages

(36 / 36)

Role: admin

#	Step	Expected result
1	A directory with no members yet	Empty state "No members yet" + a CTA "Add your first member"
2	Apply a filter that matches nothing	"No members match these filters" + a CTA "Clear filters"
3	Simulate a server error on the list	Error state "Could not load members" + a "Retry" button
4	Switch language EN/TH/SV on the Members + Add member pages	Every string is fully translated; <html lang> matches the locale; required fields show an asterisk and are marked as required

☐ PASS	☐ FAIL	Notes: _____
-------------------------------	-------------------------------	--------------

Summary & sign-off (F3 Members)

Item	Value
Total number of TCs	36
Passed	_____
Failed	_____ (list the TC numbers: _____)
Run on (preview URL)	_____
Test date	_____

Role	Name	Signature	Date
UAT approver (SweCham)			
System administrator			

If you find a problem, note the symptom and the failing TC number, then report it to the system administrator.