

UAT: Event Attendee Import (F6)

Test on the trial system (the administrator will provide the link and test accounts). · Follow each step on the live screen and compare with the Expected result. · Tick Pass / Fail and add evidence (document number / screenshot) for every step. · When done, sign off at the end of the document. · This set: 30 test cases.

Before you start (Preconditions)

- ☐ The relevant feature has been enabled for you by the system administrator
- ☐ At least 2 test member companies exist, each with a contact email + email domain (F3)
- ☐ Members with a package exist (F2) with quotas set: 1 Partnership-tier member (e.g. Diamond, 6 tickets/event) + 1 Corporate-tier member (e.g. Premium, 2 cultural tickets/year)
- ☐ Test CSV files are ready: 1 file mixing matched/unmatched/refunded rows; 1 file of ~1,000 rows (for SC-006)
- ☐ A tool is set up that can send a signed (HMAC-SHA256) message into the automatic data feed from EventCreate (for the data-feed test cases)

How to fill in: For each TC, mark **Pass / Fail** in the "Result" field and add evidence (document number / screenshot) in the "Notes" field.

TC-EVT-01 — Attendee import via the automatic data feed + successful member match (1 / 30)

Role: admin (setup) + the automatic data feed from EventCreate

#	Step	Expected result
1	Send a correctly signed payload with an email matching a member's contact	HTTP 200 , body matched: "member" + registration ID
2	Open the staff-only event page (paste its web address) for {eventId}	Event row + registration row appear; Match label = Verified contact
3	Check the history log	The feed receipt is recorded as verified + matched

☐ **PASS**
☐ **FAIL**

Notes (registration ID): _____

TC-EVT-02 — Non-member attendee does not consume quota (2 / 30)

Role: the automatic data feed from EventCreate + admin

#	Step	Expected result
1	Send a correctly signed payload, but with an email + domain that matches no member	Registration is recorded with match = Non-member
2	Check the quota + history log	No quota is consumed ; the history log records a non-member outcome

☐ **PASS**
☐ **FAIL**

Notes: _____

TC-EVT-03 — Duplicate feed message is rejected with 409 (3 / 30)

Role: the automatic data feed from EventCreate

#	Step	Expected result
1	Send the same delivery (same X-Request-ID) a second time	HTTP 409 + duplicate error body
2	Check the registration / quota / history log	The original registration is unchanged, quota is not consumed again , the history log records a single ingestion

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-04 — Wrong HMAC signature is rejected with 401 (4 / 30)

Role: the automatic data feed from EventCreate · **Performed by:** system administrator (technical step)

#	Step	Expected result
1	Send a payload with a wrong signature (wrong secret / altered body)	HTTP 401 ; no event/registration is recorded
2	Check the history log	Recorded as signature-rejected + source IP

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-05 — Timestamp off by more than 5 minutes (replay protection) is rejected with 401 (5 / 30)

Role: the automatic data feed from EventCreate

#	Step	Expected result
1	Send a payload whose X-Chamber-Timestamp is more than 5 minutes away from the server time	HTTP 401 (replay protection), even if the signature is correct

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-06 — Malformed payload / missing required field is rejected with 400 (6 / 30)

Role: the automatic data feed from EventCreate

#	Step	Expected result
1	Send a correctly signed payload that is missing a required field (e.g. attendee_email)	HTTP 400 + field-level error; no row is recorded
2	Send a payload that contains unknown extra	Imports normally; the unknown fields are stored

#	Step	Expected result
	fields (unknown keys)	in metadata (not rejected)
3	Check the history log	A malformed-payload case is recorded

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-07 — Cross-tenant probe is rejected with 401 (7 / 30)

Role: the automatic data feed from EventCreate

#	Step	Expected result
1	Send a payload signed with Tenant A's secret to Tenant B's address	HTTP 401 (signature verification fails); no cross-organisation data leaks
2	Check the history log	Recorded with high severity

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-08 — Event list: columns + sort by date + match rate (8 / 30)

Role: admin

#	Step	Expected result
1	Import ≥ 5 events with different registration counts → open the staff-only events list page (paste its web address)	The table has columns Date / Name / Category / Registrations / Partner Benefit / Match Rate; sorted newest date first; pagination is present
2	Try the filter chips + the "Search events by name..." search box	Filtering/searching works as selected (the web address updates)

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-09 — Event details: match rate + attendee table + quota outcomes

(9 / 30)

Role: admin

#	Step	Expected result
1	Open an event with 20 registrations, 18 matched → go to its detail page	The header shows "90% (18 of 20)" ; the table has Attendee / Match / Ticket / Quota / Registered
2	Click "Show unmatched only"	Filters down to only unmatched / non-member rows
3	Try "Filter by payment status" = Refunded	Shows only refunded tickets

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-10 — "View on EventCreate" button (deep link) (10 / 30)

Role: admin

#	Step	Expected result
1	On the detail page of an event that came from EventCreate, click " View on EventCreate "	Opens a new tab to the correct eventcreateUrl

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-11 — Context-aware empty state (a/b/c) (11 / 30)

Role: admin

#	Step	Expected result
1	A tenant that has not set up the integration → open the staff-only events list page (paste its web address)	(a) "No events yet" + a " Set up EventCreate integration " button
2	A tenant that has set it up but has no deliveries yet	(b) "Waiting for first event" + a " Send a test event " button
3	A tenant where all events are archived	(c) "All events are archived" + a " Show ... archived events " button

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-12 — Onboarding wizard: generate secret + reveal once only (12 / 30)

Role: admin

#	Step	Expected result
1	Open Settings → EventCreate (the staff-only settings page — paste its web address) for the first time and click " Generate webhook secret "	The secret is shown once only + a Copy button + the warning "It will not be shown again"; the Webhook URL + Zapier walkthrough are shown
2	Tick "I've saved this secret..." → reload the page	The secret is masked (e.g. whsec_••••1234) + a " Rotate secret " button (no re-reveal)

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-13 — "Send test event" button round-trip (13 / 30)

Role: admin

#	Step	Expected result
1	On the "Test & manage" step, click " Send test event "	Within ~30 seconds, " Test event delivered successfully " appears
2	Look at Recent deliveries	A new test entry appears (Signature = Verified); tick "Include test deliveries" to show it

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-14 — Partnership quota fully consumed at 6 tickets + the 7th over quota (14 / 30)

Role: admin

#	Step	Expected result
1	An event flagged as a partner benefit + import 6 registrations from a Diamond member company (6 tickets)	All 6 are tagged Partner benefit (counted=true); quota left is 0; each one creates a history-log entry
2	Import a 7th registration from the same company	It is recorded but tagged Over quota (counted=false); quota stays at 0

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-15 — Annual cultural quota consumption (15 / 30)

Role: admin

#	Step	Expected result
1	An event flagged as a cultural event + a Premium Corporate member (2 tickets/year) with 2 remaining → import 1 registration	Tagged Cultural quota (counted=true); the yearly quota drops from 2 → 1

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-16 — Refund credits quota back (16 / 30)

Role: admin

#	Step	Expected result
1	Re-send the same registration with payment_status = "refunded"	The row updates to Refunded ; the previously consumed quota is credited back +1 ; the history log records a reversal

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-17 — Toggle flag → re-evaluate quota for the whole event (17 / 30)

Role: admin

#	Step	Expected result
1	On an event with several matched attendees, click " Flag as partner benefit " → confirm	Every matched row is re-evaluated in one pass; members with quota → consumed, full → over quota; a toast summarises how many were re-evaluated
2	Click " Remove partner-benefit flag " → confirm	All quota for the event is credited back ; history-log entry created

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-18 — CSV import: preview + column mapping + result summary (18 / 30)

Role: admin

#	Step	Expected result
1	Open the staff-only import page (paste its web address) (or the "Import CSV" button) → choose an Event from the dropdown	Submit is locked until an event is chosen (hint "Select an event...")
2	Drag and drop the CSV file	A 10-row preview + Detected columns appear (required = green)
3	Click " Confirm and import "	The Import complete page: Rows imported / Events created-updated / Match breakdown
4	Import the ~1,000-row file	Completes within < 60 seconds

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-19 — A bad CSV row → skipped + reported as an error (the whole file does not stop) (19 / 30)

Role: admin

#	Step	Expected result
1	Import a CSV where some rows have a bad email / missing column	Bad rows are skipped + listed under " Rows with errors " with the row number + reason; good rows continue importing

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-20 — CSV re-import does not consume quota twice (20 / 30)

Role: admin

#	Step	Expected result
1	Import the same file a second time	The summary shows "Already imported" ; quota is not consumed again, no duplicate registration is created

☐ PASS	☐ FAIL	Notes: _____
-------------------------------	-------------------------------	--------------

TC-EVT-21 — Import history + download error CSV (21 / 30)

Role: admin

#	Step	Expected result
1	Open the staff-only import history page (paste its web address)	The table shows Uploaded / File / Source / Outcome / Processed-Skipped-Failed
2	Click "Download error CSV" on an import that has errors	Downloads a file containing only the failed rows (after 30 days it shows an "Expired" label)

☐ PASS	☐ FAIL	Notes: _____
-------------------------------	-------------------------------	--------------

TC-EVT-22 — Relink: match a non-member to the correct member + credit/consume quota (22 / 30)

Role: admin

#	Step	Expected result
1	On a row with match = Non-member → in the Actions column click "Relink" → choose Member A	The match updates; if the quota conditions are met → consumed; shown immediately without reload; toast "Relinked to ..."
2	Relink a row that had consumed Member A's quota → to Member B	Member A's quota is credited back +1 ; Member B's quota is re-evaluated; history-log entries on both sides

☐ PASS	☐ FAIL	Notes: _____
-------------------------------	-------------------------------	--------------

TC-EVT-23 — Relink is blocked on a row whose PII has been purged (23 / 30)

Role: admin

#	Step	Expected result
1	On a row that is already pii_pseudonymised,	The message "Cannot relink — attendee PII"

#	Step	Expected result
	look for / click Relink	has been retention-purged... " appears; the action cannot be done

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-24 — Rotate secret + 24-hour grace period (24 / 30)

Role: admin + the automatic data feed from EventCreate

#	Step	Expected result
1	Click "Rotate secret" → "Rotate now"	A new secret is shown once; the old secret gets a rotated_at; the grace-period end time is shown
2	Send a feed message with the old secret within the grace period (e.g. T+12h)	Verification passes ; the history log flags it as deprecated-grace
3	Send a feed message with the old secret after 24 hours (T+25h)	HTTP 401 + the history log records a signature-failure
4	Send a feed message with the new secret	Verification passes every time after rotation

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-25 — Archive event: credit quota back + hide from the default list

(25 / 30)

Role: admin

#	Step	Expected result
1	On an event with quota-counted tickets, click "Archive event" → confirm "Archive"	The event becomes quota-neutral; all quota is credited back ; a toast summarises how many were credited back
2	Return to the staff-only events list page (paste its web address)	The event disappears from the default list; visible via "Show archived events" + an Archived label
3	On an archived event, look for the Flag/Relink/Archive buttons	None (a quota-neutral event cannot be edited); there is no Un-archive in v1

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-26 — Erase PII (PDPA §30 / GDPR Art. 17) (26 / 30)

Role: admin

#	Step	Expected result
1	Open the staff-only erase page (paste its web	The confirmation box "Erase personal data

#	Step	Expected result
	address) for {eventId} / {registrationId}	for {name}?" opens automatically
2	Fill in "Reason for erasure" (required) → click "Erase PII"	Name/email/company are permanently deleted; quota is credited back ; the history log keeps admin + time + reason; toast "Personal data erased"
3	Go back to view the row in the event	The row is pseudonymised; Relink is not possible

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-27 — RBAC: manager is read-only (no write + "Not found" page (404) on settings) (27 / 30)

Role: manager

#	Step	Expected result
1	Log in as manager → open the staff-only events list page + go into an event detail	Can view the list + the details
2	Look for the Import CSV / Relink / Archive / Flag toggle buttons	No write buttons of any kind
3	Try going directly to the staff-only import page (paste its web address)	Shows a "Not found" page (404) (so the page's existence is not revealed)
4	Try going to the staff-only EventCreate settings page (paste its web address)	Shows a "Not found" page (404) (to prevent exposing the secret page)

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-28 — RBAC: member has no access to F6 (no access) (28 / 30)

Role: member

#	Step	Expected result
1	Log in as member → try to open the staff-only events list page, the import page, and the EventCreate settings page (paste their web addresses)	Shows a "Not found" page (404) on every page (so the page's existence is not revealed)

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-29 — Feature turned off → every F6 page shows a "Not found" page (404) (29 / 30)

Role: admin · Condition: in an environment where the feature is turned off

#	Step	Expected result
1	In an environment where the relevant feature is turned off, open the staff-only events list page + the other F6 pages	Shows a "Not found" page (404) on every page

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

TC-EVT-30 — i18n + a11y (WCAG 2.1 AA) on every F6 page (30 / 30)

Role: admin

#	Step	Expected result
1	Switch language EN / TH / SV on the events list, detail, import, and settings pages	Every string is fully translated, with no raw keys / MISSING_MESSAGE
2	Run axe-core (@a11y) on each page (on preview)	Passes WCAG 2.1 AA (focusable CTA, contrast, heading order)
3	Dates/times in the tables	Shown in the Asia/Bangkok time zone; Thai language shows the Buddhist Era (พ.ศ.)

☐ PASS	☐ FAIL	Notes: _____
--------------------------------------	--------------------------------------	--------------

Summary & sign-off (F6 EventCreate Integration)

Item	Value
Total number of TCs	30
Passed	_____
Failed	_____ (list TC numbers: _____)
Run on (preview URL)	_____
Test date	_____

Role	Name	Signature	Date
UAT approver (SweCham)			
System administrator			

If you find a problem, note the symptom and the failing TC number, then report it to the system administrator.