

# Configure AWS CLI on Ubuntu Instance

[Edition 06]

[Last Update 230801]

***For any issues/help contact: [support@k21academy.com](mailto:support@k21academy.com)***

## Contents


|           |                                                    |           |
|-----------|----------------------------------------------------|-----------|
| <b>1</b>  | <b>Introduction .....</b>                          | <b>3</b>  |
| <b>2</b>  | <b>What is Ubuntu Instance ? .....</b>             | <b>5</b>  |
| 2.1       | What is EC2?.....                                  | 5         |
| <b>3</b>  | <b>Documentation Links .....</b>                   | <b>6</b>  |
| <b>4</b>  | <b>Pre-requisite .....</b>                         | <b>7</b>  |
| <b>5</b>  | <b>Launching a Ubuntu Instance Using EC2 .....</b> | <b>8</b>  |
| 5.1       | Creating an Ubuntu EC2 Instance.....               | 8         |
| 5.2       | Connect to Ubuntu Instance .....                   | 18        |
| <b>6</b>  | <b>Configure AWS CLI on Ubuntu.....</b>            | <b>20</b> |
| <b>7</b>  | <b>Share your learnings .....</b>                  | <b>23</b> |
| 7.1       | On LinkedIn.....                                   | 23        |
| 7.2       | On WhatsApp.....                                   | 24        |
| <b>8</b>  | <b>Deleting/Cleanup .....</b>                      | <b>26</b> |
| 8.1       | Terminating the Ubuntu Instance.....               | 26        |
| <b>9</b>  | <b>Troubleshooting .....</b>                       | <b>28</b> |
| 9.1       | Unknown commands on the screen .....               | 28        |
| 9.1.1     | Error .....                                        | 28        |
| 9.1.2     | Issue.....                                         | 28        |
| 9.1.3     | Fix.....                                           | 28        |
| <b>10</b> | <b>Summary.....</b>                                | <b>29</b> |

# 1 INTRODUCTION

Amazon EC2 presents a true virtual computing environment, allowing you to use web service interfaces to launch instances with a variety of operating systems, load them with your custom application environment, manage your network's access permissions, and run your image using as many or few systems as you desire.

To use Amazon EC2, you simply:

- Select a pre-configured, templated Amazon Machine Image (AMI) to get up and running immediately, or create an AMI containing your applications, libraries, data, and associated configuration settings.
- Configure security and network access on your Amazon EC2 instance.
- Choose which instance type(s) you want, then start, terminate, and monitor as many instances of your AMI as needed, using the web service APIs or the variety of management tools provided.
- Determine whether you want to run in multiple locations, utilize static IP endpoints, or attach persistent block storage to your instances.
- Pay only for the resources that you actually consume, like instance-hours or data transfer.



**This activity guide cover steps for:**

1. Launching a Ubuntu Instance
  - a. Creating an EC2 Instance
  - b. Configure AWS CLI on Instance
2. Deleting/Cleanup
  - a. Terminating the Ubuntu Instance

---

## 2 WHAT IS UBUNTU INSTANCE ?

Ubuntu Server is a server operating system created by Canonical and open-source developers all around the globe that is compatible with almost any hardware or virtualization platform. It can host websites, file sharing, and containers, as well as increase your company's capabilities with a strong cloud presence.

---

### 2.1 What is EC2?

Amazon Elastic Compute Cloud (Amazon EC2) delivers scalable computing power on-demand in the Amazon Web Services (AWS) Cloud. Using Amazon EC2 lowers hardware expenses, allowing you to create and deploy apps quicker. Amazon EC2 allows you to deploy as many or as few virtual servers as you need, set security and networking, and manage storage. You can add capacity (scale up) to address compute-intensive operations such as monthly or annual procedures or surges in website traffic. When consumption falls, you can lower capacity.

The EC2 instance is located in a Region Availability Zone. A security group, which is a virtual firewall that regulates incoming and outgoing traffic, protects the EC2 instance. A private key is kept on the local computer, while a public key is kept on the instance. To establish the user's identity, both keys are supplied as a key pair. The instance in this case is backed up using an Amazon EBS volume. An internet gateway connects the VPC to the internet.

Blog: [AWS EC2 Instance | Steps to Connect Windows EC2 Instance](#)

---

### 3 DOCUMENTATION LINKS

1. Amazon EC2  
<https://aws.amazon.com/ec2/>
2. Features of Amazon EC2  
<https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/concepts.html>
3. Amazon EC2 FAQs  
<https://aws.amazon.com/ec2/faqs/>
4. Installing or updating the latest version of the AWS CLI  
<https://docs.aws.amazon.com/cli/latest/userguide/getting-started-install.html>

---

## 4 PRE-REQUISITE

1. An AWS Account (Free or Paid).


## 5 LAUNCHING A UBUNTU INSTANCE USING EC2

Launching an Ubuntu instance using Amazon EC2 (Elastic Compute Cloud) allows you to create a virtual server in the cloud that runs on the Ubuntu operating system. Launching an Ubuntu instance using EC2 provides a powerful and flexible cloud computing solution that can help you meet your computing needs in a cost-effective, scalable, and secure way.


### 5.1 Creating an Ubuntu EC2 Instance

**Note:** Amazon EC2 basically provides a **Virtual Computing environment**, where they have pre-configured AMI (Amazon Machine Image) from which you can launch Virtual machines.


1. Log in to your AWS console.



2. Search for **EC2** in the search bar and click on it.



3. Once you are at the EC2 Dashboard, click on **Launch** to launch an instance.



4. In the Name and Tags step you can add tags to an instance, here tags help you to enable categorize AWS resources in different ways, for example, by owner, environment, or purpose.

EC2 > Instances > Launch an instance

## Launch an instance Info

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

### Name and tags Info

Name

k21-Ubuntu-server ←

[Add additional tags](#)

5. Choose **Ubuntu**, select **Ubuntu Server (HVM)** architecture and Click on **Select**.

▼ Application and OS Images (Amazon Machine Image) [Info](#)

An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. Search or Browse for AMIs if you don't see what you are looking for below

Q Search our full catalog including 1000s of application and OS images

Quick Start

Amazon Linux

macOS

Ubuntu

Windows

Red Hat

S

aws

Mac

ubuntu

Microsoft

Red Hat

>

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Ubuntu Server 22.04 LTS (HVM), SSD Volume Type  
ami-0574da719dca65348 (64-bit (x86)) / ami-0e2b332e63c56bcb5 (64-bit (Arm))  
Virtualization: hvm    ENA enabled: true    Root device type: ebs    Free tier eligible

Description

Canonical, Ubuntu, 22.04 LTS, amd64 jammy image build on 2022-12-01

Architecture

AMI ID

64-bit (x86)

ami-0574da719dca65348

Verified provider

▼ Summary

Number of instances [Info](#)

1

Software Image (AMI)

Canonical, Ubuntu, 22.04 LTS, ...[read more](#)  
ami-0574da719dca65348

Virtual server type (instance type)

t2.micro

Firewall (security group)

New security group

Storage (volumes)


1 volume(s) - 8 GiB

Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the Regions in which t2.micro is unavailable) instance usage on free tier AMIs per month, 30 GiB of EBS storage, 2 million IOs, 1 GB of snapshots, and 100 GB of bandwidth to the internet.

Cancel

Launch instance

6. For Select the **t2.micro** instance type, if you want you may select another instance type but they are chargeable so we choose the t2.micro instance type which is eligible for the free tier and limited resources.



The screenshot shows the AWS Management Console's 'Instance type' selection page. A red box highlights the 'Instance type' dropdown menu. Below it, a list of instance types is shown. The 't2.micro' instance type is highlighted with a red box and labeled 'Free tier eligible'. The 't2.nano' instance type is also highlighted with a red box and labeled 'Free tier eligible'. The 't2.small', 't2.medium', and 't2.large' instance types are listed below them.

| Instance type | Family | vCPU | Memory  | On-Demand Linux pricing (USD per Hour) | On-Demand Windows pricing (USD per Hour) | Free tier eligible |
|---------------|--------|------|---------|----------------------------------------|------------------------------------------|--------------------|
| t2.micro      | t2     | 1    | 1 GiB   | 0.0124                                 | 0.017                                    | Yes                |
| t2.nano       | t2     | 1    | 0.5 GiB | 0.0062                                 | 0.0085                                   | Yes                |
| t2.small      | t2     | 1    | 2 GiB   | 0.0248                                 | 0.034                                    | No                 |
| t2.medium     | t2     | 2    | 4 GiB   | 0.0496                                 | 0.0676                                   | No                 |
| t2.large      | t2     | 2    | 8 GiB   | 0.0992                                 | 0.1272                                   | No                 |

**Note:** Here we must choose the instance type as **t2.micro**, because it is free tier eligible, i.e. you won't be charge for running the instance with this instance type as we need to perform the labs being in free tier. So, please make sure you select the t2.micro as the instance type else you shall be charged for running instances from Paid AMI's.

7. Select an existing key pair or create a new one, we will Create a new one, enter the name of the Key-pair as mac-Key, select **.ppk** and Create the Key Pair.

▼ **Key pair (login)** [Info](#)

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - required

Select

↻ **Create new key pair**

### Create key pair

×

Key pairs allow you to connect to your instance securely.

Enter the name of the key pair below. When prompted, store the private key in a secure and accessible location on your computer. **You will need it later to connect to your instance.** [Learn more](#)

Key pair name

ubuntu-key

The name can include upto 255 ASCII characters. It can't include leading or trailing spaces.

Key pair type

☒ RSA  
RSA encrypted private and public key pair

☐ ED25519  
ED25519 encrypted private and public key pair (Not supported for Windows instances)

Private key file format

☐ .pem  
For use with OpenSSH

☒ .ppk  
For use with PuTTY

Cancel **Create key pair**

8. Now select HTTP Port under Network Setting.

▼ **Network settings** [Info](#)

Edit

Network [Info](#)

vpc-05451db9bef2d9c93

Subnet [Info](#)

No preference (Default subnet in any availability zone)

Auto-assign public IP [Info](#)

Enable

**Firewall (security groups)** [Info](#)

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

☒ Create security group

☐ Select existing security group

We'll create a new security group called 'launch-wizard-3' with the following rules:

☒ Allow SSH traffic from

Helps you connect to your instance

Anywhere  
0.0.0.0/0

☐ Allow HTTPs traffic from the internet

To set up an endpoint, for example when creating a web server

☒ Allow HTTP traffic from the internet

To set up an endpoint, for example when creating a web server

K21Academy

9. Now review all the things you have Configured and Click on **Launch Instance**.

▼ Network settings [Info](#)

Edit

Network [Info](#)

vpc-09552cad50650a75c

Subnet [Info](#)

No preference (Default subnet in any availability zone)

Auto-assign public IP [Info](#)

Enable

Firewall (security groups) [Info](#)

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

Create security group

Select existing security group

We'll create a new security group called 'launch-wizard-4' with the following rules:

☒ Allow SSH traffic from

Helps you connect to your instance

Anywhere  
0.0.0.0/0

☐ Allow HTTPS traffic from the internet

To set up an endpoint, for example when creating a web server

☒ Allow HTTP traffic from the internet

To set up an endpoint, for example when creating a web server

⚠ Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

×

▼ Summary

Number of instances [Info](#)

1

Software Image (AMI)

Canonical, Ubuntu, 22.04 LTS, ...[read more](#)

ami-0574da719dca65348

Virtual server type (instance type)

t2.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

❗ Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the Regions in which t2.micro is unavailable) instance usage on free tier AMIs per month, 30 GiB of EBS storage, 2 million IOs, 1 GB of snapshots, and 100 GB of bandwidth to the internet.

×

Cancel

Launch Instance

## 10. Now Click on **View all Instances**.

EC2 > Instances > Launch an instance


**Success**  
 Successfully initiated launch of instance (i-085b720b534de52c8)  
[Launch log](#)

**Next Steps - preview**

What would you like to do next with this instance, for example "create alarm" or "create backup" [New](#) < 1 2 3 4 5 6 7 >

**Create billing and free tier usage alerts**  
 To manage costs and avoid surprise bills, set up email notifications for billing and free tier usage thresholds.  
[Create billing alerts](#)

**Connect to your instance**  
 Once your instance is running, log into it from your local computer.  
[Connect to instance](#)  
[Learn more](#)

**Connect an RDS database**  
 Configure the connection between an EC2 instance and a database to allow traffic flow between them.  
[Connect an RDS database](#)  
[Create a new RDS database](#) [Learn more](#)

**Get Windows password**  
 Use your private key to retrieve and decrypt the initial Windows administrator password for the instance.  
[Get Windows password](#)

**View instance details**  
 View the details of the instance and its related resources, and its Amazon CloudWatch dashboards.  
[View instance details](#)

**Get instance screenshot**  
 Capture a screenshot from the instance and view it as an image. This is useful for troubleshooting an unreachable instance.  
[Get instance screenshot](#)

[View all instances](#)


## 11. Here, you shall see your instance is launching and the **Status check** is **Initializing**, wait for some time.

Instances (1) [Info](#)

[Refresh](#) [Connect](#) [Instance state](#) [Actions](#) [Launch instances](#)

| <input type="checkbox"/> | Name             | Instance ID         | Instance state                                                                              | Instance type | Status check                                                                                     | Alarm status | Availability Zone | Public IPv4 DNS         | Public IP   |
|--------------------------|------------------|---------------------|---------------------------------------------------------------------------------------------|---------------|--------------------------------------------------------------------------------------------------|--------------|-------------------|-------------------------|-------------|
| <input type="checkbox"/> | k21-linux-server | i-0f0faae0fde52e4cc |  Running | t2.micro      |  Initializing | No alarms    | ap-south-1b       | ec2-13-233-91-238.ap... | 13.233.9... |

12. Refresh and you shall see your instance are Up and Running, and **Status check** has changed to **2/2 checks**.



The screenshot displays the AWS Management Console interface for EC2 instances. At the top, there's a search bar and buttons for 'Connect', 'Instance state', 'Actions', and 'Launch instances'. Below this is a table of instances. One instance, 'k21-Ubuntu-server' with ID 'i-085b720b534de52c8', is highlighted in red. Its status is 'Running' (green checkmark) and its status check is '2/2 checks passed' (yellow checkmark). Below the table, the details for the selected instance are shown, including its public IPv4 address (3.84.148.97) and private IPv4 address (172.31.86.201).

| Name              | Instance ID         | Instance state | Inst...  | Status check      | Alarm sta... | Availability Z... | Public IPv4 D... |
|-------------------|---------------------|----------------|----------|-------------------|--------------|-------------------|------------------|
| k21-Ubuntu-server | i-085b720b534de52c8 | Running        | t2.micro | 2/2 checks passed | No alar...   | us-east-1c        | ec2-3-84-148...  |

**Instance: i-085b720b534de52c8 (k21-Ubuntu-server)**

**Details** | Security | Networking | Storage | Status checks | Monitoring | Tags

**Instance summary** Info


|                                                        |                                                                   |                                         |
|--------------------------------------------------------|-------------------------------------------------------------------|-----------------------------------------|
| Instance ID<br>i-085b720b534de52c8 (k21-Ubuntu-server) | Public IPv4 address<br>3.84.148.97   <a href="#">open address</a> | Private IPv4 addresses<br>172.31.86.201 |
|--------------------------------------------------------|-------------------------------------------------------------------|-----------------------------------------|

Now, we have successfully created our Ubuntu Instance using EC2.


**Note:** Now, wait for the Status check of the instance to change to 2/2 checks pass as the instance is launching from an AMI and it needs time to install all the preconfigured things like AWS CLI and other tools. So, please wait till the Status check becomes 2/2 checks pass and then only proceed with further steps, and if status check has not passed then you shall get error in the further steps so please wait.

## 5.2 Connect to Ubuntu Instance


1. Select your Instance and Click on **Connect**.



2. Select EC2 Instance Connect and Click on the Connect.



3. Now you shall be redirected to new window and you shall see the Ubuntu CLI.



```
aws Services Search [Alt+S] N. Virginia AWSK21
Welcome to Ubuntu 22.04.1 LTS (GNU/Linux 5.15.0-1026-aws x86_64)

* Documentation:  https://help.ubuntu.com
* Management:    https://landscape.canonical.com
* Support:        https://ubuntu.com/advantage

System information as of Tue Jan  3 11:04:33 UTC 2023

System load:  0.0          Processes:           97
Usage of /:   19.8% of 7.57GB Users logged in:       0
Memory usage: 21%         IPv4 address for eth0: 172.31.86.201
Swap usage:   0%

0 updates can be applied immediately.

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.


To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo root" for details.

ubuntu@ip-172-31-86-201:~$
```

## 6 CONFIGURE AWS CLI ON UBUNTU

1. Install unzip on Ubuntu.

```
sudo apt install unzip
```



```
aws Services Search [Alt+S]
Welcome to Ubuntu 22.04.1 LTS (GNU/Linux 5.15.0-1026-aws x86_64)

* Documentation:  https://help.ubuntu.com
* Management:    https://landscape.canonical.com
* Support:        https://ubuntu.com/advantage

System information as of Tue Jan  3 11:21:44 UTC 2023

System load:  0.0          Processes:           96
Usage of /:   20.0% of 7.57GB Users logged in:       0
Memory usage: 22%         IPv4 address for eth0: 172.31.86.201
Swap usage:   0%

0 updates can be applied immediately.

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

Last login: Tue Jan  3 11:04:34 2023 from 18.206.107.29
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-172-31-86-201:~$ sudo apt install unzip
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Suggested packages:
  zip
The following NEW packages will be installed:
  unzip
0 upgraded, 1 newly installed, 0 to remove and 0 not upgraded.
Need to get 174 kB of archives.
After this operation, 385 kB of additional disk space will be used.
```

```
aws Services
Fetches 174 kB in 0s (8526 kB/s)
Selecting previously unselected package unzip.
(Reading database ... 63657 files and directories currently installed.)
Preparing to unpack .../unzip_6.0-26ubuntu3.1_amd64.deb ...
Unpacking unzip (6.0-26ubuntu3.1) ...
Setting up unzip (6.0-26ubuntu3.1) ...
Processing triggers for man-db (2.10.2-1) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
```

**Note:** If you are getting this screen, do not worry. This is ubuntu update screen. After installing unzip software, it is checking some other software packages. Please move on to the next steps in guide.

2. Download the AWS CLI using the Curl Command.

```
curl "https://awscli.amazonaws.com/awscli-exe-linux-x86_64.zip" -o "awscliv2.zip"
```

```
ubuntu@ip-172-31-86-201:~$ curl "https://awscli.amazonaws.com/awscli-exe-linux-x86_64.zip" -o "awscliv2.zip"
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left   Speed
100 45.9M  100 45.9M    0     0  94.2M      0  --:--:-- --:--:-- --:--:--  94.3M
ubuntu@ip-172-31-86-201:~$
```

3. Unzip the AWS CLI package.

```
unzip awscliv2.zip
```

```
100 45.9M  100 45.9M    0     0  91.4M      0  --:--:-- --:--:-- --:--:--  91.5M
ubuntu@ip-172-31-84-23:~$ unzip awscliv2.zip
Archive:  awscliv2.zip
  creating: aws/
  creating: aws/dist/
  inflating: aws/THIRD_PARTY_LICENSES
  inflating: aws/install
  inflating: aws/README.md
  creating: aws/dist/awscli/
  creating: aws/dist/cryptography/
  creating: aws/dist/cryptography-3.3.2.dist-info/
  creating: aws/dist/docutils/
  creating: aws/dist/lib-dynload/
  inflating: aws/dist/aws
  inflating: aws/dist/aws_completer
  inflating: aws/dist/libpython3.9.so.1.0
  inflating: aws/dist/_awsrt.cpython-39-x86_64-linux-gnu.so
```

4. Run the Install Program. The installation command uses a file named install in the newly unzipped aws directory.

```
sudo ./aws/install
```

```
ubuntu@ip-172-31-84-23:~$ sudo ./aws/install  
  
You can now run: /usr/local/bin/aws --version  
ubuntu@ip-172-31-84-23:~$
```

5. Confirm the installation with the following command.

```
aws --version
```

```
ubuntu@ip-172-31-84-23:~$ aws --version  
aws-cli/2.9.12 Python/3.9.11 Linux/5.15.0-1026-aws exe/x86_64.ubuntu.22 prompt/off  
ubuntu@ip-172-31-84-23:~$
```

**Thus, We have successfully Configured AWS CLI on Ubuntu Instance.**

---

## 7 SHARE YOUR LEARNINGS

In this section, you are going to share whatever you learned during this lab on LinkedIn and WhatsApp.

 As you know, building a strong professional profile is essential in today's job market. One way to showcase your skills and knowledge is by sharing your labs and projects on LinkedIn.

Your LinkedIn profile is a powerful tool in your job search. Sharing your labs and projects is just one way to demonstrate your expertise and stand out to potential employers. If you don't have LinkedIn we strongly recommend you create one for yourself.

  By doing so, you can demonstrate to potential employers or connections that you have hands-on experience in your field and are actively engaged in learning and growing your skills.

---

### 7.1 On LinkedIn

Take a screenshot of lab and share it on your LinkedIn. So, this will attract recruiters and employers on your profile and increase reach. Do remember to tag **K21Academy**, as we will circulate in our network too, to increase your reach.


Please refer these following examples on how to share on LinkedIn (don't limit yourself to just these type). Share learnings in points, notes  or anything that can help others.

Here is a sample which includes steps inside a post followed by a screenshot:



2305 [2]\_AWSSAA\_C03\_Disc...

~ Ni



Lesson 5: IAM Power User completed

6:54 PM

~ Do



successfully created an AWS KMS key

8:00 PM


~ Do



successfully assign KMS key to S3 console

8:07 PM

~ Do



Message

2302\_AWS DevOps\_Training

Regards  
Team K21

11:55 PM


March 17, 2023

~ Ham

This message was deleted


6:15 AM

~ Ham



6:29 AM

~ Ham



Created and Succeeded pipeline through Elastic Beanstalk

6:29 AM

~ Ham

Created and Succeeded pipeline through Elastic Beanstalk

With Build Stage

6:29 AM

Message


## 8 DELETING/CLEANUP

**Note:** In this section we will remove all the resources created by us as it might incurred the charges in your account.


### 8.1 Terminating the Ubuntu Instance

**Note:** In this section, we shall see the steps to Terminate the EC2 instance, as if the instances are not terminated once there is no requirement of it then you shall be charged for using those resources. So, to be in free tier and complete all the labs please terminate the resources here the EC2 instance when in no use.

1. Back on EC2 Console, select your Instance, under **instance state** Click on **Stop instance**.



2. Click on **Terminate** to **Confirm**.



3. Now the instance will be **Terminated** in few minutes.

| Instances (2) <a href="#">Info</a>                                                                                                                                                                             |                   |                     |                  |           |              |              |                     |                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------|------------------|-----------|--------------|--------------|---------------------|----------------|
| <input type="text" value="Find instance by attribute or tag (case-sensitive)"/> <span>Refresh</span> <span>Connect</span> <span>Instance state ▼</span> <span>Actions ▼</span> <span>Launch instances ▼</span> |                   |                     |                  |           |              |              |                     |                |
| <div> <span>&lt;</span> <span>1</span> <span>&gt;</span> <span>⚙️</span> </div>                                                                                                                                |                   |                     |                  |           |              |              |                     |                |
| <input type="checkbox"/>                                                                                                                                                                                       | Name ▼            | Instance ID         | Instance state ▼ | Inst... ▼ | Status check | Alarm sta... | Availability Z... ▼ | Public IPv4 DN |
| <input type="checkbox"/>                                                                                                                                                                                       | k21-Ubuntu-server | i-085b720b534de52c8 | Terminated       | t2.micro  | -            | No alar... + | us-east-1c          | -              |

**Thus, we have successfully Terminated the Ubuntu EC2 instance.**


## 9 TROUBLESHOOTING

In this section we will be adding common error you might hit while performing the lab.

### 9.1 Unknown commands on the screen

#### 9.1.1 ERROR

I see some commands on screen which I don't understand.



```
aws Services
Fetches 174 kB in 0s (8526 kB/s)
Selecting previously unselected package unzip.
(Reading database ... 63657 files and directories currently installed.)
Preparing to unpack .../unzip_6.0-26ubuntu3.1_amd64.deb ...
Unpacking unzip (6.0-26ubuntu3.1) ...
Setting up unzip (6.0-26ubuntu3.1) ...
Processing triggers for man-db (2.10.2-1) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-22-137:~$

i-02b66020abf9c6528
PublicIPs: 54.163.217.48 PrivateIPs: 172.31.22.137
```

#### 9.1.2 ISSUE

Your instance is already up to date. If you have recently updated your instance, it is possible that there are no new updates available

#### 9.1.3 FIX

If you are getting this screen, do not worry. This is ubuntu update screen. After installing unzip software, it is checking some other software packages. Please move on to the next steps in guide.

---

## 10 SUMMARY

**This activity guide covered steps to:**

1. Launching a Ubuntu Instance Using EC2
  - a. Creating an EC2 Instance
  - b. Configure AWS CLI on Instance
2. Deleting/Cleanup
  - a. Terminating the Ubuntu Instance