Platts

S&P Global
Energy

Specifications Guide
Americas Chemicals

Latest update: February 2026

Definitions of the trading locations for which Platts publishes daily indexes or assessments **2**

Olefins and Derivatives 4

Aromatics and Derivatives 6

Methanol and MTBE 9

Polymers and Elastomers 12

Waste Bales and Recycled Polymers 19

US recycled and virgin polymer spot price spreads 20

Intermediates 22

Solvents 25

Chlor-alkali 26

Chemical and polymer freight 26

Global Chemical indices 27

Glossary 28

Revision history **29**

Definitions of the trading locations for which Platts publishes daily indexes or assessments

The following guide contains the primary specifications for S&P Global Energy Platts Chemical assessments in the Americas. All the assessments listed here employ Platts Assessments Methodology, as published in the Platts-Assessments-Methodology-Guide.pdf

These guides are designed to give Platts subscribers as much information as possible about a wide range of methodology and specifications.

This guide is current at the time of publication. Platts may issue further updates and enhancements to this methodology and will announce these to subscribers through its usual publications of record. Such updates will be included in the next version of this guide. Platts editorial staff and managers are available to provide guidance when assessment issues require clarification.

Assessments are published in accordance with the Holiday Publication Schedule | S&P Global. Daily assessments are published on weekdays and are normally suspended in line with public holidays in respective offices (the US, Mexico and Brazil). Weekly assessments are published on the specified days of the week, and are normally brought forward to the preceding working day, in case of a holiday.

Olefins and derivatives

Assessment	Incoterm	Location	Currency	UOM	Code	Mavg	Wavg	Contract	Mode	Laycan	Min size	Max size	Frequency	Timestamp
Ethylene														
Ethylene Mont Belvieu M1	FD	USGC (Mont Belvieu, Texas)	CTS (USD)	LB	AAOSR00	AAOSR03	AAOSR05	Spot	Pipeline	Current month	5 million lb	10 million lb	Daily	4pm CT
Ethylene Mont Belvieu M2	FD	USGC (Mont Belvieu, Texas)	CTS (USD)	LB	AAOSS00	AAOSS03	AAOSS05	Spot	Pipeline	Current month+1	5 million lb	10 million lb	Daily	4pm CT
Ethylene Choctaw M1	FD	USGC (Choctaw, Louisiana)	CTS (USD)	LB	ACHOA00	ACHOA03	ACHOA04	Spot	Pipeline	Current month	3 million lb	5 million lb	Daily	4pm CT
Ethylene Choctaw M2	FD	USGC (Choctaw, Louisiana)	CTS (USD)	LB	ACHOB00	ACHOB03	ACHOB04	Spot	Pipeline	Current month+1	3 million lb	5 million lb	Daily	4pm CT
Ethylene Net Transaction Price	FD	USGC	CTS (USD)	LB	AAKWY00			Term	Pipeline	Current month	5 million lb	10 million lb	Monthly	N/A
Ethylene	FOB	USGC (Houston Ship Channel)	CTS (USD)	LB	AEFOA00	AEFOA03	AEFOA04	Spot	Waterbourne	Next calendar month	3,000 mt	12,000 mt	Daily	4pm CT
Propylene														
Refinery Grade Propylene	FD	USGC	CTS (USD)	LB	AAIKS00			Spot	Pipeline	3-30 days forward	5 million lb	10 million lb	Daily	1.30pm CT
Polymer Grade Propylene	FD	USGC (Texas pipeline system)	CTS (USD)	LB	PHAXJ04	PHBCD03	PHAYJ04	Spot	Pipeline	Current month	5 million lb	10 million lb	Daily	1.30pm CT
Polymer Grade Propylene	FD	USGC (Texas pipeline system)	CTS (USD)	LB	PHAAA00	PHAAA03	PHAAA04	Spot	Pipeline	Current month+1	5 million lb	10 million lb	Daily	1.30pm CT
Polymer Grade Propylene CP	FD	USGC	CTS (USD)	LB	PHAJT00			Term	Pipeline	Current month	5 million lb	10 million lb	Monthly	N/A
Chemical Grade Propylene CP	FD	USGC	CTS (USD)	LB	PHAKA00			Term		Current month	5 million lb	10 million lb	Monthly	N/A
Butadiene														
Butadiene	CIF	USGC	CTS (USD)	LB	PHAKC00	PHBCS03		Spot		3-30 days forward	2,000 mt	4,000 mt	Friday	1.30pm CT
Butadiene CP	CIF	USGC	CTS (USD)	LB	PHAKM00			Term		Current month			Monthly	N/A
Linear Alpha Olefins														
Butene-1	FOB	USGC	CTS (USD)	LB	AHOAA00	AHOAA03	AHOAA04	Spot		3-30 days forward	3,000 mt	3,000 mt	Daily	4:00 pm CT
Hexene-1	FOB	USGC	CTS (USD)	LB	AHOAB00	AHOAB03	AHOAB04	Spot		3-30 days forward	3,000 mt	3,000 mt	Daily	4:00 pm CT
Octene-1	FOB	USGC	CTS (USD)	LB	AHOAC00	AHOAC03	AHOAC04	Spot		3-30 days forward	3,000 mt	3,000 mt	Daily	4:00 pm CT

© 2026 by S&P Global Inc. All rights reserved.

Olefins and derivatives

Assessment	Incoterm	Location	Currency	UOM	Code	Mavg	Wavg	Contract	Mode	Laycan	Min size	Max size	Frequency	Timestamp
Oxides														
High Purity Ethylene Oxide Cost (EO)	DAP	USGC	USD	MT	CEOXU01	CEOXU41	CEOXU61	Cost		Current month	3,000 mt	--	Daily	1.30pm CT
Propylene Oxide (PO) M1	FOB	USGC	USD	MT	CPOXU01	CPOXK03		Spot		Current month	1,000 mt		Friday	1.30pm CT
Propylene Oxide (PO) M2	FOB	USGC	USD	MT	CPOXU02	CPOXU03		Spot		Current month+1	1,000 mt		Friday	1.30pm CT
Glycols														
Monoethylene Glycol (MEG)	FOB	USGC	CTS (USD)	LB	PHAXF04	PHBDG03		Spot		3-30 days forward	5,000 mt	5,000 mt	Friday	1.30pm CT
Diethylene Glycol (DEG)	FOB	USGC	CTS (USD)	LB	CDEGU01	CDEGU03		Spot		3-30 days forward	1,000 mt	2,000 mt	Friday	1.30pm CT
Triethylene Glycol (TEG)	FOB	USGC	CTS (USD)	LB	CTEGU01	CTEGU03		Spot		3-30 days forward	1,000 mt	2,000 mt	Friday	1.30pm CT
Ethanolamines (EA)														
Monoethanolamine (MEA)	FCA	USGC	CTS (USD)	LB	CMEAU01	CMEAU61		Spot		3-30 days forward	20 mt	200 mt	Tuesday	1.30pm CT
Diethanolamine (DEA)	FCA	USGC	CTS (USD)	LB	CDEAU01	CDEAU61		Spot		3-30 days forward	20 mt	200 mt	Tuesday	1.30pm CT
Triethanolamine (TEA)	FCA	USGC	CTS (USD)	LB	CTEAU01	CTEAU61		Spot		3-30 days forward	20 mt	200 mt	Tuesday	1.30pm CT
Platts Petrochemical Cash Cracker Margin (PCM)														
Ethane Cash Cracker Margin		US	USD	MT	ECMDM00			Spot						
Ethane Cash Cracker Margin		US	CTS (USD)	LB	ECMCP00			Spot						
Ethane/Propane Mix Cash Cracker Margin		US	USD	MT	EPMDM00			Spot						
Ethane/Propane Mix Cash Cracker Margin		US	CTS (USD)	LB	EPMCP00			Spot						
Propane Cash Cracker Margin		US	USD	MT	PCMDM00			Spot						
Propane Cash Cracker Margin		US	CTS (USD)	LB	PCMCP00			Spot						
N-Butane Cash Cracker Margin		US	USD	MT	NBMDM00			Spot						
N-Butane Cash Cracker Margin		US	CTS (USD)	LB	NBMCP00			Spot						
Light Naphtha Cash Cracker Margin		US	USD	MT	LNMDM00			Spot						
Light Naphtha Cash Cracker Margin		US	CTS (USD)	LB	LNMCP00			Spot						

© 2026 by S&P Global Inc. All rights reserved.

Olefins and Derivatives

Roll: Delivery and loading months for pipeline ethylene and propylene, as well as propylene oxide, roll to the next month on the first working day of the month.

Loading month for waterbourne ethylene rolls on the 16th of each month. For example, on January 1-15, the assessment reflects February loading; January 16-February 15, the assessment will reflect March loading.

Ethylene

Specification: Minimum purity of 99.9%.

In the absence of pricing data on FOB USG basis, Platts may consider freight netback values from destination markets, including Northwest Europe and Northeast Asia. In this case, the assessment would reflect the most competitive netback value.

Propylene

Specification:

- **Refinery-grade:** minimum purity of 65% (contained propylene only, not the propane stream);
- **Polymer-grade:** minimum purity of 99.5%;
- **Chemical-grade:** minimum purity of 94%.

Pricing information in other locations or for product delivered via railcar may be normalized to the stated basis.

Butadiene

Specification: Minimum purity of 99.5%.

Linear Alpha Olefins (LAO)

Specification:

- **Butene-1:** liquified gas, minimum purity of 99%;
- **Hexene-1:** liquid, minimum purity of 99%;
- **Octene-1:** liquid, minimum purity of 99%.

Oxides

Specification:

- **Ethylene Oxide (EO):** Minimum purity of 99.9%, maximum water content of 100ppm, maximum aldehydes content of 40ppm. Platts publishes values based on variable and fixed costs of production.
- **Propylene Oxide (PO):** Minimum purity of 99.9%, maximum water content by weight of 250ppm, maximum aldehydes content of 100ppm, color, measured by Pt/Co scale, of maximum 10.

Glycols

Specification:

- **Monoethylene Glycol (MEG):** Minimum purity of 99.1%.
- **Diethylene Glycol (DEG):** Minimum purity of 99%.
- **Triethylene Glycol (TEG):** Minimum purity of 99%.

Ethanolamines

Specification:

- **Monoethanolamine (MEA):** Minimum purity of 99%, colorless appearance;
- **Diethanolamine (DEA):** Minimum purity of 99%, colorless appearance;
- **Triethanolamine (TEA):** Minimum purity of 99%, colorless appearance.

Contract prices for Olefins and Derivatives

Ethylene, propylene and butadiene CPs: Reflect industry-settled monthly US gross domestic prices for long-term contract deliveries, before discounts. The CPs are databased when the confirmation of a full settlement is received. In the absence of a full settlement for a specific month, Platts may choose not to database the CP.

Platts Petrochemical Cash Cracker Margins

Platts publishes petrochemical cash cracker margins, which aim to reflect basic margins of steam cracker operators in the US. These are published daily in cents/lb and the equivalent $/mt. The values reflect estimated production margins of US ethylene when fed with the following basic steam cracker feedstocks: ethane, propane, ethane/propane mix, butane and naphtha. They are calculated using Platts spot assessments of ethane, propane, butane, E/P mix, LSR naphtha, ethylene, propylene, butadiene, benzene, RBOB 83.7, HSFO, 1%S fuel oil and natural gas on the US Gulf Coast. For each feedstock, the yields of various products (ethylene, propylene, butadiene, benzene, residual fuel and RBOB) are calculated and the total value of output is summed up. Operating and feedstock costs are then subtracted, resulting in a cash margin for each respective feedstock.

© 2026 by S&P Global Inc. All rights reserved.

Aromatics and derivatives

Assessment	Incoterm	Location	Currency	UOM	Code	Mavg	Wavg	Contract	Mode	Laycan	Min size	Max size	Frequency	Timestamp
Benzene														
Benzene M1	DDP	USGC (HTC)	CTS (USD)	GAL	AAWDA00	AAWDA03	AAWDA04	Spot		Current month	10,000 bbl		Daily	4pm CT
Benzene M2	DDP	USGC (HTC)	CTS (USD)	GAL	AAWDB00	AAWDB03	AAWDB04	Spot		Current month+1	10,000 bbl		Daily	4pm CT
Benzene M1	FOB	USGC (HTC)	CTS (USD)	GAL	PHAAE00		PHAWU04	Spot		Current month	10,000 bbl		Daily	4pm CT
Benzene M2	FOB	USGC (HTC)	CTS (USD)	GAL	AAKYD00	AAKYE00	AALDC00	Spot		Current month+1	10,000 bbl		Daily	4pm CT
Benzene M3	FOB	USGC (HTC)	CTS (USD)	GAL	AAIUL00	AAIUM00		Spot		Current month+2	10,000 bbl		Daily	4pm CT
Benzene Q1	FOB	USGC (HTC)	CTS (USD)	GAL	AAIUN00	AAIUO00		Spot		Prompt quarter	10,000 bbl		Daily	4pm CT
Benzene CP	DDP	USGC	CTS (USD)	GAL	PHAAD00			Term		Current month	10,000 bbl		Monthly	N/A
Benzene	FOB	Brazil	USD	MT	PHATP00	PHATQ03		Spot		3-30 days forward	1,500 mt		Friday	4pm CT
Toluene														
Nitration grade M1	FOB	USGC (HTC)	CTS (USD)	GAL	PHAAR00	PHAWX03	PHAWW04	Spot	Barge	Current month	10,000 bbl		Daily	1.30pm CT
Nitration grade M2	FOB	USGC (HTC)	CTS (USD)	GAL	AASMY00	AASMY03	AASMY04	Spot	Barge	Current month+1	10,000 bbl		Daily	1.30pm CT
Commercial grade M1	FOB	USGC (HTC)	CTS (USD)	GAL	PHAAO00	PHAYD03		Spot	Railcar	Current month	10,000 bbl		Friday	1.30pm CT
Nitration grade	FOB	Brazil	USD	MT	AASAP04	AASAP03		Spot		3-30 days forward	3,000 mt		Friday	1.30pm CT
Mixed xylenes (MX)														
Isomer grade M1	FOB	USGC (HTC)	CTS (USD)	GAL	PHBHN00	PHBHP03	PHBHO04	Spot		Current month	10,000 bbl		Daily	1.30pm CT
Isomer grade M2	FOB	USGC (HTC)	CTS (USD)	GAL	AASMZ00	AASMZ03	AASMZ04	Spot		Current month+1	10,000 bbl		Daily	1.30pm CT
Isomer grade M1	FOB	USGC (HTC)	CTS (USD)	GAL	PHBHQ04	PHBHR03		Spot		Current month	10,000 bbl		Friday	1.30pm CT
Isomer grade	FOB	Brazil	USD	MT	AASAQ04	AASAQ03		Spot		3-30 days forward	3,000 mt		Friday	1.30pm CT
Paraxylene (PX)														
Paraxylene	FOB	USGC	USD	MT	AAUXG00	AAUXG03	AAUXG01	Spot		3-30 days forward	5,000 mt		Daily	1.30pm CT
Paraxylene CP	FOB	USGC	CTS (USD)	LB	PHABO00			Term		Current month			Monthly	N/A
Orthoxylene (OX)														
Orthoxylene	FOB	USGC	CTS (USD)	LB	PHABG00	PHAXT03		Spot		3-30 days forward	1,000 mt	3,000 mt	Friday	1.30pm CT
Ethylbenzene (EB)														
Ethylbenzene M1	DDP	USGC	CTS (USD)	GAL	CEBXU01	CEBXH03	CEBXH04	Spot		Current month	25,000 bbl		Daily	1.30pm CT
Ethylbenzene M2	DDP	USGC	CTS (USD)	GAL	CEBXU02	CEBXU03	CEBXU04	Spot		Current month+1	25,000 bbl		Daily	1.30pm CT
Styrene monomer (SM)														
Styrene M1	FOB	USGC	CTS (USD)	LB	AAIKW00	AAIKX00	AAIUY00	Spot		Current month	3,000 mt	5,000 mt	Daily	4pm CT
Styrene M1	FOB	USGC	USD	MT	ASFUA00	ASFUA03	ASFUA04	Spot		Current month	3,000 mt	5,000 mt	Daily	4pm CT
Styrene M2	FOB	USGC	CTS (USD)	LB	AAJLW00	AAJLW03	AAJLW04	Spot		Current month+1	3,000 mt	5,000 mt	Daily	4pm CT

© 2026 by S&P Global Inc. All rights reserved.

Aromatics and derivatives

Assessment	Incoterm	Location	Currency	UOM	Code	Mavg	Wavg	Contract	Mode	Laycan	Min size	Max size	Frequency	Timestamp
Styrene M2	FOB	USGC	USD	MT	ASFUB00	ASFUB03	ASFUB04	Spot		Current month+1	3,000 mt	5,000 mt	Daily	4pm CT
Caprolactam (CPL)														
Caprolactam	DDP	US Southeast	CTS (USD)	LB	CCPLU41	CCPLU61		Term		Current month	40,000 lb		Wednesday	1.30pm CT
Cyclohexane (CX)														
Cyclohexane	DDP	USGC	CTS (USD)	GAL	CCXXU41	CCXXU61		Term		20-40 days forward	3,000 mt		Wednesday	1.30pm CT
Adipic Acid														
Adipic Acid	FCA	USGC	CTS (USD)	LB	CADIU41	CADIU61		Term		3-30 days forward	80 mt	85 mt	Wednesday	1.30pm CT
Cumene														
Cumene	FOB	USGC	CTS (USD)	LB	AAQJC00	AAQJC03		Spot		Current month	10,000 bbl		Daily	4pm CT

Aromatics and Derivatives

Roll: Delivery and loading months roll to the next month five calendar days prior to the end of the month. Assessments for quarters roll five calendar days prior to the start of the new quarter. Eg. on March 26, 2025, Platts published assessments for March, April, May and Q2 2025; on March 27, 2025 the assessments started to reflect April, May, June and Q3, 2025 respectively.

Benzene

Specification: ASTM D-2359/90 standard.

For FOB Brazil, in the absence of spot pricing information Platts may consider netback pricing from the US Gulf Coast.

Toluene

Specification:

- **Nitration grade:** ASTM D-841
- **Commercial grade:** product suitable for hydrodealkylation or gasoline blending.

For FOB Brazil, in the absence of spot pricing information Platts may consider netback pricing from the US Gulf Coast.

Mixed Xylenes (MX)

Specification: ASTM-5211 (isomer grade, low bromine). Any bids, offers or trades that conform to ASTM D-843 may also be considered and normalized.

For FOB Brazil, in the absence of spot pricing information Platts may consider netback pricing from the US Gulf Coast.

Paraxylene (PX)

Specification: Minimum purity of 99.7%.

Orthoxylene (OX)

Specification: Minimum purity of 98%, maximum 0.3% non-aromatic content by weight.

Ethylbenzene (EB)

Specification: ASTM D-3193.

© 2026 by S&P Global Inc. All rights reserved.

Styrene Monomer (SM)

Specification: ASTM D-2827 standard.

Caprolactam

Specification: Product in a molten state, maximum iron content of 0.5mg/kg, maximum water content of 0.01% m/m.

Cyclohexane (CX)

Specification: Colorless, clear liquid, minimum purity of 99%.

Adipic Acid

Specification: White crystalline powder, minimum purity of 99.7%, maximum iron content of 0.5ppm.

Cumene

Specification: ASTM D7057 standard.

The cumene assessment is calculated using the feedstock cost of benzene and refinery-grade propylene and a production adder based on market feedback.

Contract Prices for Aromatics and Derivatives

Benzene, PX CPs: Reflect monthly industry-settled US prices for long-term contract deliveries. The CPs are databased when the confirmation of a full settlement is received. In the absence of a full settlement for a specific month, Platts may choose not to database the CP.

© 2026 by S&P Global Inc. All rights reserved.

Methanol and MTBE

Assessment	Incoterm	Location	Currency	UOM	Code	Mavg	Wavg	Contract	Laycan	Min size	Max size	Frequency	Timestamp
Methanol													
Methanol M1	FOB	USGC (HTC)	CTS (USD)	GAL	AAIKU00	AAIKV00	AAIUX00	Spot	Current month	10,000bbl		Daily	1.30pm CT
Methanol M1	FOB	USGC (HTC)	USD	MT	PHACF00	AAGJU00	AAXNJ00	Spot	Current month	10,000bbl		Daily	1.30pm CT
Methanol M2	FOB	USGC (HTC)	CTS (USD)	GAL	AAIKY00	PHMFA03	AAIKY04	Spot	Current month +1	10,000bbl		Daily	1.30pm CT
Methanol M2	FOB	USGC (HTC)	USD	MT	PHMFA00	PHMFA03	AAXNJ04	Spot	Current month +1	10,000bbl		Daily	1.30pm CT
Methanol M3	FOB	USGC (HTC)	CTS (USD)	GAL	MAFAA00	MAFAA03	MAFAA04	Forward	Current month +2	10,000 bbl		Daily	1.30pm CT
Methanol M3	FOB	USGC (HTC)	USD	GAL	MAFAB00	MAFAB03	MAFAB04	Spot	Current month +2	10,000 bbl		Daily	1.30pm CT
Methanol Net CP	FOB	USGC	CTS (USD)	GAL	AAIGF00			Term	Current month	10,000bbl		Monthly	N/A
Methanol List CP	FOB	USGC	CTS (USD)	GAL	PHACE00			Term	Current month	10,000bbl		Monthly	N/A
Methanol Bunker	Delivered	Houston	USD	MT	MLBHT00	MLBHT03	MLBHT04	Spot	Current month			Daily	1.30pm CT
Methanol Bunker (Oil)	Delivered	Houston	USD	MT	MLBHO00	MLBHO03	MLBHO04	Spot	Current month			Daily	1.30pm CT
Methanol Bunker (LNG)	Delivered	Houston	USD	MT	MLBHL00	MLBHL03	MLBHL04	Spot	Current month			Daily	1.30pm CT
Low-Carbon Methanol Marine Fuel (LC MMF)	Delivered	Houston ship channel	USD	MT	LCMAU00	LCMAU03	LCMAU04	Spot	5-10 days forward	500mt		Daily	1.30pm CT
eMethanol Production Cost	FOB	USGC	USD	MT	FGGMD00	FGGMD03	FGGMD04	Cost	5-30 days forward	500mt	750 mt	Daily	1.30pm CT
MTBE													
MTBE	FOB	USGC (HTC)	CTS (USD)	GAL	PHAKY00	PHAYA03	PHAVV04	Spot	5-15 days forward	25,000bbl		Daily	1.30pm CT
MTBE	FOB	USGC (HTC)	USD	MT	AAWLB00	PHAVQ03		Spot	5-15 days forward	25,000bbl		Daily	1.30pm CT
MTBE - NYMEX RBOB Differential	FOB	USGC (HTC)	CTS (USD)	GAL	MTNYA00	MTNYA03	MTNYA04	Spot	5-15 days forward	25,000bbl		Daily	1.30pm CT
MTBE - NYMEX RBOB Differential	FOB	USGC (HTC)	USD	MT	MTNYB00	MTNYB04	MTNYB03	Spot	5-15 days forward	25,000bbl		Daily	1.30pm CT

© 2026 by S&P Global Inc. All rights reserved.

Methanol and MTBE

Methanol

Specification: International Methanol Producers and Consumers Association (IMPCA) Reference Specification, maximum water content of 0.1% by weight.

Sustainability: Low-carbon MMF reflects a maximum carbon intensity of 32.9gCO2e/MJ, certified by ISCC EU or another recognised industry body.

Roll: The loading months roll to the next month five calendar days prior to the end of the month.

Methanol bunker fuel

These assessments factor in the price of methanol on an FOB Houston basis for current month (PHACF00), logistics costs from the terminal to the barge or truck, and charges for delivery direct to the receiving vessel.

Platts converts its conventional methanol bunker fuel price assessment to the equivalent energy content of LNG and fuel oil, enabling comparison with other marine fuels. Platts also publishes daily calculations for methanol bunker fuel, LNG, marine fuel oil and marine gasoil assessments, expressing price by calorific value.

The comparisons and conversion factors can be found in Platts Global Bunker Fuels specifications guide at bunker-fuels-specifications.pdf

Platts also assesses low-carbon methanol marine fuel on a delivered Houston ship channel basis.

Platts separately publishes typical carbon intensities of methanol produced via various production routes.

eMethanol production cost

This assessment factors in the cost of production, transportation and storage for renewable methanol, produced via electrolysis and direct air-captured carbon dioxide. The assessment is aligned with the assumptions of the Process Economics Program (PEP). The variable and fixed inputs are periodically reviewed to ensure they are representative of prevailing market dynamics.

MTBE

Specification: Minimum purity of 95%, water content of maximum 1,500 ppm, methanol content of maximum 5,000 ppm.

Location: Bids, offers and trades at Beaumont, Port Arthur, and Port Neches areas may be normalized to reflect comparable values in the Houston-Texas City area.

Timing: Bids and offers, published in the Platts Market-on-Close assessment process, reflect five-day laycans within the 5-15 days forward assessment period. Laycans consist of a front end reflecting 5-9 days forward, a mid-window reflecting 8-12 days forward and a back end reflecting 11-15 days forward. The MTBE MOC assessment process is facilitated through eWindow technology. For further details, please consult the Chemicals Timing and Increment Guidelines at chemicals-timing.pdf.

Nomination: For transactions agreed as part of the Platts MOC, the seller is expected to nominate the port and terminal in the USG area and to inform the buyer within five days of the first day of the five-day laycan. The buyer is then expected to nominate the vessel and the loading dates within the five-day laycan, pending terminal acceptance.

The price is assessed as an outright value as well as a differential to front-month NYMEX RBOB futures. Platts may also consider the US MTBE factor, reflecting the ratio between the daily MTBE FOB USG basis assessment and the front-month NYMEX RBOB futures close, as well as the physical spot US Gulf Coast gasoline market.

Contract prices for Methanol

Platts publishes an average of monthly producer-posted prices and, separately, a net contract price assessment that reflects discounts, based on market feedback.

© 2026 by S&P Global Inc. All rights reserved.

US Polymers and Elastomers

Assessment	Incoterm	Location	Currency	UOM	Code	Mavg	Wavg	Contract	Mode	MFI/MFR	Laycan	Min size	Max size	Frequency	Timestamp
High Density Polyethylene (HDPE)															
HDPE Blowmolding	FAS	Houston	USD	MT	PHAHG00	PHBBF03		Spot		Min 0.25	3-30 days forward	250 mt		Wednesday	1.30pm CT
HDPE Blowmolding	FAS	Houston	USD	MT	AAWCZ00	AAWCZ03		Spot		Min 0.25	3-30 days forward	250 mt		Daily	1.30pm CT
HDPE Blowmolding	FAS	USEC	USD	MT	AFASC00	AFASC03	AFASC04	Spot		Min 0.25	3-30 days forward	250 mt		Daily	1.30pm CT
HDPE HMW Film	FAS	Houston	USD	MT	AAHYA00	AAHYB00		Spot		0.07-0.18	3-30 days forward	250 mt		Wednesday	1.30pm CT
HDPE Injection	FAS	Houston	USD	MT	PHAHJ00	PHBBA03		Spot		2.0-25	3-30 days forward	250 mt		Wednesday	1.30pm CT
Low Density Polyethylene (LDPE)															
LDPE General Purpose	FAS	Houston	USD	MT	PHAHP00	PHBAR03	AAQNT00	Spot		1.8-2.5	3-30 days forward	250 mt		Daily	1.30pm CT
LDPE General Purpose	FAS	USEC	USD	MT	AFASA00	AFASA03	AFASA04	Spot		1.8-2.5	3-30 days forward	250 mt		Daily	1.30pm CT
Linear Low Density Polyethylene (LLDPE)															
LLDPE Butene	FAS	Houston	USD	MT	PHAGX00	PHBAV03	AAQNU00	Spot		1.0	3-30 days forward	250 mt		Daily	1.30pm CT
LLDPE Butene	FAS	USEC	USD	MT	AFASB00	AFASB03	AFASB04	Spot		1.0	3-30 days forward	250 mt		Daily	1.30pm CT
LLDPE Metallocene	FAS	Houston	USD	MT	AAXUN00	AAXUN03		Spot		0.3-4.5	3-30 days forward	100 mt		Wednesday	1.30pm CT
LLDPE Hexene	FAS	Houston	USD	MT	AAXUL00	AAXUL03		Spot		0.85	3-30 days forward	100 mt		Wednesday	1.30pm CT
PE US domestic monthly contract price delta	DAP	US	CTS (USD)	LB	ADELA00			Term	Railcar		Calendar month			Monthly	N/A
Ethylene Vinyl Acetate (EVA)															
Medium-VA Ethylene Vinyl Acetate (M-EVA)	FAS	Houston	USD	MT	CEVAU01	CEVAU61	CEVAU41	Spot			3-30 days forward	85 mt	250 mt	Daily	1.30pm CT
Polypropylene (PP)															
PP Homopolymer Injection	FAS	Houston	USD	MT	PHAIB00	PHBBU03	AAQNV00	Spot		2.5-10	3-30 days forward	250 mt		Daily	1.30pm CT
PP Copolymer	FAS	Houston	USD	MT	PHAHV00	PHBCH03		Spot			3-30 days forward	250 mt		Wednesday	1.30pm CT
Polystyrene (PS)															
General purpose polystyrene (GPPS)	FAS	Houston	USD	MT	PHAIH00	PHBBK03		Spot		8-12	3-30 days forward	250 mt		Wednesday	1.30pm CT
HIgh impact polystyrene (HIPS)	FAS	Houston	USD	MT	PHAIN00	PHBBP03		Spot		3-8	3-30 days forward	250 mt		Wednesday	1.30pm CT
Expandable Polystyrene General Grade (EPS GP)	CFR	US West Coast	USD	MT	CEPSU41	CEPSU61		Spot			10-30 days forward	100 mt	500 mt	Wednesday	1.30pm CT
Expandable Polystyrene Fire-Retardant grade (EPS FR)	CFR	US West Coast	USD	MT	CEPSU42	CEPSU62		Spot			10-30 days forward	100 mt	500 mt	Wednesday	1.30pm CT
Acrylonitrile Butadiene Styrene (ABS)															
ABS Injection	DAP		CTS (USD)	LB	AARTU00	AARTU03		Term	Railcar	10-40	Monthly	30 million lb/year	50 million lb/year	Wednesday	1.30pm CT
ABS Injection	DAP		USD	MT	AASJM00	AASJM03		Term	Railcar	10-40	Monthly	13,605 mt/ year	22,675 mt/ year	Wednesday	1.30pm CT

© 2026 by S&P Global Inc. All rights reserved.

US Polymers and Elastomers

Assessment	Incoterm	Location	Currency	UOM	Code	Mavg	Wavg	Contract	Mode	MFI/MFR	Laycan	Min size	Max size	Frequency	Timestamp
Polyvinyl Chloride (PVC)															
PVC Suspension	FAS	Houston	USD	MT	PHAIT00	PHBAM03		Spot			3-30 days forward	250 mt		Wednesday	1.30pm CT
PVC Suspension US domestic contract price delta	DAP	US	CTS (USD)	LB	ADELB00			Term	Railcar		Calendar month	150 million lb/year		Monthly	N/A
Polyethylene Terephtalate (PET)															
PET Bottle Grade	DDP	US West Coast	USD	MT	AASMM00	AASMM03		Spot			3-30 days forward	100 mt		Wednesday	1.30pm CT
Nylon															
Nylon-6 Resin	Ex-works	US Southeast	CTS (USD)	LB	CPA6U01	CPA6U61		Spot			10-30 days forward	20 mt	24 mt	Wednesday	1.30pm CT
Nylon-6,6 Resin	Ex-works	US Southeast	CTS (USD)	LB	CN66U01	CN66U61		Spot			10-30 days forward	20 mt	24 mt	Wednesday	1.30pm CT
Acrylic fibers															
Acrylic Staple Fiber	DDP	USEC	USD	MT	ASFDU04	ASFDU03		Spot			3-30 days forward	20 mt	--	Thursday	1.30 pm CT
Methyl Methacrylate (MMA)															
Methyl methacrylate	DDP	USGC	CTS (USD)	LB	CMMAU01	CMMAU61	CMMAU41	Spot			3-30 days forward	20 mt	25 mt	Daily	1.30pm CT
Polymethyl Methacrylate (PMMA)															
Polymethyl methacrylate	DDP	USGC	CTS (USD)	LB	PMAEC00	PMAEC03		Spot			3-30 days forward	FCL on TEU		Wednesday	1.30pm CT
Polycarbonate (PC)															
PC Extrusion Grade	FOB	USGC	CTS (USD)	MT	CPCXU01	CPCXU61		Spot			3-30 days forward	20 mt		Wednesday	1.30pm CT
PC Injection-Moulding Grade	FOB	USGC	CTS (USD)	MT	CPCXU02	CPCXU62		Spot			3-30 days forward	20 mt		Wednesday	1.30pm CT
Polybutylene Terephthalate (PBT)															
PBT Neat Resin	DDP	US Midwest	CTS (USD)	MT	PNRDD00	PNRDD03		Spot			3-30 days forward	20 mt		Wednesday	1.30pm CT
PBT 30% Glass-Filled Resin	DDP	US Midwest	CTS (USD)	MT	PNRDE00	PNRDE03		Spot			3-30 days forward	20 mt		Wednesday	1.30pm CT
Polyoxymethylene (POM)															
POM	FOB	USGC	USD	MT	POMEW00	POMEW03		Spot			3-30 days forward	FCL on TEU		Wednesday	1.30pm CT
Epoxy Resin															
Liquid Epoxy Resin	DDP	USGC	CTS (USD)	LB	LEUGC00	LEUGC03		Spot			3-30 days forward	20 mt	--	Tuesday	1.30 pm CT
Rubber															
High-Cis Polybutadiene (H-PBR)	FOB	USGC	CTS (USD)	LB	CPBRU01	CPBRU05		Spot			15-30 days forward	16 mt	20 mt	Friday	1.30pm CT
Emulsion SBR 1500 (ESBR)	CFR	USGC	CTS (USD)	LB	CSBRU01	CSBRU04		Spot			15-30 days forward	16 mt	20 mt	Friday	1.30pm CT
Emulsion SBR 1502 (ESBR)	CFR	USGC	CTS (USD)	LB	CSBRU02	CSBRU03		Spot			15-30 days forward	16 mt	20 mt	Friday	1.30pm CT
Natural rubber	CFR	USEC	USD	MT	ARUBA04	ARUBA03		Spot			30-60 days forward	20 mt		Friday	1.30pm CT

© 2026 by S&P Global Inc. All rights reserved.

Polymers and Elastomers

Basis ports: All basis ports are considered as par ports with no price differential currently observed.

FAS USEC: Savannah, Georgia, and Charleston, South Carolina. The FAS USEC prices are calculated as net forwards from the equivalent Houston prices, based on railcar/bagging costs;

CFR WCSA: main ports in Chile (Valparaiso, San Antonio), Colombia (Buenaventura, Cartagena), Ecuador (Guayaquil) and Peru (Callao);

CFR Mercosur: main ports in Argentina (Buenos Aires) and Uruguay (Montevideo).

Normalization: Information received on different bases – such as incoterm or location port – may be considered, subject to normalization.

Payment terms:

- **CFR WCSA:** LC 90-150 days;
- **CFR Brazil:** LC 90 days;
- **Domestic Brazil:** LC 28-35 days;
- **Domestic Argentina:** LC 60-90 days;
- **Domestic Colombia:** LC 60-90 days.

Duties: CFR assessments exclude import duties, unless otherwise specified.

Packaging: FAS Houston and FAS USEC assessments reflect material bagged for exports.

Polyethylene (PE)

Specification: Please consult the tables.

For HDPE Injection in the US and Mexico the liquidity in the stated MFI range is concentrated primarily in the crate-grade section with MFI 5-11.

The US LLDPE 1-hexene and mLLDPE reflect both cast and blown film.

Ethylene Vinyl Acetate (EVA)

Specification: Medium EVA (M-EVA), vinyl acetate monomer content of 7-20%

Polypropylene (PP)

Specification: Please consult the tables. The US homopolymer assessment reflects both raffia and injection grades. The US copolymer assessment reflects grades between and including block and random grades.

Polystyrene (PS)

Specification: Please consult the tables.

Expandable polystyrene (EPS) reflects bead size between 0.5-1.3mm, density of 10-20 grams per liter (g/l) for both general and fire-retardant grades.

Acrylonitrile Butadiene Styrene (ABS)

Specification: Please consult the tables.

Polyvinyl Chloride (PVC)

Specification: Suspension pipe-grade K-value of 65.

Polyethylene Terephthalate (PET)

Specification: Bottle grade, intrinsic viscosity of 0.76-0.84.

Polybutylene Terephthalate (PBT)

Specification:

- **Neat:** base resin, intrinsic viscosity equal to or less than 1.1 dL/g;
- **Glass-filled resin:** 30% glass-filled resin.

Nylon (PA, polyamide)

Specification:

- **Nylon-6 resin:** viscosity of 2.65-2.7 g/ml, melt temperature of 220 degrees Celsius,
- **Nylon-6,6:** engineering grade resin, viscosity of 2.33-2.67 g/ml, melting temperature of 262 degrees Celsius.

Acrylic fibers

Specification: Staple fiber with minimum 85% acrylonitrile

Methyl Methacrylate (MMA)

Specification: Minimum purity of 99.8%, Color APHA of max 10 Hazen, water content max 0.05% and inhibitor of 10-20ppm.

Polymethyl methacrylate (PMMA)

Specification: MFI of 1.5-4 grams/10 minutes tested at 230 degrees C/3.8kg. Suitable for standard clear extrusion into sheet.

© 2026 by S&P Global Inc. All rights reserved.

Rubber

Specification:

- Emulsion styrene butadiene rubber (ESBR) 1500, 1502 grades
- High-cis polybutadiene rubber (H-PBR)
- **Natural Rubber:** technically specified rubber 20 (TSR 20) that includes Standard Malaysia Rubber (SMR 20), Standard Indonesian Rubber (SIR 20), Standard Thai Rubber (STR 20) and Standard Vietnam Rubber (SVR 20). Maximum dirt content of 0.16-0.2% wt, maximum ash content of 0.8-1% wt and maximum nitrogen content of 0.6% wt.

Polycarbonate (PC)

Specification:

- **Extrusion grade:** Linear resins in clear pellet.
- **Injection-moulding grade:** Linear resins in clear pellet.

Polyoxymethylene (POM)

Specification: Copolymer, MFI 9grams/10 minutes tested at 190 degrees Celsius/2.16kg, natural (white) color.

Liquid Epoxy Resins

Specification: base resin, transparent <1 Gardner color scale.

Contract prices for Polymers

PE, PVC CP deltas: Reflect month-on-month change in freely negotiated prices for long-term contract deliveries. Deltas are databased to the first working day of the month, which they relate to, once Platts receives confirmation of the contract price month on month change from the market.

ABS CP: Reflects freely negotiated prices for deliveries under long-term agreements. It is based on contract pricing for large US buyers and reflect settlements and negotiations between producers and buyers through the course of the delivery month.

© 2026 by S&P Global Inc. All rights reserved.

Latin American Polymers

Assessment	Incoterm	Location	Currency	UOM	Code	Mavg	Wavg	Contract	Mode	MFI/MFR	Laycan	Min size	Max size	Frequency	Timestamp
High Density Polyethylene (HDPE)															
HDPE blowmolding	CFR	Brazil	USD	MT	AAVRE04	AAVRE03		Spot		2.0-16	20-40 days forward	250 mt		Wednesday	1.30pm CT
HDPE blowmolding	CFR	Mercosur	USD	MT	HDCAC00	HDCAC03		Spot		2.0-16	20-40 days forward	100 mt	500 mt	Wednesday	1.30pm CT
HDPE blowmolding	CFR	WCSA	USD	MT	AASVL00	AASVL03		Spot		2.0-16	20-40 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE blowmolding	DAP	Mexico City	USD	MT	AABMD04	AABMD03		Spot	Railcar	Min 0.25	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE blowmolding	DAP	Mexico City	Peso (MXN)	MT	AABMP04	AABMP03		Spot	Railcar	Min 0.25	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE blowmolding	DAP	Sao Paulo	Real	MT	AABMH04	AABMH03		Spot	Truck	Min 0.25	3-30 days forward	100 mt	500 mt	Wednesday	1.30pm CT
HDPE blowmolding	DAP	Sao Paulo	USD	MT	AABMG04	AABMG03		Spot	Truck	Min 0.25	3-30 days forward	100 mt	500 mt	Wednesday	1.30pm CT
HDPE blowmolding	DAP	Greater Buenos Aires	USD	MT	AABAE04	AABAE03		Spot	Railcar/Truck	Min 0.25	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE blowmolding	DAP	Greater Buenos Aires	Peso (ARS)	MT	AABAF04	AABAF03		Spot	Railcar/Truck	Min 0.25	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE blowmolding	DAP	Bogota	USD	MT	AABAG04	AABAG03		Spot	Truck	Min 0.25	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE blowmolding	DAP	Bogota	Peso (COP)	MT	AABAH04	AABAH03		Spot	Truck	Min 0.25	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE HMW film	CFR	Brazil	USD	MT	AAVRF04	AAVRF03		Spot		2.0-16	20-40 days forward	250 mt		Wednesday	1.30pm CT
HDPE HMW film	CFR	Mercosur	USD	MT	HDCAB00	HDCAB03		Spot		2.0-16	20-40 days forward	100 mt	500 mt	Wednesday	1.30pm CT
HDPE HMW film	CFR	WCSA	USD	MT	AASVM00	AASVM03		Spot		2.0-16	20-40 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE HMW film	DAP	Mexico City	USD	MT	AABAM04	AABAM03		Spot	Railcar	Min 0.06	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE HMW film	DAP	Mexico City	Peso (MXN)	MT	AABAN04	AABAN03		Spot	Railcar	Min 0.06	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE film	DAP	Sao Paulo	Real	MT	AABMF04	AABMF03		Spot	Truck	Min 0.25	3-30 days forward	100 mt	500 mt	Wednesday	1.30pm CT
HDPE film	DAP	Sao Paulo	USD	MT	AABME04	AABME03		Spot	Truck	Min 0.25	3-30 days forward	100 mt	500 mt	Wednesday	1.30pm CT
HDPE HMW film	DAP	Greater Buenos Aires	USD	MT	AABAS04	AABAS03		Spot	Railcar/Truck	Min 0.25	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE HMW film	DAP	Greater Buenos Aires	Peso (ARS)	MT	AABAJ04	AABAJ03		Spot	Railcar/Truck	Min 0.25	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE HMW film	DAP	Bogota	USD	MT	AABAK04	AABAK03		Spot	Truck	Min 0.25	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE HMW film	DAP	Bogota	Peso (COP)	MT	AABAL04	AABAL03		Spot	Truck	Min 0.25	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE injection	CFR	Brazil	USD	MT	AAVRD04	AAVRD03		Spot		2.0-25	20-40 days forward	250 mt		Wednesday	1.30pm CT
HDPE injection	CFR	Mercosur	USD	MT	HDCAA00	HDCAA03		Spot		2.0-25	20-40 days forward	100 mt	500 mt	Wednesday	1.30pm CT
HDPE injection	CFR	WCSA	USD	MT	AASVK00	AASVK03		Spot		2.0-25	20-40 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE injection	DAP	Mexico City	USD	MT	AAIJM04	AAIJM03		Spot	Railcar	2.0-25	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE injection	DAP	Mexico City	Peso (MXN)	MT	AAIJD04	AAIJD03		Spot	Railcar	2.0-25	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE injection	DAP	Sao Paulo	Real	MT	AABMJ04	AABMJ03		Spot	Truck	2.0-25	3-30 days forward	100 mt	500 mt	Wednesday	1.30pm CT
HDPE injection	DAP	Sao Paulo	USD	MT	AABMI04	AABMI03		Spot	Truck	2.0-25	3-30 days forward	100 mt	500 mt	Wednesday	1.30pm CT
HDPE injection	DAP	Greater Buenos Aires	USD	MT	AABAU04	AABAU03		Spot	Railcar/Truck	2.0-25	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE injection	DAP	Greater Buenos Aires	Peso (ARS)	MT	AABAP04	AABAP03		Spot	Railcar/Truck	2.0-25	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT

© 2026 by S&P Global Inc. All rights reserved.

Latin American Polymers

Assessment	Incoterm	Location	Currency	UOM	Code	Mavg	Wavg	Contract	Mode	MFI/MFR	Laycan	Min size	Max size	Frequency	Timestamp
HDPE injection	DAP	Bogota	USD	MT	AABAQ04	AABAQ03		Spot	Truck	2.0-25	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
HDPE injection	DAP	Bogota	Peso (COP)	MT	AABAR04	AABAR03		Spot	Truck	2.0-25	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
Low Density Polyethylene (LDPE)															
LDPE Film	CFR	Brazil	USD	MT	AAVRB04	AAVRB03		Spot		0.1-3.5	20-40 days forward	250 mt		Wednesday	1.30pm CT
LDPE Film	CFR	Mercosur	USD	MT	LDCAA00	LDCAA03		Spot		0.1-3.5	20-40 days forward	100 mt	500 mt	Wednesday	1.30pm CT
LDPE Film	CFR	WCSA	USD	MT	AASVI00	AASVI03		Spot		0.1-3.5	20-40 days forward	100 mt	300 mt	Wednesday	1.30pm CT
LDPE film	DAP	Mexico City	USD	MT	ALDPD04	ALDPD03		Spot	Railcar	1.8-2.5	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
LDPE film	DAP	Mexico City	Peso (MXN)	MT	ALDED04	ALDED03		Spot	Railcar	1.8-2.5	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
LDPE film	DAP	Sao Paulo	Real	MT	AABML04	AABML03		Spot	Truck	1.8-2.5	3-30 days forward	100 mt	500 mt	Wednesday	1.30pm CT
LDPE film	DAP	Sao Paulo	USD	MT	AABMK04	AABMK03		Spot	Truck	1.8-2.5	3-30 days forward	100 mt	500 mt	Wednesday	1.30pm CT
LDPE film	DAP	Greater Buenos Aires	USD	MT	AABAV04	AABAV03		Spot	Railcar/Truck	1.8-2.5	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
LDPE film	DAP	Greater Buenos Aires	Peso (ARS)	MT	AABAW04	AABAW03		Spot	Railcar/Truck	1.8-2.5	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
LDPE film	DAP	Bogota	USD	MT	AABAX04	AABAX03		Spot	Truck	1.8-2.5	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
LDPE film	DAP	Bogota	Peso (COP)	MT	AABAY04	AABAY03		Spot	Truck	1.8-2.5	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
Linear Low Density Polyethylene (LLDPE)															
LLDPE butene	CFR	Brazil	USD	MT	AAVRC04	AAVRC03		Spot		1.0	20-40 days forward	250 mt		Wednesday	1.30pm CT
LLDPE butene	CFR	Mercosur	USD	MT	LDCAB00	LDCAB03		Spot		1.0	20-40 days forward	100 mt	500 mt	Wednesday	1.30pm CT
LLDPE butene	CFR	WCSA	USD	MT	AASVJ00	AASVJ03		Spot		1.0	20-40 days forward	100 mt	300 mt	Wednesday	1.30pm CT
LLDPE butene	DAP	Mexico City	USD	MT	ALDPE04	ALDPE03		Spot	Railcar	1.0	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
LLDPE butene	DAP	Mexico City	Peso (MXN)	MT	ALDPF04	ALDPF03		Spot	Railcar	1.0	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
LLDPE butene	DAP	Sao Paulo	Real	MT	AABMN04	AABMN03		Spot	Truck	1.0	3-30 days forward	100 mt	500 mt	Wednesday	1.30pm CT
LLDPE butene	DAP	Sao Paulo	USD	MT	AABMM04	AABMM03		Spot	Truck	1.0	3-30 days forward	100 mt	500 mt	Wednesday	1.30pm CT
LLDPE butene	DAP	Greater Buenos Aires	USD	MT	AABAC04	AABAC03		Spot	Railcar/Truck	1.0	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
LLDPE butene	DAP	Greater Buenos Aires	Peso (ARS)	MT	AABAD04	AABAD03		Spot	Railcar/Truck	1.0	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
LLDPE butene	DAP	Bogota	USD	MT	AABAA04	AABAA03		Spot	Truck	1.0	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
LLDPE butene	DAP	Bogota	Peso (COP)	MT	AABAB04	AABAB03		Spot	Truck	1.0	3-30 days forward	100 mt	300 mt	Wednesday	1.30pm CT
Polypropylene (PP)															
PP Homopolymer Injection	CFR	Brazil	USD	MT	AAVRA04	AAVRA03		Spot		0.8-35.0	20-40 days forward	250 mt		Wednesday	1.30pm CT
PP Homopolymer Injection	CFR	Mercosur	USD	MT	PPCSA00	PPCSA03		Spot		0.8-35.0	20-40 days forward	100 mt	500 mt	Wednesday	1.30pm CT
PP Homopolymer Injection	CFR	WCSA	USD	MT	AASVO00	AASVO03		Spot		0.8-35.0	20-40 days forward	100 mt	300 mt	Wednesday	1.30pm CT
PP Copolymer	CFR	Brazil	USD	MT	AAVRG04	AAVRG03		Spot		1.5-25.0	20-40 days forward	250 mt		Wednesday	1.30pm CT

© 2026 by S&P Global Inc. All rights reserved.

Latin American Polymers

Assessment	Incoterm	Location	Currency	UOM	Code	Mavg	Wavg	Contract	Mode	MFI/MFR	Laycan	Min size	Max size	Frequency	Timestamp
PP Copolymer	CFR	Mercosur	USD	MT	PPCSB00	PPCSB03		Spot		1.5-25.0	20-40 days forward	100 mt	500 mt	Wednesday	1.30pm CT
PP Copolymer	CFR	WCSA	USD	MT	AASVN00	AASVN03		Spot		1.5-25.0	20-40 days forward	100 mt	300 mt	Wednesday	1.30pm CT
Polyvinyl Chloride (PVC)															
PVC suspension	CFR	Brazil	USD	MT	AAVPZ04	AAVPZ03		Spot			20-40 days forward	250 mt		Wednesday	1.30pm CT
PVC suspension	CFR	WCSA	USD	MT	AASVH00	AASVH03		Spot			20-40 days forward	100 mt	300 mt	Wednesday	1.30pm CT
Polyoxymethylene (POM)															
POM	CFR	Brazil	USD	MT	POMEV00	POMEV03		Spot			20-40 days forward	FCL		Wednesday	1.30pm CT

© 2026 by S&P Global Inc. All rights reserved.

Waste Bales and Recycled Polymers

Assessment	Incoterm	Location	Currency	UOM	Code	Mavg	Wavg	Contract	Laycan	Min size	Max size	Frequency	Timestamp
Post-Consumer PET Bottle Bales													
Standard Grade PET Bottle Bale	Ex-Works	Greater Chicago	CTS (USD)	LB	APCCH00	APCCH03	APCCH04	Spot	0-7 days forward	35,000 lb	40,000 lb	Daily	4pm CT
Standard Grade PET Bottle Bale	Ex-Works	Greater Chicago	USD	MT	APNCH00	APNCH03	APNCH04	Spot	0-7 days forward	16 mt	18 mt	Daily	4pm CT
Standard Grade PET Bottle Bale	Ex-Works	Greater Los Angeles	CTS (USD)	LB	APCLB00	APCLB03	APCLB04	Spot	0-7 days forward	35,000 lb	40,000 lb	Daily	4pm CT
Standard Grade PET Bottle Bale	Ex-Works	Greater Los Angeles	USD	MT	APNLB00	APNLB03	APNLB04	Spot	0-7 days forward	16 mt	18 mt	Daily	4pm CT
Standard Grade PET Bottle Bale	Ex-Works	US Southeast	CTS (USD)	LB	APOSA00	APOSA03	APOSA04	Spot	0-30 days forward	35,000 lb	44,000 lb	Daily	4pm CT
Premium Grade PET Bottle Bale	Ex-Works	Greater Los Angeles	CTS (USD)	LB	APCLA00	APCLA03	APCLA04	Spot	0-7 days forward	35,000 lb	40,000 lb	Daily	4pm CT
Premium Grade PET Bottle Bale	Ex-Works	Greater Los Angeles	USD	MT	APNLA00	APNLA03	APNLA04	Spot	0-7 days forward	16 mt	18 mt	Daily	4pm CT
Premium Grade PET Bottle Bale	Ex-Works	Central Mexico	Peso (MXN)	KG	ARPLE00	ARPLE03	ARPLE04	Spot	0-30 days forward	14,515 kg	22,680 kg	Daily	4pm CT
Premium Grade PET Bottle Bale	Ex-Works	Central Mexico	USD	MT	ARPLF00	ARPLF03	ARPLF04	Spot	0-30 days forward	14.5 mt	22.6 mt	Daily	4pm CT
Clear PET Bottle Bale	DAP	Brazil, basis Sao Paulo	Real	KG	ALFLB00	ALFLB03	ALFLB04	Spot	0-5 days forward	15 mt	20 mt	Daily	4pm CT
Clear PET Bottle Bale	DAP	Brazil, basis Sao Paulo	USD	MT	ALFLF00	ALFLF03	ALFLF04	Spot	0-5 days forward	15 mt	20 mt	Daily	4pm CT
Green PET Bottle Bale	DAP	Brazil, basis Sao Paulo	Real	KG	ALFLD00	ALFLD03	ALFLD04	Spot	0-5 days forward	15 mt	20 mt	Daily	4pm CT
Green PET Bottle Bale	DAP	Brazil, basis Sao Paulo	USD	MT	ALFLH00	ALFLH03	ALFLH04	Spot	0-5 days forward	15 mt	20 mt	Daily	4pm CT
Clear PET Bottle Bale	DAP	South of Brazil	Real	KG	RPCDB00	RPCDB03	RPCDB04	Spot	0-5 days forward	15 mt	20 mt	Daily	4 pm CT
Clear PET Bottle Bale	DAP	South of Brazil	USD	MT	RPCDF00	RPCDF03	RPCDF04	Spot	0-5 days forward	15 mt	20 mt	Daily	4 pm CT
Green PET Bottle Bale	DAP	South of Brazil	Real	KG	RPCDD00	RPCDD03	RPCDD04	Spot	0-5 days forward	15 mt	20 mt	Daily	4 pm CT
Green PET Bottle Bale	DAP	South of Brazil	USD	MT	RPCDH00	RPCDH03	RPCDH04	Spot	0-5 days forward	15 mt	20 mt	Daily	4 pm CT
Recycled PET Flakes													
R-PET Clear Flake	Ex-Works	Greater Los Angeles	CTS (USD)	LB	ARPLA00	ARPLA03	ARPLA04	Spot	1-30 days forward	40,000 lb	200,000 lb	Daily	4pm CT
R-PET Clear Flake	Ex-Works	Greater Los Angeles	USD	MT	ARPLB00	ARPLB03	ARPLB04	Spot	1-30 days forward	18 mt	89 mt	Daily	4pm CT
PET Clear Packaging Grade Flake	Ex-Works	Greater Chicago	CTS (USD)	LB	ACPGA00	ACPGA03	ACPGA04	Spot	1-30 days forward	40,000 lb	200,000 lb	Daily	4pm CT
PET Clear Packaging Grade Flake	Ex-Works	Greater Chicago	USD	MT	ACPGB00	ACPGB03	ACPGB04	Spot	1-30 days forward	18 mt	89 mt	Daily	4pm CT
R-PET Clear Flake	Ex Works	US Southeast	CTS (USD)	LB	APOSB00	APOSB03	APOSB04	Spot	1-30 days forward	40,000 lb	45,000 lb	Daily	4pm CT
R-PET Clear Flake	Ex Works	Central Mexico	Peso (MXN)	KG	ARPLC00	ARPLC03	ARPLC04	Spot	1-14 days forward	19,051 kg	22,680 kg	Daily	4pm CT
R-PET Clear Flake	Ex Works	Central Mexico	USD	MT	ARPLD00	ARPLD03	ARPLD04	Spot	1-14 days forward	19 mt	22 mt	Daily	4pm CT
R-PET Clear Flake	DDP	Brazil, basis Sao Paulo	Real	KG	ALFLA00	ALFLA03	ALFLA04	Spot	1-7 days forward	15 mt	20 mt	Daily	4pm CT
R-PET Clear Flake	DDP	Brazil, basis Sao Paulo	USD	MT	ALFLE00	ALFLE03	ALFLE04	Spot	1-7 days forward	15 mt	20 mt	Daily	4pm CT
R-PET Green Flake	DDP	Brazil, basis Sao Paulo	Real	KG	ALFLC00	ALFLC03	ALFLC04	Spot	1-7 days forward	15 mt	20 mt	Daily	4pm CT
R-PET Green Flake	DDP	Brazil, basis Sao Paulo	USD	MT	ALFLG00	ALFLG03	ALFLG04	Spot	1-7 days forward	15 mt	20 mt	Daily	4pm CT
R-PET Clear Flake	DAP	South of Brazil	Real	KG	RPCDA00	RPCDA03	RPCDA04	Spot	1-7 days forward	15 mt	20 mt	Daily	4pm CT
R-PET Clear Flake	DAP	South of Brazil	USD	MT	RPCDE00	RPCDE03	RPCDE04	Spot	1-7 days forward	15 mt	20 mt	Daily	4pm CT
R-PET Green Flake	DAP	South of Brazil	Real	KG	RPCDC00	RPCDC03	RPCDC04	Spot	1-7 days forward	15 mt	20 mt	Daily	4pm CT
R-PET Green Flake	DAP	South of Brazil	USD	MT	RPCDG00	RPCDG03	RPCDG04	Spot	1-7 days forward	15 mt	20 mt	Daily	4pm CT

© 2026 by S&P Global Inc. All rights reserved.

Waste Bales and Recycled Polymers

Assessment	Incoterm	Location	Currency	UOM	Code	Mavg	Wavg	Contract	Laycan	Min size	Max size	Frequency	Timestamp
Recycled PET Food-Grade Pellets													
R-PET Food-Grade Pellet	Ex-Works	Greater Los Angeles	CTS (USD)	LB	AFGPA00	AFGPA03	AFGPA04	Spot	3-30 days forward	40,000 lb	200,000 lb	Daily	4pm CT
R-PET Food-Grade Pellet	Ex-Works	Greater Los Angeles	USD	MT	AFGPB00	AFGPB03	AFGPB04	Spot	3-30 days forward	18 mt	89 mt	Daily	4pm CT
Post-Consumer HDPE Bales													
Mixed-Color HDPE Bale	Ex-Works	Greater Chicago	CTS (USD)	LB	ARNPC00	ARNPC03	ARNPC04	Spot	1-30 days forward	35,000 lb	44,000 lb	Daily	4pm CT
Mixed-Color HDPE Bale	Ex-Works	Greater Chicago	USD	MT	ARNPD00	ARNPD03	ARNPD04	Spot	1-30 days forward	16 mt	20 mt	Daily	4pm CT
Natural HDPE Bale	Ex-Works	Greater Chicago	CTS (USD)	LB	ARNPE00	ARNPE03	ARNPE04	Spot	1-30 days forward	35,000 lb	44,000 lb	Daily	4pm CT
Natural HDPE Bale	Ex-Works	Greater Chicago	USD	MT	ARNPF00	ARNPF03	ARNPF04	Spot	1-30 days forward	16 mt	20 mt	Daily	4pm CT
Recycled HDPE Pellets													
R-HDPE Natural Pellet	Ex-Works	Greater Chicago	CTS (USD)	LB	ARNPA00	ARNPA03	ARNPA04	Spot	1-30 days forward	35,000 lb	44,000 lb	Daily	4pm CT
R-HDPE Natural Pellet	Ex-Works	Greater Chicago	USD	MT	ARNPB00	ARNPB03	ARNPB04	Spot	1-30 days forward	16 mt	20 mt	Daily	4pm CT
Post-use LDPE Bales													
Grade A LDPE Bale	Ex-Works	Greater Chicago	CTS (USD)	LB	ARNPG00	ARNPG03	ARNPG04	Spot	1-30 days forward	35,000 lb	44,000 lb	Daily	4pm CT
Grade A LDPE Bale	Ex-Works	Greater Chicago	USD	MT	ARNPJ00	ARNPJ03	ARNPJ04	Spot	1-30 days forward	16 mt	20 mt	Daily	4pm CT
Grade B LDPE Bale	Ex-Works	Greater Chicago	CTS (USD)	LB	ARNPH00	ARNPH03	ARNPH04	Spot	1-30 days forward	35,000 lb	44,000 lb	Daily	4pm CT
Grade B LDPE Bale	Ex-Works	Greater Chicago	USD	MT	ARNPK00	ARNPK03	ARNPK04	Spot	1-30 days forward	16 mt	20 mt	Daily	4pm CT
Recycled LDPE Pellets													
R-LDPE Light Gray Pellet	Ex-Works	Greater Chicago	CTS (USD)	LB	ARNPI00	ARNPI03	ARNPI04	Spot	1-30 days forward	35,000 lb	44,000 lb	Daily	4pm CT
R-LDPE Light Gray Pellet	Ex-Works	Greater Chicago	USD	MT	ARNPL00	ARNPL03	ARNPL04	Spot	1-30 days forward	16 mt	20 mt	Daily	4pm CT
Process-ready Mixed Plastic Waste Bales													
Process-ready Mixed Plastic Waste Bale	DDP	Contiguous US (within a 200-mile radius)	CTS (USD)	LB	ATICB00	ATICB03	ATICB04	Spot	N/A	35,000 lb	44,000 lb	Daily	4pm CT
Process-ready Mixed Plastic Waste Bale	DDP	Contiguous US (within a 200-mile radius)	USD	MT	ATICA00	ATICA03	ATICA04	Spot	N/A	16 mt	20 mt	Daily	4pm CT

© 2026 by S&P Global Inc. All rights reserved.

Waste Bales and Recycled Polymers

Location:

- US Southeast assessments include North Carolina, South Carolina, Florida, Georgia and Alabama.
- Central Mexico assessments include Mexico City, State of Mexico, Morelos, Puebla, Queretaro, Hidalgo, and Guanajuato.
- South of Brazil assessments include Santa Catarina, Rio Grande do Sul and Paraná.

Duties: Brazil assessments for PET bottle bales and r-PET clear flakes exclude domestic taxes, specifically ICMS, PIS, COFINS and IPI.

Post-Consumer PET Bottle Bales

Specification:

- **Los Angeles:** (a) premium-grade material primarily sourced from redemption centers, minimum PET content of 70% and (b) curbside material, minimum PET content of 60%. Bales sourced from the Los Angeles area should consist of at least 80% clear bottles.
- **Chicago and US Southeast:** mixed-colored bales, excluding black and solid colors, minimum PET content of 60% and gathered from a curbside collection process. Bales should consist of clear, transparent green, or transparent light blue bottles.
- **Central Mexico:** premium-grade clear bottle bales typically gathered from a curbside collection process, minimum PET content of 95%.
- **Brazil:** clear and green bottle bales typically gathered from a curbside collection process, minimum PET content of 95%.

Recycled PET Clear Flakes

Specification: Clear flake assessments reflect material which has been through a hot wash process and derived from 100% post-consumer recycled content.

- **Los Angeles:** IV 0.70-0.80 dl/g, maximum PVC content of 50ppm.
- **Chicago, US Southeast and Central Mexico:** IV 0.72-0.78 dl/g, maximum PVC content of 50ppm.
- **Brazil:** maximum IV 0.70 dl/g, maximum PVC content of 100ppm for clear flakes and 50ppm for green flakes.

Recycled PET Food-Grade Pellets

Specification: IV 0.76-0.82 dl/g, maximum benzene content of 200ppb. Acetaldehyde (AA) levels should not exceed 1ppm.

In the absence of pricing information, a pricing formula may be used which includes the R-PET flake price as the base level plus a premium to account for variable costs associated with food-grade pellet production.

Post-Consumer mixed-color HDPE Bales

Specification: Minimum of 80% mixed colored HDPE by weight. Typical impurities, such as LDPE and PP, should not amount to more than 20% by weight.

Post-Consumer natural HDPE Bales

Specification: Minimum of 95% natural HDPE by weight. Other contaminants should not exceed 5%.

Recycled HDPE natural pellets

Specification: Non-food-grade pellets derived from post-consumer virgin HDPE polymers. R-HDPE natural pellets are of extrusion/blow molding grade and include natural, clear, and transparent colored pellets for consumer packaging applications. Odorless, MFI 0.35-0.80 g/10 minutes tested at 190 degrees Celsius/5kg.

Post-use LDPE Bales

Specification: LDPE film sourced from distribution centers, retailers, and manufacturing companies:

- **Grade A Bales:** Minimum of 95% clear LDPE, maximum of 5% non-clear film, label, non-LDPE contamination.
- **Grade B Bales:** Minimum of 80% clear LDPE, maximum of 20% non-clear film, label, and non-LDPE contamination.

Recycled LDPE Light Gray Pellets

Specification: Light gray colored recycled LDPE pellets derived from post-use waste, MFI of 0.5-1 g/10 min tested at 190 degrees Celsius/2.16 kg. Pellets are non-odorless and non-food grade.

Process-ready Mixed Plastic Waste Bale

Specification: Bales suitable for advanced recycling via pyrolysis: polyolefin (86%); polystyrene (max. 6%); PET (max 1%); PVC (max 1%); metals (max 1%); organics and moisture (max 5%), by weight.

The assessment incorporates a variety of inputs including firm bids and offers, trades, and indicative values as well as any other data deemed relevant to the assessment process such as rebates, sorting, shredding and cleaning costs of unsorted mixed plastic waste.

Location: Delivery at the advanced recycling facility within a 200-mile radius in the contiguous United States.

© 2026 by S&P Global Inc. All rights reserved.

US Recycled and Virgin Polymer Spot Price Spreads

Symbol	Name of Spread	Currency	UOM	First Assessment Name	Code	Second Assessment Name	Code 2	Region	Frequency
ARPTK00	R-PET Clear Flakes Spread to Virgin PET USWC	USD	MT	Recycled PET Clear Flakes EXW LA	ARPLB04	Virgin PET DDP USWC	AASMM00	US West Coast	Wednesday
ARPTL00	R-PET Food-Grade Pellet Spread to Virgin PET USWC	USD	MT	Recycled PET Food-Grade Pellets EXW LA	AFGPB04	Virgin PET DDP USWC	AASMM00	US West Coast	Wednesday
ARPTM00	R-PET Clear Flakes Spread to R-PET Food-Grade Pellets	CTS (USD)	LB	Recycled PET Clear Flakes EXW LA	ARPLA04	Recycled PET Food-Grade Pellets EXW LA	AFGPA04	US West Coast	Wednesday
ARPTN00	Premium-Grade Post-Consumer PET Bottle Bales Spread to R-PET Clear Flakes EXW LA	CTS (USD)	LB	Prem.-Grade Post-Consumer Bottle Bales EXW LA	APCLA04	Recycled PET Clear Flakes EXW LA	ARPLA04	US West Coast	Wednesday
ARPTO00	Premium-Grade Post-Consumer PET Bottle Bales Spread to R-PET Food-Grade Pellets EXW LA	CTS (USD)	LB	Prem.-Grade Post-Consumer Bottle Bales EXW LA	APCLA04	Recycled PET Food-Grade Pellets EXW LA	AFGPA04	US West Coast	Wednesday

US recycled and virgin polymer spot price spreads

Platts publishes weekly calculated spreads relating to its North American recycled plastic and virgin polymer price assessments. The calculated spreads are between virgin polymers and their respective recycled grade, as well as spreads within recycled plastic value chains. The automated calculations update each Wednesday upon market close and are based on Platts existing spot price assessments.

Platts also publishes similar spread calculations in Asia and Europe.

© 2026 by S&P Global Inc. All rights reserved.

Intermediates

Assessment	Incoterm	Location	Currency	UOM	Code	Mavg	Wavg	Contract	Mode	Laycan	Min size	Max size	Frequency	Timestamp
Butanols														
Normal butanol	FOB	USGC	USD	MT	PHAQS00	PHAQT03		Spot		3-30 days forward	500 mt		Thursday	1.30pm CT
Iso-butanol	FOB	USGC	USD	MT	ISOBU00	ISOBU03		Spot	Waterbourne	3-30 days forward	500 mt		Thursday	1.30pm CT
2-Ethyl Hexanol (2-EH)														
2-EH	FOB	USGC	USD	MT	PHAQW00	PHAQX03		Spot	Waterbourne	3-30 days forward	500 mt		Thursday	1.30pm CT
Plasticisers														
Diisononyl phthalate (DINP)	DAP	East of the Rockies	CTS (USD)	LB	PHADI04	PHADI03		Spot	Truck/railcar	3-30 days forward	44,000 lb	45,000 lb	Thursday	1.30pm CT
Dioctyl terephthalate (DOTP)	DAP	East of the Rockies	CTS (USD)	LB	PHADO04	PHADO03		Spot	Truck/railcar	3-30 days forward	44,000 lb	45,000 lb	Thursday	1.30pm CT
Acetic Acid (AA)														
Acetic acid	DAP	USGC	CTS (USD)	LB	AAIHD00	AAIHE00		Term	Truck/railcar	Quarterly	40 million lb		Thursday	1.30pm CT
Acetic acid	FOB	USGC	USD	MT	PHARG00	PHARH03		Spot	Waterbourne	3-30 days forward	1,000 mt		Thursday	1.30pm CT
Vinyl Acetate Monomer (VAM)														
VAM	DAP	USGC	CTS (USD)	LB	AAIHF00	AAIHG00		Term	Truck/railcar	Quarterly	100 million lb		Thursday	1.30pm CT
VAM	FOB	USGC	USD	MT	PHARK00	PHARL03		Spot	Waterbourne	3-30 days forward	1,000 mt		Thursday	1.30pm CT
Acrylonitrile (ACN)														
ACN	FOB	USGC	USD	MT	PHARO00	PHARP03		Spot	Waterbourne	3-30 days forward	2,000 mt	3,000 mt	Tuesday	1.30pm CT
ACN	DAP	US	CTS (USD)	LB	PHARQ00	PHARR03		Term	Truck/railcar	Current month			Tuesday	1.30pm CT
Ethylene Dichloride (EDC)														
EDC	FOB	USGC	USD	MT	PHARS00	PHART03		Spot		3-30 days forward	2,000 mt	3,000 mt	Tuesday	1.30pm CT
Vinyl Chloride Monomer (VCM)														
VCM	FOB	USGC	USD	MT	PHARW00	PHARX03		Spot	Waterbourne	3-30 days forward	1,000 mt	3,000 mt	Tuesday	1.30pm CT
Purified Terephthalic Acid (PTA)														
Fiber grade PTA	CFR	North America	USD	MT	AAUNY04			Term	Railcar	Current month	200,000 lb	220,000 lb	Monthly	N/A
PTA	CFR	North America	CTS (USD)	LB	AAUNY00			Term	Railcar	Current month	200,000 lb	220,000 lb	Monthly	N/A
Carbon Black														
Carbon Black N330	Ex-Works	USGC	Cents (USD)	LB	CABDC04	CABDC03		Spot		3-30 days forward	20 mt	--	Friday	1.30pm CT
Carbon Black N550	Ex-Works	USGC	Cents (USD)	LB	CABDD04	CABDD04		Spot		3-30 days forward	20 mt	--	Friday	1.30pm CT
Acrylic Acid														
Glacial Acrylic Acid (GAA)	DDP	USGC	CTS (USD)	LB	CACRU01	CACRU61	CACRU41	Spot		3-30 days forward	20 mt	25 mt	Daily	1.30pm CT

© 2026 by S&P Global Inc. All rights reserved.

Intermediates

Assessment	Incoterm	Location	Currency	UOM	Code	Mavg	Wavg	Contract	Mode	Laycan	Min size	Max size	Frequency	Timestamp
Acrylates														
Butyl Acrylate (BA)	DDP	USEC	CTS (USD)	LB	CBAXU01	CBAXU61	CBAXU41	Spot		3-30 days forward	20 mt	25 mt	Daily	1.30pm CT
2-Ethylhexyl Acrylate (2-EHA)	DDP	USEC	CTS (USD)	LB	C2EAU01	C2EAU61	C2EAU41	Spot		3-30 days forward	20 mt	25 mt	Daily	1.30pm CT
Bisphenol-A (BPA)														
Bisphenol-A	CFR	USEC	USD	MT	CBPAU01	CBPAU61		Spot		3-30 days forward	FCL in TEU	--	Tuesday	1:30pm CT
Polyols														
Slabstock Polyether Polyol	DAP	US	CTS (USD)	LB	ALSBA00	ALSBA03		Spot		3-30 days forward	44,000 lb	190,000 lb	Friday	1.30pm CT
Isocyanates														
Toluene Diisocyanate (TDI)	DAP	US	CTS (USD)	LB	ATOLA00	ATOLA03		Spot		3-30 days forward	44,000 lb	190,000 lb	Friday	1.30pm CT

Intermediates

Oxo-alcohols

Specification:

- **Normal butanol (NBA):** Minimum purity of 99%, maximum water content of 0.05%.
- **Iso-butanol (IBA):** Minimum purity of 99%.
- **2-Ethyl Hexanol (2-EH):** Minimum purity of 99%. Maximum water content of 0.05%.

Plasticizers

Specification:

- **Diisononyl phthalate (DINP):** Density between 0.97-0.98 g/cm3, minimum purity of 99.6%, maximum water content of 0.05%.
- **Dioctyl terephthalate (DOTP):** Density between 0.98-0.99 g/cm3, minimum purity of 99%, maximum water content of 0.1%.

Acetic Acid (AA)

Specification: Minimum purity of 99.8%, maximum water content of 100 ppm.

Platts assesses spot export prices in $/mt and US domestic contract prices in c/lb.

Vinyl Acetate Monomer (VAM)

Specification: Minimum purity of 99.9%.

Platts assesses spot export prices in $/mt and US domestic contract prices in c/lb.

Acrylonitrile (ACN)

Specification: Minimum purity of 99%, maximum acetonitrile content of 500 ppm, maximum water content of 0.5%.

Ethylene Dichloride (EDC)

Specification: Minimum purity of 99.8%, maximum water content of 100 ppm.

Vinyl Chloride Monomer (VCM)

Specification: Minimum purity of 99.9%.

Purified Terephthalic Acid (PTA)

Specification: Fiber-grade, minimum purity of 99.6%.

Carbon Black

Specification:

- **N330:** ASTM D-1765 standard, particle size between 25 and 35 nm.
- **N550:** ASTM D-1765 standard, particle size between 40 and 60 nm.

© 2026 by S&P Global Inc. All rights reserved.

Glacial Acrylic Acid (GAA)

Specification: Minimum purity of 99.5%, 180-220ppm MEHQ inhibitor, maximum 2000ppm dimer.

Acrylates

Specification:

- **Butyl acrylate:** Minimum purity of 99.5%, 10-20ppm MEHQ inhibitor.
- **2-Ethylhexyl acrylate:** Minimum purity of 99.5%, 10-20ppm MEHQ inhibitor.

Bisphenol-A

Specification: Minimum purity of 99.8%, maximum water content of 0.01%, both measured by weight, maximum phenol content of 100ppm. Polycarbonate grade white prill material.

Polyols

Specification: Slabstock polyether polyols with a molecular weight of 3,000-3,500 g/mol.

Toluene Diisocyanate (TDI)

Specification: T80 grade, minimum purity of 99.5%, Isomer content in 2,4 at 79%-81% and Isomer content in 2,6 at 19%-21%.

Contract prices for Intermediates

ACN CP: Reflects industry-accepted formula-based prices for long-term contractual deliveries. The formula incorporates the industry-settled chemical-grade propylene CP and ammonia CP.

PTA, soda ash CPs: Industry-settled prices for long-term contractual deliveries. Prices typically settle retroactively for PTA. For soda ash the price is typically databased on the first of the month.

© 2026 by S&P Global Inc. All rights reserved.

Solvents

Assessment	Incoterm	Location	Currency	UOM	Code	Mavg	Wavg	Contract	Mode	Laycan	Min size	Max size	Frequency	Timestamp
Hexane														
Hexane	FOB	USGC	CTS (USD)	LB	AANTM00	AANTM03		Spot		3-30 days forward	55 mt	90 mt	Tuesday	1:30pm CT
Isopropyl Alcohol (IPA)														
Isopropyl alcohol	FOB	USGC	USD	MT	PHADD00	PHAYG03		Spot		3-30 days forward	400 mt	600 mt	Tuesday	1:30pm CT
Isopropyl alcohol	DAP	East of the Rockies	USD	MT	PHADG00	PHAYH03		Term	Truck/railcar	Current month	44,000 lb	185,000 lb	Tuesday	1:30pm CT
Phenol														
Phenol	FOB	USGC	USD	MT	PHAGE00	PHAYK03		Spot		3-30 days forward	500 mt	1,000 mt	Tuesday	1:30pm CT
Phenol	Ex-Tank	East of the Rockies	USD	MT	PHAGH00	PHAYL03		Term		Current month	44,000 lb	45,000 lb	Tuesday	1:30pm CT
Acetone														
Acetone T1	FOB	USGC	USD	MT	PHADJ00	PHAYN03		Spot		3-30 days forward	500 mt	1000 mt	Tuesday	1:30pm CT
Acetone T2	DAP	East of the Rockies	USD	MT	AAHYC00	AAHYD00		Term	Truck/railcar	Current month	44,000 lb	45,000 lb	Tuesday	1:30pm CT
Ethyl acetate (Etac)														
Ethyl Acetate	FOB	USGC	USD	MT	PHAEC00	PHAYZ03		Spot		3-30 days forward	250 mt	500 mt	Tuesday	1:30pm CT
Ethyl Acetate	DAP	East of the Rockies	USD	MT	PHAEF00	PHAZC03		Term	Truck/railcar	Current month	44,000 lb	45,000 lb	Tuesday	1:30pm CT
N-butyl acetate (Butac)														
Butyl Acetate	FOB	USGC	USD	MT	PHAEI00	PHAZF03		Spot		3-30 days forward	250 mt	500 mt	Tuesday	1:30pm CT
Butyl Acetate	DAP	East of the Rockies	USD	MT	PHAEL00	PHAZG03		Term	Truck/railcar	Current month	44,000 lb	45,000 lb	Tuesday	1:30pm CT

© 2026 by S&P Global Inc. All rights reserved.

Solvents

Hexane

Specification: Minimum 60% n-hexane, fewer than 10 ppm benzene.

Isopropyl Alcohol

Specification: Minimum purity of 50%, minimum alcohol content is 99.5%, maximum 100 ppm aromatics content, maximum sulphur content of 1 ppm, maximum water content of 0.3%.

Phenol

Specification: Minimum purity of 99.9%; maximum water content of 0.08%.

Acetone

Specification: Minimum acetone content of 99%; maximum water content of 0.35%.

Ethyl Acetate

Specification: Minimum purity of 99.5%, evaporation rate of 1.0, maximum alcohol content of 0.5%, maximum water content of 0.05%.

N-Butyl Acetate

Specification: Minimum purity of 99.5%, evaporation rate of 1.0, maximum alcohol content of 0.5%, maximum water content of 0.05%.

Contract prices for Solvents

IPA, Phenol, Acetone, Ethyl acetate and n-Butyl acetate CPs: Reflect monthly negotiated prices between producers and distributors for long-term contractual deliveries, before discounts.

© 2026 by S&P Global Inc. All rights reserved.

Chlor Alkali

Assessment	Incoterm	Location	Currency	UOM	Code	Mavg	Wavg	Contract	Mode	Laycan	Min size	Max size	Frequency	Timestamp
Caustic Soda														
Caustic Soda	FOB	US	USD	DST	AANTJ00			Term		Current month	800 dst	1,000 dst	Tuesday	1:30pm CT
Caustic Soda	Ex-plant	USGC	USD	DST	AANTH00	AANTH03		Spot	Railcar	3-30 days forward	34 dst	55 dst	Tuesday	1:30pm CT
Caustic Soda	FOB	USGC	USD	DMT	AANTI00	AANTI03		Spot	Barge	3-30 days forward	3,000 dmt	6,000 dmt	Tuesday	1:30pm CT
Chlorine														
Chlorine	FOB	US	USD	DST	AANTL00			Term	Railcar	Current month	85 dst	95 dst	Tuesday	1:30pm CT
Hydrochloric Acid														
Hydrochloric Acid	DAP	USGC	USD	WST/ year	CHCLU01	CHCLU11		Term	Truck/Railcar	Current quarter	5,000 wst/year	15,000 wst/ year	Tuesday	1:30pm CT
Hydrochloric Acid	DAP	USGC	USD	WST/ year	CHCLU02	CHCLU12		Term	Truck/Railcar	Next quarter	5,000 wst/year	15,000 wst/ year	Tuesday	1:30pm CT
Soda Ash														
Dense Soda Ash	Ex-Plant	Wyoming (Green River)	USD	ST	CSADU40			Term		Current month	Medium-sized buyer		Monthly	1.30pm CT

Chlor-alkali

Caustic Soda

Specification: 50% solution commercial grade (liquid): sodium hydroxide content of 49%-51%; sodium oxide content of 38%-40%; salt content of 1% (10,000 ppm).

Smaller parcel sizes can be considered and normalized to the standard.

Chlorine

Specification: Commercial-grade, minimum purity of 97%, maximum water content of 50 ppm.

Hydrochloric Acid

Specification: Technical grade muriatric hydrochloric acid produced by burner or as a byproduct, conforming to 22 degrees Baume (HCL content:35.21%-36.95%); Iron content of less than 5.0 ppm.

Soda Ash

Specification: Dense soda ash with a minimum purity level of 99.2%.

Contract prices for Chlor-Alkali chain

Caustic soda, chlorine, hydrochloric acid CPs: Reflect assessed freely negotiated prices between producers and distributors for deliveries under long-term agreements. Can be settled retroactively for caustic soda and chlorine.

Chemical and polymer freight

Platts assesses freight rates for liquid and gas chemicals as well as for some polymer routes. Please refer to the Shipping Methodology & Specifications | S&P Global

© 2026 by S&P Global Inc. All rights reserved.

Global Petrochemical indices

Assessment	Currency	UOM	Code	Asia Input	Asia Factor	Europe Input	Europe Factor	Americas Input	Americas Factor
Global Ethylene Index	USD	MT	AAXVN00	CFR NE Asia	0.55	FD NWE	0.16	FD USG	0.29
Global Propylene Index	USD	MT	AAXVO00	FOB Korea	0.71	FD NWE	0.14	FD USG	0.15
Global Benzene Index	USD	MT	AAXVP00	FOB Korea	0.74	CIF ARA	0.16	FOB USG	0.11
Global Toluene Index	USD	MT	AAXVQ00	FOB Korea	0.84	FOB Rotterdam	0.06	FOB USG	0.10
Global PX Index	USD	MT	AAXVU00	FOB Korea	0.92	FOB Rotterdam	0.04	FOB USG	0.04
Global LDPE Index	USD	MT	AAXVR00	CFR N Asia	0.51	FD NWE	0.28	FAS Houston	0.21
Global PP Homopolymer Index	USD	MT	AAXVS00	CFR N Asia	0.77	FD NWE	0.13	FAS Houston	0.10
Global Petrochemical Index	USD	MT	AAXVT00						

Global Chemical indices

The weighting factors for the indices reflect the relative sizes of the regional markets based on production capacity, as of 2025.

Global Petrochemical Index (PGPI) is calculated based on the individual global product indices with the following weight distribution: 0.27 ethylene, 0.23 propylene, 0.11 benzene, 0.09 toluene, 0.11 paraxylene, 0.04 LDPE, and 0.15 PP.

The indices appear on Platts Chemical Alert (PCA) page 900.

© 2026 by S&P Global Inc. All rights reserved.

Glossary

Incoterms

DDP – delivered duty paid

DAP – delivered at place

CFR – cost and freight

CIF – cost, insurance and freight

FOB – free on board

EXW – ex-works

FCA – free carrier

Chemical abbreviations

MTBE – methyl tertiary-butyl ether

HDPE – high density polyethylene

LDPE – low density polyethylene

LLDPE – linear low density polyethylene

LLDPE C4 – Butene grade LLDPE

LLDPE C6 – 1-Hexene grade LLDPE

GPPS – general purpose polystyrene

HIPS – high impact polystyrene

EPS – expandable polystyrene

ESBR – emulsion styrene butadiene rubber

H-PBR - High-Cis polybutadiene rubber

L-PBR - Low-Cis polybutadiene rubber

Assessments

MMF – methanol marine fuel

RBOB – gasoline blendstock in the US

Locations

USGC – US Gulf Coast

USEC – US East Coast

HTC – Houston Ship Channel

WCSA – West Coast of South America

Mercosur - Mercado Común del Sur (Southern Common Market)

ER – East of Rockies

Quality

IV – intrinsic viscosity, a measure of molecular weight, or the degree of its polymerization

B* - a measure of the degree of yellowness of the PET resin

GP – general purpose

CSF – cast stretch film

Other abbreviations

CP – contract price

M1 – current month

M2 – second month

M3 – third month

© 2026 by S&P Global Inc. All rights reserved.

Revision history

February 2026: Platts changed the frequency of its BPA, Ethanolamines, Nylons and Polycarbonate spot assessments from daily to weekly (Wednesdays).

In January 2026, Platts discontinued its carbon account methanol marine fuel assessments.

December 2025: Platts launched low-carbon methanol marine fuel, discontinued orthoxylene, normal-butanol, 2-ethyl hexanol, vinyl chloride monomer and hexane contract prices. Platts changed the specifications of its recycled PET clear flake assessments basis Los Angeles, US Southeast and Chicago. Platts changed the location basis for its CFR Mercosur polyethylene and polypropylene assessments.

September 2025: Platts launched daily recycled PET clear and green flakes and post-consumer clear and greenbottle balesassessments South of Brazil. Platts changed the incoterms for its US-based recycled plastics assessments from FOB to ex-works. Platts clarified its approach to normalization in polymer markets. Platts discontinued its US styrene monthly transaction price assessment. Platts updated the global petrochemical indices weightings to reflect production capacities in 2025. July 2025: Platts clarified that its price assessments for R-PET flakes and PET bottle flakes in Brazil reflect pricing excluding domestic taxes.

June 2025: Platts discontinued MEG CP, amended eMethanol calculations.

May 2025: Platts completed its annual methodology and specifications guide review. Updates for clarity were made throughout. In addition, Platts launched a US weekly acrylic fiber spot assessment. Platts changed the frequency of propylene oxide, isocyanates and polyols assessments from daily to weekly. Platts clarified the specifications of its methanol assessments.

March 2025: Platts launched daily process-ready mixed plastic waste DDP US assessment.

February 2025: Platts launched weekly epoxy resin assessment for the US.

January 2025: Platts harmonized US MX, toluene coverage; discontinued industrial ethanol assessment.

December 2024: Platts discontinued US PVC, PS and PET contract price assessments.

November 2024: Platts completed its annual methodology and specifications guide review. Updates for clarity were made throughout. In addition, Platts launched assessments for M3 Methanol FOB US Gulf. Platts launched POM FOB US Gulf and CFR Brazil assessments. Platts launched PE and PVC monthly US domestic contract price delta settlements. August 2024: Platts launched Slabstock Polyether Polyols, Toluene Diisocyanate price assessments, polycarbonate, bisphenol-A assessments. Platts discontinued polyethylene and polypropylene contract price assessments.

June 2024: Platts launched new assessments for H-PBR, Emulsion SBR 1500 and 1502, MMA and Recycled PET Central Mexico. Platts launched carbon-accounted methanol price assessments, including 100 MMF and 20 MMF.

May 2024: Platts launched new assessments for acrylates, expandable polystyrene, ethanolamines, cyclohexane and adipic acid, nylons, ethylene in April. Platts also amended its month roll logic for ethylene, propylene and propylene oxide.

March 2024: Platts launched new assessments for US recycled PET and hydrochloric acid in February. Platts launched a new EVA assessment in March. Edits were made to language throughout.

December 2023: Platts launched new assessments for DEG, TEG, propylene oxide and ethylbenzene in the US.

August 2023: Platts completed an annual review of this guide, reviewing all content, correcting typos and making edits to language throughout. Additionally, Platts introduced daily spot assessment for US MTBE differential to front-month RBOB futures effective April 10, 2023. Platts updated its monoethylene glycol assessment specifications effective 30 May, 2023. Platts launched daily cost-based eMethanol assessment June 19, 2023. Platts discontinued its phthalic anhydride assessments effective July 14, 2023.

April 2023: Platts updates mt-lb conversion for some Americas chemical assessments.

January 2023: The specification guide has been renamed to Americas Chemicals.

December 2022: Platts updated weightings for global chemical indices.

September 2022: Platts discontinued Free-on-Truck (FOT) Brazil polyolefins assessments, effective July 1, 2022. Platts launched three new recycled LDPE assessments on Aug. 1, 2022. Typos in the Latin American polymers table were corrected.

April 2022: Platts completed an annual review of this guide, reviewing all content, correcting typos, and making edits to language throughout.

April 2022: Platts launched new CFR Mercosur assessments on April 6, which were included in the Latin American polymers section.

February 2022: Platts launched new assessment for US recycled PET flakes, FOB Chicago basis in January 2022. The update also includes a separate section for US virgin and recycled polymer price spreads. Platts updated US monoethylene glycol contract price assessment methodology to calculate the price based on an average of three Asia Contract Price (ACP) nominations, less US-Far East Asia liquid chemicals

© 2026 by S&P Global Inc. All rights reserved.

freight of 5,000 mt, effective January 2022. Platts launched three new assessments for US polyethylene, FAS US East Coast basis on February 1, 2022.

September 2021: Platts expanded the maximum cargo size to be considered in export caustic soda assessments and changed the location to USG from the mode of transportation for domestic caustic soda assessments.

June 2021: Platts completed an annual review of the Americas Petrochemicals specifications guide. Platts reviewed all content and corrected typos, as well as discrepancies between the text and the tables. Added details and specifications for post-consumer HDPE bales and recycled HDPE pellets.

April 2021: Platts corrects the Recycled PET Food Grade Pellets FOB Los Angeles symbols.

January 2021: Platts updated this guide to reflect the new assessment for US post-consumer PET food-grade pellets, basis FOB Los Angeles. The update also added the new assessment for US FOB ethylene export.

October 2020: Platts started to reflect loadings and trades from the Beaumont/Port Arthur hub in its US MTBE FOB USG assessment, effective Oct. 28, 2020. Platts changed its publication schedule for the weekly industry settled paraxylene US domestic contract price to better reflect when settlements have not been reached.

Platts organized the polyethylene assessment table by name.

July 2020: Platts added assessment section for US post-consumer PET clear flake, basis FOB Los Angeles. Clarified DINP name from diisonomyl phthalate to diisononyl phthalate.

July 2020: Platts completed an annual review of the Americas Petrochemicals methodology and specifications guide. Platts reviewed all content and corrected typos, as well as discrepancies between the text and the tables. Language was added to clarify the location and delivery basis for the phthalic anhydride price assessments.

April 2020: Platts added US ethylene FD Choctaw assessment section. Added new assessments for post-consumer PET bottle bales, basis FOB Los Angeles and FOB Chicago.

December 2019: Removed references to discontinued spot chlorine assessment. Updated US Gulf Coast ethylene assessment to reflect Mont Belvieu basis.

July 2019: Platts completed an annual review of the Americas Petrochemicals methodology and specifications guide. Platts reviewed all content and corrected typos, as well as discrepancies between the text and the tables. Platts completed an annual update to sections 1 to 6 of Platts Methodology and Specifications Guides in April 2019, and moved these sections into a standalone Methodology Guide. The guide was updated to include additional details about MTBE laycans and nominations procedures as well as new US Styrene assessments now published in $/MT. Extraneous language was removed throughout, and language was simplified for clarity.

December 2018: Platts updated this guide to reflect the transfer of chemical freight methodology from this guide to the global Freight methodology and specifications guide.

April 2018: [Annual Review] Added revised parts I-V1. General typographical changes, deletions of repeated text. Removed language related to normalization already included in parts I-VI.

April 2018: S&P Global Platts moved assessments of US EDC and VCM markets to Tuesday.

November 2017: Add new assessments for domestic Argentina, Colombia HDPE, LDPE and LLDPE prices and domestic Mexico HDPE film prices. Updated volumes sizes for domestic Brazil and Mexico polyethylene assessments.

April 2017: [Annual Review] Added specifications for LLDPE C6 and metallocene export assessments. Updated cracker margins methodology to reflect name change of Fuel Oil No. 6 3% USGC Waterborne to USGC HSFO. Updated MTBE methodology to address eWindow and clarify assessment process. MEG fiber-grade monthly settlement added to reflect current practice. Clarified that MX methodology to state that ASTM 843 bids, offers and deals are normalized to ASTM 5211 spec.

November 2016: S&P Global Platts updated this guide to reflect new assessments for domestic Brazil HDPE, LDPE and LLDPE prices.

September 2016: [Annual Review] S&P Global Platts updated this guide to reflect the change to CFR West Coast South America for some Latin American polymer assessments. Add new assessments for domestic Mexico HDPE, LDPE and LLDPE prices. Changes all company references to S&P Global Platts. General edits for style and grammar throughout guide.

August 2016: S&P Global Platts updated this guide to reflect changes to the Market on Close time to 4 p.m. US CT for benzene, styrene, cumene and ethylene markets and to 1:30 p.m. US CT for all other markets. S&P Global Platts updated this guide to reflect the change in minimum spot cargo size for styrene monomer to 3,000mt.

March 2016: S&P Global Platts revised the individual regional weighting to each product based on their regional capacity, for the Global Petrochemical Indices.

March 2016: S&P Global Platts updated this guide to reflect the discontinuation of the posted ethylene contract price assessment and weekly spot chemical-grade propylene assessment; a clarification to the MX methodology and updates codes and timing for MX and styrene monomer.

© 2026 by S&P Global Inc. All rights reserved.

October 2015: S&P Global Platts updated this guide to reflect new assessments for DOTP and DINP, a clarification to the OX methodology, clarifications to the US HDPE blowmolding export page codes and removing a reference in the MX methodology to a previously discontinued contract price.

September 2015: S&P Global Platts updated this guide to reflect the discontinuation of dioctyl phthalate, methyl ethyl ketone and methyl isobutyl ketone. The guide was also updated with additional information on the paraxylene assessment. The guide was also updated to improve uniformity in language and correct typographical errors.

August 2015: S&P Global Platts updated this guide to reflect new assessments for LLDPE C6 and metallocene. The guide was also updated to improve uniformity in language and correct typographical errors. The conversion factor for the cracker margins was corrected to reflect the factor to two decimal places.

July 2015: S&P Global Platts updated this guide to reflect timing basis changes for US methanol FOB USG and polymer-grade propylene FD USG.

April 2015: S&P Global Platts updated this guide to reflect a specification change for the FOB USG MTBE assessment and to reflect the correct code for IPA DER US domestic weekly assessments.

October 2014: S&P Global Platts updated this guide to reflect a clarification in the methodology for the FOB USG cumene assessment.

September 2014: S&P Global Platts updated this guide to reflect a timing change for S&P Global Platts spot ethylene assessments.

August 2014: S&P Global Platts revamped all Petrochemical Methodology and Specifications Guides, including its Americas Petrochemical guide, in August 2014. This revamp was completed to enhance the clarity and usefulness of all guides, and to introduce greater consistency of layout and structure across all published methodology guides. Methodologies for market coverage were not changed through this revamp, unless specifically noted in the methodology guide itself.

© 2026 by S&P Global Inc. All rights reserved.