## GMC, ERNAKULAM

DEPT OF MICROBIOLOGY, GMC ERNAKULAM, HMT COLONY P.O. , KALAMASSERY, KOCHI, ERNAKULAM  $4842754000\,$ 

----

Laboratory is approved for COVID - 19 test by Indian Council of Medical Research, Govt of India through Department of Health and Family Welfare, Government of Kerala

## **COVID-19 TEST REPORT**

Date and Time of Reporting:	10-01-2022 10:07 AM	
Address of the Referring Facility:	GMC EKM	
Specimen Details		
Sample Collection Date:	09-01-2022 10:10 AM	
Date of Receipt of Specimen at the Lab:	10-01-2022	
Sample Test Date:	10-01-2022	
Result Approved On:	10-01-2022 10:08 AM	
Condition of the Specimen Received/Quality on Arrival:	Good	
Reporting Details		
SRF ID: 172/EKM/202201694	ICMR ID: 632823774	

Sl.no	Patient ID	Patient name & Address	Age	Gender	Type of Test	COVID-19 Result
1	P-172/202201394	JISO CHACKO-ALAPPUZHA KERALA	24	MALE	RTPCR	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings

## Interpretation guidance:

- 1.Testing of referred clinical specimens was considered on the basis of request/referral received from/ through state surveillance officer(SSO) of concerned State Integrated Disease Surveillance Programme / any other health care facility affirming requirements of the case definition/s
- 2.A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- 3.A positive test result is only tentative, and will be reconfirmed by retesting.
- 4.Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2-4 days after the collection of the first specimen for additional testing if required\*
- 5.A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- 6.Please note that these results are not to be used for any thesis or presentations or publication in any journal without the prior permission of the Director General, ICMR



This is a system generated Certificate which requires no signature.