


TIMBER DOORS SCHEDULE






ARCHITRAVE DETAIL



WOODEN DOOR FRAME DETAILS

	LEGENDS
1	18mm. THICK MARINE PLYWOOD SUB-FRAME FIXED TO WALL
	WITH HOLDFAST.

- (2) 45mm. THICK DOOR FRAME FINISH TO SPECIFICATIONS. (3) 20 x 90mm ARCHITRAVES SAME AS DOOR FRAME FINISH.
- (4) 15mm. THICK LIPPING.
- (5) 45mm. THICK SHUTTER PANEL TO SPECIFICATIONS.



DOOR JAMB FIXING DETAIL

- 1. ALL THE OPENING SIZES (W&H) AREA FOR STRUCTURAL OPENINGS, AFTER FIXING SUB-FRAMES WHILE SHAPE AND FINISHED TO BE AS PER SPECIFICATIONS.
- 2. ALL DOORS SUB-FRAME SHALL BE FIXED (BY MAIN CONTRACTOR) FROM SIDES & TOP TO THE STRUCTURE WITH APPROPRIATE HOLDFAST TO ARCHITECT'S APPROVAL.
- 3. ALL THE TIMBER DOORS SHALL HAVE (18mm) THICK MARINE PLYWOOD SUB-FRAME & (25mm) THICK x (130mm x 230mm) WIDTH MAIN FRAME WITH (20 x 90mm) ARCHITRAVE FINISHED SAME AS DOORS. ALL AS PER ARCHITECTURAL DETAILS.
- 4. ALL THE ARCHITECTURAL IRONMONGERY SHALL BE IN BRASS OR CHROME-PLATED TO APPROVAL, MORTICE LOCKS & LATCHES, HANDLES, WALL/FLOOR-MOUNTED DOOR STOPPERS, COVER & KICK PLATES, FLUSH BOLTS etc. SHALL BE OF B.S. OR DIN STANDARDS OR EQUIVALENT AS PER ARCHITECT'S APPROVAL & SPECIFICATIONS.
- 5. ALL DOOR PANELS TO HAVE FOUR BUTT HINGES, BALL-BEARING TYPE AND ALL ENTRANCE DOORS TO FLATS TO HAVE ONE EYE- PIECE AT 1500mm. HEIGHT AND FLAT NUMBER. ALL TO ARCHITECT'S APPROVAL.

Important Notes:



مؤسسة محمد بن راشد للإسكان محكم الرات





PROPOSED VILLA (G+1)

VILLA TYPE

TYPE - 03

MAY -2023 PRLM. 2023-54 OP 1

TIMBER DOOR SCHEDULE

А3

A5-03