Waterfall Approach

In the beginning, every IT company followed a traditional approach, and it was followed by six phases:

1. **Requirement Gathering**
2. **System Design (Blue Print)**
3. **System Implementation (Write the Coding)**
4. **System Deployment (Code Will Deploy in the Servers)**
5. **System Testing**
6. **System Maintenance**

- For the waterfall approach, it will take a lot of time to develop.
- We can't change updates (longer duration).

Agile Method

Agile method involves more iterations and divides the project into smaller parts. For example:

- We have a project (LO), this project (LO) will be divided into 10 and 20 sprints based on architecture, so then we have to take the client updates and we have to change in the next phases.
- The Agile model has some limitations in deploying the code in deployment servers. It’s like a mismatch with the development team and operations team.
- Then it will take time to deliver the software or app to the client due to mismatches with the development team and operations team.

DevOps Model

- DevOps bridges the gap between the development team and the operations team.
- DevOps engineers can manage both development and operations teams.
- It creates a smooth lifecycle for the IT software industry using the DevOps approach.
- DevOps engineers will collaborate with development and operations team members. They can automate the process, like workflows, infrastructure, etc.
- DevOps engineers continuously monitor the application. They will address many things using automated processes.
- It's like continuous integration and continuous deployment.