SBB Oxygen House - Shop Automation Test Report

Production assessment - 14 August 2026, 08:29 PM (Sri Lanka time)

Executive summary

Overall result	Executed	Passed	Failed	Skipped
ACTION REQUIRED	**195**	**192**	**3**	**0**

Website: https://sbb.caliburlabz.com/shop
Environment: Production
Execution: 14 August 2026, 08:29:08 PM - Asia/Colombo
Browser(s): chromium, firefox, mobile-chrome, mobile-safari, webkit

Areas and testing types covered

Testing type	Areas tested
Functional testing	Shop navigation and listing; search; sorting; category, brand and price filters; product links and product details; quantity and tabs; add-to-cart, cart totals, removal and continue-shopping; checkout totals, customer details, province/district dependencies, required/optional fields, invalid formats, coupon handling and safe order validation.
Non-functional testing	Accessibility; responsive layout and horizontal overflow; navigation performance budgets; uncaught errors and failed same-origin requests; image loading and alternative text; keyboard reachability; SEO metadata and headings; control/card names and usable dimensions.
Cross-browser/device coverage	Desktop Chromium, Firefox and WebKit, plus Mobile Chrome and Mobile Safari profiles.

Shop section results

Sub-section	Checks	Passed	Failed	Skipped	Result
Shop Page	90	87	3	0	FAILED
Item Detail Page	5	5	0	0	PASSED
Cart Page	10	10	0	0	PASSED
Checkout Page	90	90	0	0	PASSED

Issues and required changes

1. Shop Page: Shop listing › exercises every available sort option

Observed: page.goto: NS_BINDING_ABORTED

Recommendation: Review the named page and Playwright evidence, correct the behavior, and rerun the shop suite.

2. Shop Page: Shop listing › category, brand, and price controls filter safely

Observed: locator.click: Timeout 10000ms exceeded.

Recommendation: Review the named page and Playwright evidence, correct the behavior, and rerun the shop suite.

3. Shop Page: Shop listing › category, brand, and price controls filter safely

Observed: locator.click: Timeout 10000ms exceeded.

Recommendation: Review the named page and Playwright evidence, correct the behavior, and rerun the shop suite.

Failed test cases

Sub-section	Test case	Browser	Result
Shop Page	Shop listing › exercises every available sort option	firefox	FAILED
Shop Page	Shop listing › category, brand, and price controls filter safely	mobile-chrome	FAILED
Shop Page	Shop listing › category, brand, and price controls filter safely	mobile-safari	FAILED

Detailed results by sub-section

Shop Page

Test	Browser	Time	Result
Shop listing › header navigation and shop content are available	chromium	3.9s	PASSED
Shop listing › searches with real and missing product data	chromium	6.9s	PASSED
Shop listing › exercises every available sort option	chromium	11.6s	PASSED
Shop listing › category, brand, and price controls filter safely	chromium	6.1s	PASSED
Shop listing › every visible product image links to a valid detail route	chromium	11.5s	PASSED
/shop automated WCAG scan reports no critical-impact violations (page availability is tested separately)	chromium	3.7s	PASSED
/cart automated WCAG scan reports no critical-impact violations (page availability is tested separately)	chromium	3.5s	PASSED
/checkout automated WCAG scan reports no critical-impact violations (page availability is tested separately)	chromium	6.7s	PASSED
all shop product images load and include alternative text	chromium	10.8s	PASSED
shop controls are keyboard reachable	chromium	3.9s	PASSED
shop meets configurable navigation budgets	chromium	10.8s	PASSED
shop has no uncaught errors or failed same-origin requests	chromium	4.7s	PASSED
/shop has no horizontal overflow	chromium	2.7s	PASSED
/cart has no horizontal overflow	chromium	4.2s	PASSED

Test	Browser	Time	Result
/checkout has no horizontal overflow	chromium	3.5s	PASSED
shop uses HTTPS and records baseline security headers	chromium	0.9s	PASSED
shop has useful title, description, canonical and one visible primary heading	chromium	2.5s	PASSED
shop cards and controls have accessible names and usable dimensions	chromium	4.8s	PASSED
Shop listing › header navigation and shop content are available	firefox	6.4s	PASSED
Shop listing › searches with real and missing product data	firefox	17.4s	PASSED
Shop listing › exercises every available sort option	firefox	35.4s	FAILED
Shop listing › category, brand, and price controls filter safely	firefox	28.3s	PASSED
Shop listing › every visible product image links to a valid detail route	firefox	11.8s	PASSED
/shop automated WCAG scan reports no critical-impact violations (page availability is tested separately)	firefox	9.1s	PASSED
/cart automated WCAG scan reports no critical-impact violations (page availability is tested separately)	firefox	4.9s	PASSED
/checkout automated WCAG scan reports no critical-impact violations (page availability is tested separately)	firefox	7.8s	PASSED
all shop product images load and include alternative text	firefox	18.3s	PASSED
shop controls are keyboard reachable	firefox	6.4s	PASSED
shop meets configurable navigation budgets	firefox	15.3s	PASSED
shop has no uncaught errors or failed same-origin requests	firefox	4.9s	PASSED
/shop has no horizontal overflow	firefox	7.3s	PASSED
/cart has no horizontal overflow	firefox	2.8s	PASSED
/checkout has no horizontal overflow	firefox	2.4s	PASSED
shop uses HTTPS and records baseline security headers	firefox	0.8s	PASSED
shop has useful title, description, canonical and one visible primary heading	firefox	2.6s	PASSED
shop cards and controls have accessible names and usable dimensions	firefox	4.9s	PASSED
Shop listing › header navigation and shop content are available	webkit	8.4s	PASSED
Shop listing › searches with real and missing product data	webkit	9.1s	PASSED
Shop listing › exercises every available sort option	webkit	19.8s	PASSED
Shop listing › category, brand, and price controls filter safely	webkit	10.4s	PASSED
Shop listing › every visible product image links to a valid detail route	webkit	10.7s	PASSED
/shop automated WCAG scan reports no critical-impact violations (page availability is tested separately)	webkit	7.6s	PASSED
/cart automated WCAG scan reports no critical-impact violations (page availability is tested separately)	webkit	4.9s	PASSED
/checkout automated WCAG scan reports no critical-impact violations (page availability is tested separately)	webkit	5.6s	PASSED
all shop product images load and include alternative text	webkit	9.6s	PASSED

Test	Browser	Time	Result
shop controls are keyboard reachable	webkit	5.3s	PASSED
shop meets configurable navigation budgets	webkit	4.4s	PASSED
shop has no uncaught errors or failed same-origin requests	webkit	6.1s	PASSED
/shop has no horizontal overflow	webkit	3.6s	PASSED
/cart has no horizontal overflow	webkit	3.6s	PASSED
/checkout has no horizontal overflow	webkit	4.5s	PASSED
shop uses HTTPS and records baseline security headers	webkit	0.3s	PASSED
shop has useful title, description, canonical and one visible primary heading	webkit	4.8s	PASSED
shop cards and controls have accessible names and usable dimensions	webkit	7.0s	PASSED
Shop listing › header navigation and shop content are available	mobile-chrome	5.2s	PASSED
Shop listing › searches with real and missing product data	mobile-chrome	7.9s	PASSED
Shop listing › exercises every available sort option	mobile-chrome	10.7s	PASSED
Shop listing › category, brand, and price controls filter safely	mobile-chrome	36.5s	FAILED
Shop listing › every visible product image links to a valid detail route	mobile-chrome	11.0s	PASSED
/shop automated WCAG scan reports no critical-impact violations (page availability is tested separately)	mobile-chrome	4.9s	PASSED
/cart automated WCAG scan reports no critical-impact violations (page availability is tested separately)	mobile-chrome	3.5s	PASSED
/checkout automated WCAG scan reports no critical-impact violations (page availability is tested separately)	mobile-chrome	4.3s	PASSED
all shop product images load and include alternative text	mobile-chrome	5.5s	PASSED
shop controls are keyboard reachable	mobile-chrome	4.4s	PASSED
shop meets configurable navigation budgets	mobile-chrome	4.6s	PASSED
shop has no uncaught errors or failed same-origin requests	mobile-chrome	6.9s	PASSED
/shop has no horizontal overflow	mobile-chrome	2.9s	PASSED
/cart has no horizontal overflow	mobile-chrome	2.7s	PASSED
/checkout has no horizontal overflow	mobile-chrome	3.8s	PASSED
shop uses HTTPS and records baseline security headers	mobile-chrome	0.3s	PASSED
shop has useful title, description, canonical and one visible primary heading	mobile-chrome	2.5s	PASSED
shop cards and controls have accessible names and usable dimensions	mobile-chrome	6.5s	PASSED
Shop listing › header navigation and shop content are available	mobile-safari	8.0s	PASSED
Shop listing › searches with real and missing product data	mobile-safari	10.4s	PASSED
Shop listing › exercises every available sort option	mobile-safari	17.9s	PASSED
Shop listing › category, brand, and price controls filter safely	mobile-safari	35.1s	FAILED
Shop listing › every visible product image links to a valid detail route	mobile-safari	14.3s	PASSED

Test	Browser	Time	Result
/shop automated WCAG scan reports no critical-impact violations (page availability is tested separately)	mobile-safari	4.9s	PASSED
/cart automated WCAG scan reports no critical-impact violations (page availability is tested separately)	mobile-safari	4.7s	PASSED
/checkout automated WCAG scan reports no critical-impact violations (page availability is tested separately)	mobile-safari	4.6s	PASSED
all shop product images load and include alternative text	mobile-safari	9.2s	PASSED
shop controls are keyboard reachable	mobile-safari	4.5s	PASSED
shop meets configurable navigation budgets	mobile-safari	4.2s	PASSED
shop has no uncaught errors or failed same-origin requests	mobile-safari	8.9s	PASSED
/shop has no horizontal overflow	mobile-safari	4.0s	PASSED
/cart has no horizontal overflow	mobile-safari	7.0s	PASSED
/checkout has no horizontal overflow	mobile-safari	3.8s	PASSED
shop uses HTTPS and records baseline security headers	mobile-safari	0.7s	PASSED
shop has useful title, description, canonical and one visible primary heading	mobile-safari	5.1s	PASSED
shop cards and controls have accessible names and usable dimensions	mobile-safari	6.1s	PASSED

Item Detail Page

Test	Browser	Time	Result
validates product data, quantity, tabs, cart, and related products	chromium	7.2s	PASSED
validates product data, quantity, tabs, cart, and related products	firefox	9.4s	PASSED
validates product data, quantity, tabs, cart, and related products	webkit	13.5s	PASSED
validates product data, quantity, tabs, cart, and related products	mobile-chrome	8.8s	PASSED
validates product data, quantity, tabs, cart, and related products	mobile-safari	14.9s	PASSED

Cart Page

Test	Browser	Time	Result
Shopping cart › preserves selected item, quantity, totals, checkout and removal	chromium	13.3s	PASSED
Shopping cart › Continue Shopping returns to shop	chromium	6.0s	PASSED
Shopping cart › preserves selected item, quantity, totals, checkout and removal	firefox	13.4s	PASSED
Shopping cart › Continue Shopping returns to shop	firefox	6.3s	PASSED
Shopping cart › preserves selected item, quantity, totals, checkout and removal	webkit	12.7s	PASSED
Shopping cart › Continue Shopping returns to shop	webkit	9.7s	PASSED
Shopping cart › preserves selected item, quantity, totals, checkout and removal	mobile-chrome	16.9s	PASSED
Shopping cart › Continue Shopping returns to shop	mobile-chrome	9.7s	PASSED

Test	Browser	Time	Result
Shopping cart › preserves selected item, quantity, totals, checkout and removal	mobile-safari	15.1s	PASSED
Shopping cart › Continue Shopping returns to shop	mobile-safari	12.7s	PASSED

Checkout Page

Test	Browser	Time	Result
Checkout › shows correct item, totals and required form validation	chromium	12.6s	PASSED
Checkout › accepts test customer data and dependent province/district selections	chromium	9.2s	PASSED
Checkout › invalid optional coupon does not change checkout totals	chromium	9.8s	PASSED
Checkout › coupon is optional and checkout remains available without one	chromium	6.7s	PASSED
Checkout › required fields reject invalid formats without creating an order	chromium	11.7s	PASSED
Checkout › First name is required	chromium	9.6s	PASSED
Checkout › Last name is required	chromium	10.9s	PASSED
Checkout › Email is required	chromium	8.2s	PASSED
Checkout › Phone is required	chromium	8.1s	PASSED
Checkout › Address line 1 is required	chromium	13.4s	PASSED
Checkout › City is required	chromium	9.1s	PASSED
Checkout › whitespace-only required values are rejected	chromium	11.4s	PASSED
Checkout › email format validation rejects malformed addresses	chromium	8.4s	PASSED
Checkout › phone validation rejects alphabetic and too-short values	chromium	15.6s	PASSED
Checkout › district remains disabled until a province is selected	chromium	6.8s	PASSED
Checkout › province and district are required for delivery	chromium	10.5s	PASSED
Checkout › optional fields accept empty values	chromium	8.6s	PASSED
Checkout › optional fields accept representative test data	chromium	10.9s	PASSED
Checkout › shows correct item, totals and required form validation	firefox	8.6s	PASSED
Checkout › accepts test customer data and dependent province/district selections	firefox	10.9s	PASSED
Checkout › invalid optional coupon does not change checkout totals	firefox	8.3s	PASSED
Checkout › coupon is optional and checkout remains available without one	firefox	12.0s	PASSED
Checkout › required fields reject invalid formats without creating an order	firefox	8.2s	PASSED
Checkout › First name is required	firefox	13.9s	PASSED
Checkout › Last name is required	firefox	9.2s	PASSED
Checkout › Email is required	firefox	15.4s	PASSED
Checkout › Phone is required	firefox	10.2s	PASSED
Checkout › Address line 1 is required	firefox	11.7s	PASSED
Checkout › City is required	firefox	12.6s	PASSED

Test	Browser	Time	Result
Checkout › whitespace-only required values are rejected	firefox	13.4s	PASSED
Checkout › email format validation rejects malformed addresses	firefox	14.2s	PASSED
Checkout › phone validation rejects alphabetic and too-short values	firefox	19.9s	PASSED
Checkout › district remains disabled until a province is selected	firefox	8.4s	PASSED
Checkout › province and district are required for delivery	firefox	18.3s	PASSED
Checkout › optional fields accept empty values	firefox	9.9s	PASSED
Checkout › optional fields accept representative test data	firefox	17.9s	PASSED
Checkout › shows correct item, totals and required form validation	webkit	11.2s	PASSED
Checkout › accepts test customer data and dependent province/district selections	webkit	15.3s	PASSED
Checkout › invalid optional coupon does not change checkout totals	webkit	11.3s	PASSED
Checkout › coupon is optional and checkout remains available without one	webkit	11.9s	PASSED
Checkout › required fields reject invalid formats without creating an order	webkit	12.5s	PASSED
Checkout › First name is required	webkit	13.8s	PASSED
Checkout › Last name is required	webkit	18.3s	PASSED
Checkout › Email is required	webkit	14.9s	PASSED
Checkout › Phone is required	webkit	14.8s	PASSED
Checkout › Address line 1 is required	webkit	14.1s	PASSED
Checkout › City is required	webkit	15.3s	PASSED
Checkout › whitespace-only required values are rejected	webkit	16.1s	PASSED
Checkout › email format validation rejects malformed addresses	webkit	15.5s	PASSED
Checkout › phone validation rejects alphabetic and too-short values	webkit	25.7s	PASSED
Checkout › district remains disabled until a province is selected	webkit	13.8s	PASSED
Checkout › province and district are required for delivery	webkit	12.5s	PASSED
Checkout › optional fields accept empty values	webkit	13.7s	PASSED
Checkout › optional fields accept representative test data	webkit	13.1s	PASSED
Checkout › shows correct item, totals and required form validation	mobile-chrome	12.2s	PASSED
Checkout › accepts test customer data and dependent province/district selections	mobile-chrome	10.0s	PASSED
Checkout › invalid optional coupon does not change checkout totals	mobile-chrome	12.2s	PASSED
Checkout › coupon is optional and checkout remains available without one	mobile-chrome	12.4s	PASSED
Checkout › required fields reject invalid formats without creating an order	mobile-chrome	11.2s	PASSED
Checkout › First name is required	mobile-chrome	13.4s	PASSED
Checkout › Last name is required	mobile-chrome	14.1s	PASSED
Checkout › Email is required	mobile-chrome	8.8s	PASSED
Checkout › Phone is required	mobile-chrome	10.0s	PASSED

Test	Browser	Time	Result
Checkout › Address line 1 is required	mobile-chrome	10.3s	PASSED
Checkout › City is required	mobile-chrome	12.3s	PASSED
Checkout › whitespace-only required values are rejected	mobile-chrome	13.5s	PASSED
Checkout › email format validation rejects malformed addresses	mobile-chrome	15.7s	PASSED
Checkout › phone validation rejects alphabetic and too-short values	mobile-chrome	19.7s	PASSED
Checkout › district remains disabled until a province is selected	mobile-chrome	13.2s	PASSED
Checkout › province and district are required for delivery	mobile-chrome	11.3s	PASSED
Checkout › optional fields accept empty values	mobile-chrome	15.6s	PASSED
Checkout › optional fields accept representative test data	mobile-chrome	13.2s	PASSED
Checkout › shows correct item, totals and required form validation	mobile-safari	14.2s	PASSED
Checkout › accepts test customer data and dependent province/district selections	mobile-safari	16.7s	PASSED
Checkout › invalid optional coupon does not change checkout totals	mobile-safari	13.6s	PASSED
Checkout › coupon is optional and checkout remains available without one	mobile-safari	12.1s	PASSED
Checkout › required fields reject invalid formats without creating an order	mobile-safari	15.8s	PASSED
Checkout › First name is required	mobile-safari	16.5s	PASSED
Checkout › Last name is required	mobile-safari	19.1s	PASSED
Checkout › Email is required	mobile-safari	25.0s	PASSED
Checkout › Phone is required	mobile-safari	17.2s	PASSED
Checkout › Address line 1 is required	mobile-safari	16.4s	PASSED
Checkout › City is required	mobile-safari	17.2s	PASSED
Checkout › whitespace-only required values are rejected	mobile-safari	16.8s	PASSED
Checkout › email format validation rejects malformed addresses	mobile-safari	17.4s	PASSED
Checkout › phone validation rejects alphabetic and too-short values	mobile-safari	30.9s	PASSED
Checkout › district remains disabled until a province is selected	mobile-safari	16.2s	PASSED
Checkout › province and district are required for delivery	mobile-safari	13.8s	PASSED
Checkout › optional fields accept empty values	mobile-safari	20.2s	PASSED
Checkout › optional fields accept representative test data	mobile-safari	15.3s	PASSED

Safety note

The suite validates Place Order availability and form validation but does not submit a successful production order. Coupon entry is optional; an invalid coupon must not change the payable total or prevent checkout.

Result interpretation

Passed results are green, failed results are red, and skipped results are orange. A failed automated WCAG scan identifies a critical-impact assistive-technology markup finding; it does not mean the page was unavailable in that browser. Page availability, visual rendering, shopping behavior, navigation, and keyboard operation are separate checks. Timeouts and execution errors must be distinguished from reproducible product defects during developer triage.