

My New Tube - Full Changes and Fixes Report \(\Hinglish Team Version\)

Report Scope

This PDF covers major fixes and code changes implemented in our customization cycle, based on commit 6a99a2050 and its current code state.

This is written in simple Hindi + English mix for internal team sharing.

>>> MAIN HIGHLIGHTS \(\Quick Read\)

handling.

=====

SECTION A: YouTube-only conversion \(\core architecture\)

=====

File: app/src/main/java/org/schabi/newpipe/util/ServiceHelper.kt

Key change: SUPPORTED_SERVICES list now contains only ServiceList.YouTube.

Impact: service selection cannot drift to SoundCloud, PeerTube, Bandcamp, media.ccc etc.

CODE SNIPPET:

```
private val SUPPORTED_SERVICES = listOf(ServiceList.YouTube)
fun getSupportedServices(): List<StreamingService> = SUPPORTED_SERVICES
```

File: app/src/main/java/org/schabi/newpipe/RouterActivity.java

Key change: while detecting service from URL, non-YouTube service immediately returns false.

CODE SNIPPET:

```
if (currentService != ServiceList.YouTube) {
    return false;
}
```

File: app/src/main/AndroidManifest.xml

Removed filters include Hooktube, Invidious hosts list, y2u.be, SoundCloud, media.ccc.de, PeerTube, Bandcamp.

Impact: deep link routing now aligned with YouTube-only behavior.

My New Tube - Full Changes Report Continued

File: app/src/main/java/org/schabi/newpipe/settings/SelectKioskFragment.java

Before: iterate NewPipe.getServices\(). After: use ServiceList.YouTube only.

File: app/src/main/java/org/schabi/newpipe/settings/migration/SettingMigrations.java

Added migration version 9 to force current_service = YouTube and clean non-YouTube tabs.

CODE SNIPPET IDEA:

- For KioskTab: keep only kioskServiceId == YouTube.getServiceId\()
- For ChannelTab: keep only channelServiceId == YouTube.getServiceId\()
- For remote PlaylistTab: keep only playlistServiceId == YouTube.getServiceId\()

=====

SECTION B: Drawer and navigation cleanup

=====

File: app/src/main/java/org/schabi/newpipe/MainActivity.java

Old service-toggle flow removed \(\toggleServices / servicesShown style behavior removed\).

File: MainActivity.java

Added: shouldHideDrawerKiosk\(\kioskId\) returning true for "Trending" in drawer menu creation.

CODE SNIPPET:

```
private boolean shouldHideDrawerKiosk(@NonNull final String kioskId) {  
    return "Trending".equals(kioskId);  
}
```

File: MainActivity.java + strings.xml + new icon drawable

- Added menu item: Rate app with filled star icon \(\ic_star_filled\).
- Added menu item: Share app with share icon.

Files: MainActivity.java, res/layout/drawer_header.xml

- Header action button disabled.
- Service row visibility set invisible in layout.
- Drawer arrow hidden \(\set GONE in setupDrawerHeader\).

=====

SECTION C: Player and video detail control updates

=====

Files: fragment_video_detail.xml + VideoDetailFragment.java

My New Tube - Full Changes Report Continued

- Primary row currently mapped to: Add To, Share \(\ reused background slot \), Popup, Download.
- Download click path simplified to openDownloadDialog\(\) directly.

File: res/layout/player.xml

openInBrowser button is wrapped in parent FrameLayout with android:visibility="gone".

CODE SNIPPET:

```
<FrameLayout android:visibility="gone">
<AppCompatImageButton android:id="@+id/openInBrowser" .../>
</FrameLayout>
```

File: VideoDetailFragment.java

- DESCRIPTION_TAB_TAG references removed from active tab creation/update path.
- Selected tab default set to RELATED_TAB_TAG \(\ Next/Similar side \).

CODE SNIPPET:

```
selectedTabTag = RELATED_TAB_TAG;
```

File: VideoDetailFragment.java

- detailTitleRootLayout set non-clickable.
- detailToggleSecondaryControlsView visibility set GONE.

=====

SECTION D: Settings simplification \(\ hide-heavy approach \)

=====

File: VideoAudioSettingsFragment.java

Hidden via preference.setVisible\(\ false \): player category, external player options, kodi option, seek preview, preferred open action, minimize on exit, fullscreen on start, inexact seek, queue confirmation, hardware media buttons etc.

File: DownloadSettingsFragment.java

Hidden: file charset, replacement char, max retry, cross-network pause, queue-limit toggle.

File: AppearanceSettingsFragment.java

Hidden: hold-to-append tip, tablet mode, list view mode, caption settings entry, main tab position.

File: ContentSettingsFragment.java

My New Tube - Full Changes Report Continued

Hidden: main page content chooser, channel tabs chooser, age restriction toggles, restricted mode, search suggestions, meta info toggle, feed category block.

Files: main_settings.xml, SettingsResourceRegistry.java

Removed from main settings navigation: Notifications, Updates, Backup and restore.

Note for team:

In many modules we used `hide \setVisible false\` instead of deleting base preference definitions, so rollback remains easier.

=====

SECTION E: Content country/language refresh fix

=====

File: ContentSettingsFragment.java

Added `setupContentLocalizationPreferences\()` + `applyContentLocalization\(...\)` flow.

Now language/country change triggers `NewPipe.setupLocalization` + `InfoCache clear` + `PlayerHelper.resetFormat`.

File: KioskFragment.java

On resume, compares preferred country and preferred language code with stored state.

If changed, app re-applies localization, clears cache, and reloads content.

Why this matters:

Trending music/live categories now react more reliably to content settings changes.

=====

SECTION F: Subscription ZIP/CSV import reliability fix

=====

File: `app/src/main/java/org/schabi/newpipe/local/subscription/workers/SubscriptionImportWorker.kt`

Added `buildMimeCandidates\(uri\)` and `DEFAULT_MIME_CANDIDATES` list.

Defaults include: `application/zip`, `zip`, `text/csv`, `csv`, `application/json`, `json`.

`parseSubscriptionsFromBytes\(serviceId, bytes, mimeCandidates\)` tries candidates one by one and accepts first valid parse.

Channel extraction failures are caught per-item, failed ones skipped, valid ones continue.

My New Tube - Full Changes Report Continued

On partial success: "Imported X subscriptions, skipped Y".

File: strings.xml import_youtube_instructions now clearly tells ZIP first, CSV fallback if ZIP fails.

=====

SECTION G: Error UX and snackbar/report behavior improvements

=====

File: ErrorActivity.kt + activity_error.xml + strings.xml

If message == parsing_error, app now shows friendly text and hides technical report-heavy controls.

New user-facing strings:

- friendly_parsing_title
- friendly_parsing_message

Files: VideoDetailFragment.java, Player.java

If stream has primary playable data and errors are only extractor-level temporary ones, user gets less noisy error surfacing.

File: FeedFragment.kt

Improved handling so temporary extractor/content availability cases do not aggressively suggest destructive actions.

=====

SECTION H: In-app update checker and disruptive dialog removal

=====

Deleted files:

- NewVersionWorker.kt
- UpdateSettingsFragment.java
- ReleaseVersionUtil.kt

Deleted XML:

- update_settings.xml
- notifications_settings.xml
- player_notification_settings.xml
- backup_restore_settings.xml

My New Tube - Full Changes Report Continued

File: App.kt

App update channel removed from createNotificationChannelsCompat list.

MainActivity no longer invokes prior update/consent/popup initialization flow that triggered that dialog sequence.

=====

SECTION I: Release build and signing hardening

=====

File: app/build.gradle.kts

Priority used: Gradle properties OR env vars OR keystore.properties file.

Expected keys:

- RELEASE_STORE_FILE
- RELEASE_STORE_PASSWORD
- RELEASE_KEY_ALIAS
- RELEASE_KEY_PASSWORD

androidComponents.beforeVariants\(... withBuildType\("debug"\)) { enable = false }

Impact: release-only run/build workflow enforced.

If release packaging task requested and signing config absent, GradleException is thrown with clear message.

File added: keystore.properties.example

Important: team must never commit real passwords/keystore secrets to git.

=====

SECTION J: String safety and encoding cleanup

=====

File: strings.xml

Now safe text uses standard hyphen in summary to avoid weird render/parsing artifacts in some environments.

=====

SECTION K: Important file groups touched

=====

My New Tube - Full Changes Report Continued

Core behavior:

- MainActivity.java
- ServiceHelper.kt
- RouterActivity.java
- AndroidManifest.xml

Player and stream detail:

- VideoDetailFragment.java
- fragment_video_detail.xml
- player.xml
- Player.java

Settings:

- main_settings.xml
- SettingsResourceRegistry.java
- VideoAudioSettingsFragment.java
- DownloadSettingsFragment.java
- AppearanceSettingsFragment.java
- ContentSettingsFragment.java

Import and error handling:

- SubscriptionImportWorker.kt
- ErrorActivity.kt
- activity_error.xml
- strings.xml

Build pipeline:

- app/build.gradle.kts
- keystore.properties.example

=====

SECTION L: QA test checklist \ (recommended)

=====

Add To, Share, Popup,

behavior.

My New Tube - Full Changes Report Continued

dump for user.

=====

Final Team Note

=====

We completed a strong YouTube-only hardening pass plus stability and UX cleanups. The most critical reliability wins are: content localization refresh correctness, resilient ZIP/CSV subscription import, and reduced user-facing noise for recoverable extractor issues. This gives better day-to-day experience while keeping the codebase manageable for future updates.

Document prepared for internal team communication.