



Module Title

Cybersecurity and Networking

Internship Assignment Submission

Basic Cybersecurity Risk Assessment

Student Name: Jiwosh Shrestha

Internship ID: JVL-CS-2026-8990

Role: Cybersecurity Intern

Duration: 3 months

Assignment Submission Date: Monday, 21th September 2026

Contents

1.SCENARIO:	3
1.1 SUBMISSION TEMPLATE (use exactly this structure):	3
1.FIVE IMPORTANT ASSETS - list each asset and why it matters to the business.	3
2. THREE POTENTIAL THREATS - for each: who/what is the threat actor or event?	4
3. THREE VULNERABILITIES - for each: what is the exact weakness?	4
4. ASSOCIATED RISKS - link each threat+vulnerability pair to a potential loss (impact).	5
5. SECURITY RECOMMENDATIONS - at least 5 improvements, each mapped to a risk above.....	6

1.SCENARIO:

Bright Layer Stores (simulated, 8 employees) uses: employee email accounts, shared computers, a company website, cloud storage with invoices, user passwords, and a public Wi-Fi router.

1.1 SUBMISSION TEMPLATE (use exactly this structure):

1.FIVE IMPORTANT ASSETS - list each asset and why it matters to the business.

I. Employee email accounts: Used for business communication, customer support, password reset, and sharing information.

II. Shared computer: Employee uses this computer to access company systems, emails, invoices and cloud storage.

III. Company website: The website represents Bright Layer Stores online and may provide information or services to the customer.

IV. Cloud storage with invoices: Contains financial business records.

V. User password: Passwords protect email, computer, cloud storage and other accounts.

2. THREE POTENTIAL THREATS - for each: who/what is the threat actor or event?

I. Phishing attacker: An external attacker may send fake emails to employees to steal password or obtain sensitive information and accounts.

II. Malware or ransomware: Malicious software could enter through email attachments, downloads, or shared computers and damage or encrypt business files.

III. Unauthorized Wi-Fi user/attacker: Someone nearby could attempt to access the public Wi-Fi router or exploit weak wireless security to gain unauthorized network access.

3. THREE VULNERABILITIES - for each: what is the exact weakness?

I. Weak or reused employee passwords: Employee may use simple passwords or the same passwords for multiple company services.

II. Insufficient endpoint protection on shared computers: Shared computers may lack updated antivirus/ endpoint protection, regular patching, or proper restrictions.

III. Poorly secured public Wi-Fi router: The router may use weak Wi-Fi security, an outdated firmware version, or an easily guessed administrative password.

4. ASSOCIATED RISKS - link each threat+vulnerability pair to a potential loss (impact).

I. Phishing attacker+ weak/reused passwords – Account compromise

An attacker who obtains an employee password could access email or cloud storage. This could lead to stolen business information, fraudulent emails, or unauthorized access to invoices.

II. Malware/ransomware + insufficient endpoint protection – Data loss and business disruption

Malware could infect a shared computer and potentially spread to accessible files or cloud accounts. Important invoices and business documents could become unavailable or damaged.

III. Unauthorized Wi-Fi user + poorly secured router – Unauthorized network access

An attacker who gains access to the company's network could attempt to observe traffic or reach internal devices. This could result in data exposure or further attacks.

5. SECURITY RECOMMENDATIONS - at least 5 improvements, each mapped to a risk above.

I. Enable multi-factor authentication (MFA) for employees and cloud storage to reduce the impact of stolen passwords. Mapped to Risk 1.

II. Use strong, unique passwords for every business account and provide employees with basic password and phishing training. Mapped to Risk 1.

III. Maintain regular backups of important invoices and business files so that they can be restore after malware or accidental deletion. Mapped to Risk 2.

IV. Install and regularly update endpoint protection on all shared computers, including antivirus and security patches. Mapped to Risk2.

V. Secure the Wi-Fi routing using WPA2/WPA3 security, a unique administrator password, and current firmware. Mapped to Risk3.