



Module Title

Cybersecurity and Networking

Internship Assignment Submission

Burp Suite Introduction & Safe Lab Setup

Student Name: Jiwosh Shrestha

Internship ID: JVL-CS-2026-8990

Role: Cybersecurity Intern

Duration: 3 months

Assignment Submission Date: Saturday, 26th September 2026

Day:20 (Twenty)

Contents

1.ASSIGNMENT — BURP SUITE INTRODUCTION & SAFE LAB SETUP	3
1.1 Answer all questions clearly in your own words.	3
2.PRACTICAL TASK	7
2.1 Use Burp Suite Community Edition	7

1.ASSIGNMENT — BURP SUITE INTRODUCTION & SAFE LAB SETUP

1.1 Answer all questions clearly in your own words.

1.What is Burp Suite?

Burp Suite is a web security testing tool made by PortSwigger. It helps security professionals inspect HTTP requests and responses between a browser and a web application.

2. Why is Burp Suite useful for web application security?

It helps us inspect requests, responses, headers, cookies, parameters, and application behavior during authorized security testing.

3. What is Burp Proxy?

Burp Proxy is a tool that sits between the browser and web server. It allows us to view and inspect web traffic.

4. Explain the Browser → Burp → Web Server flow.

The browser sends a request to Burp Suite. Burp receives and inspects the request, then sends it to the web server. The server sends the responses back through Burp to the browser.

5. What does Intercept ON mean?

Intercept ON means Burp can pause a request before it reaches the server so we can inspect it.

6. What does Intercept OFF mean?

Intercept OFF means requests normally pass through Burp without being stopped manually. Burp can still record them in HTTP History.

7. What does Forward do?

Forward sends an intercepted request to the destination server so the request can continue.

8. What is Burp's built-in browser?

It is a web browser included inside Burp Suite that is already configured to work with Burp Proxy.

9. Why is the built-in browser useful for beginners?

It is easy to use because it is already configured for Burp. Beginners do not need to manually configure browser proxy settings.

10. What is HTTP History?

HTTP History is a record of web requests and responses that Burp has observed.

11. What information can HTTP History show?

It can show the host, method, URL, status code, request, response, headers, parameters, and other traffic details.

12. What is a target?

A target is the application or system that is authorized for security testing.

13. What is scope?

Scope defines which application or system are allowed to be tested and which are outside the testing area.

14. Why must a security tester have authorization?

Authorization gives permission to test a system. Testing without permission can cause harm and may be illegal.

15. What is Burp Repeater?

Burp Repeater allows a tester to manually resend an HTTP request and observe the server's response.

16. Explain the HTTP History → Send to Repeater → Send → Response workflow.

First, Select request from HTTP History. Send it to Repeater, then send the request from Repeater without changing it. Finally, review the response returned by the server.

17. What is the difference between an HTTP request and response?

An HTTP request is sent from the browser to the server to ask for a resource or perform an action. An HTTP response is sent by the server back to the browser with the result.

18. What sensitive information should never appear in student screenshots?

Student should not show real passwords, authentication cookies, session tokens, API keys, authorization values, or other private information.

19. Why should students not test random public websites?

Random websites may not give permission for security testing. Testing them without authorization can cause problems, disrupt services, or be illegal.



20. Explain the purpose of Day 20 in your own words.

Day 20 teaches the basic use of Burp Suite for safely viewing HTTP requests and responses. It helps beginners understand Proxy, Intercept, HTTP History, and Repeater using authorized training environment.

2.PRACTICAL TASK

2.1 Use Burp Suite Community Edition

1. Open Burp Suite. 2. Open Proxy → Intercept. 3. Open Burp Browser. 4. Turn Intercept ON. 5. Visit <https://example.com>. 6. Identify HTTP method, host and path. 7. Forward the request. 8. Turn Intercept OFF. 9. Open HTTP History. 10. Find the example.com request. 11. Review its request and response. 12. Send that safe request to Repeater. 13. Send the unchanged request. 14. Observe the response.



⚡

Burp

Project

Intruder

Repeater

View

Help

Burp Suite Community Edition v2026.8 - Temporary Project

—

□

×

Dashboard

Target

Proxy

Intruder

Repeater

Collaborator

Sequencer

Decoder

Comparer

🌐

>

⚙️

Logger

Organizer

Extensions

Discover

Intercept

HTTP history

WebSockets history

Match and replace

⚙️

Proxy settings

🔍

Filter settings: Hiding CSS and image content; hiding specific exte...

Pro version only

🔍

🔴

Filter on

?

⋮

#	^	Host	Method	URL	Params	Edited	Status code	Length	MIME type	Extensio
1		https://example.com	GET	/			200	785	HTML	

Request

Response

⏸

=

📄

Pretty

Raw

Hex

🔍

📄

🔍

🔍

1

GET / HTTP/1.1

2

Host: example.com

3

Sec-Ch-Ua: "Chromium";v="151", "Not=A?Brand";v="99"

4

Sec-Ch-Ua-Mobile: ?0

5

Sec-Ch-Ua-Platform: "Windows"

6

Accept-Language: en-US,en;q=0.9

7

Upgrade-Insecure-Requests: 1

8

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64)

9

AppleWebKit/537.36 (KHTML, like Gecko)

10

Chrome/151.0.0.0 Safari/537.36

11

Accept:

12

text/html,application/xhtml+xml,application/xml;q=0.9,

13

image/avif,image/webp,image/apng,*/*;q=0.8,application

14

/signed-exchange;v=b3;q=0.7

15

Sec-Fetch-Site: none

16

Sec-Fetch-Mode: navigate

17

Sec-Fetch-User: ?1

18

Sec-Fetch-Dest: document

19

Accept-Encoding: gzip, deflate, br

🔍

⚙️

⬅️

➡️

Search

🔍

0 highlights

Inspector

⏸

📄

🔍

⏮

⏭

⏹

Request attributes

2

▼

Request headers

15

▼

Response headers

8

▼

Inspector

Notes

Event log

All issues

🔍

Memory: 157.1MB of 7.63GB

🔴 Disabled

▼

Burp

Project

Intruder

Repeater

View

Help

Burp Suite Community Edition v2026.8 - Temporary Project

Dashboard

Target

Proxy

Intruder

Repeater

Collaborator

Sequencer

Decoder

Comparer

Logger

Organizer

Extensions

Discover

1 x +

🔍 ^

Send

⚙️

Cancel

< ▾

> ▾

🔧 Burp AI

Target: https://example.com  HTTP/2 

RequestResponse

⏸

=

📄

Pretty

Raw

Hex

🔍

📄

ln

≡

1 GET / HTTP/2

2 Host: example.com

3 Sec-Ch-Ua: "Chromium";v="151", "Not=A?Brand";v="99"

4 Sec-Ch-Ua-Mobile: ?0

5 Sec-Ch-Ua-Platform: "Windows"

6 Accept-Language: en-US,en;q=0.9

7 Upgrade-Insecure-Requests: 1

8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64)

9 AppleWebKit/537.36 (KHTML, like Gecko)

10 Chrome/151.0.0.0 Safari/537.36

11 Accept:

12 text/html,application/xhtml+xml,application/xml;q=0.9,

13 image/avif,image/webp,image/apng,*/*;q=0.8,application

14 /signed-exchange;v=b3;q=0.7

15 Sec-Fetch-Site: none

16 Sec-Fetch-Mode: navigate

17 Sec-Fetch-User: ?1

18 Sec-Fetch-Dest: document

19 Accept-Encoding: gzip, deflate, br

20 Priority: u=0, i

21 Connection: keep-alive

22

23

24

Inspector

⏸

📄

≡

÷

×

Request attributes2 ▾

Request query parameters0 ▾

Request body parameters0 ▾

Request cookies0 ▾

Request headers18 ▾

Response headers8 ▾

Inspector

Notes

Custom actions

🔍

⚙️

⬅️

➡️

Search

🔍

0 highlights

⚙️

Done

785 bytes | 8 millis

Event log

All issues

🕒

Memory: 157.1MB of 7.63GB

🔧 Disabled

▾

1 Burp Project Intruder Repeater View Help

Burp Suite Community Edition v2026.8 - Temporary Project

Dashboard Target **Proxy** Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover

Intercept HTTP history WebSockets history Match and replace Proxy settings

Filter settings: Hiding CSS and image content; hiding specific extensions

Pro version only

Filter on

#	Host	Method	URL	Params	Edited	Status code	Length	MIME type	Extension	Title	Notes	TLS	IP	Cookies	Time	Listener port	Start respon...
1	https://example.com	GET	/			200	785	HTML		Example Domain		✓	104.20.23.154		19:51:33 26 ...	8080	6

Request **Response**

Pretty Raw Hex

```
1 GET / HTTP/1.1
2 Host: example.com
3 Sec-Ch-Ua: "Chromium",v="151", "Not-A.Brand",v="99"
4 Sec-Ch-Ua-Mobile: ?0
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: en-US,en;q=0.9
7 Upgrade-Insecure-Requests: 1
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/151.0.0.0 Safari/537.36
9 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
10 Sec-Fetch-Site: none
11 Sec-Fetch-Mode: navigate
12 Sec-Fetch-User: ?1
13 Sec-Fetch-Dest: document
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=0, i
16 Connection: keep-alive
17
18
```

Inspector

Request attributes 2

Request headers 15

Response headers 8

Event log All issues

Memory: 157.1MB of 7.63GB Disabled

1 Burp Project Intruder Repeater View Help

Burp Suite Community Edition v2026.8 - Temporary Project

Dashboard Target **Proxy** Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover

Intercept HTTP history WebSockets history Match and replace Proxy settings

Filter settings: Hiding CSS and image content; hiding specific extensions

Pro version only

Filter on

#	Host	Method	URL	Params	Edited	Status code	Length	MIME type	Extension	Title	Notes	TLS	IP	Cookies	Time	Listener port	Start respon...
1	https://example.com	GET	/			200	785	HTML		Example Domain		✓	104.20.23.154		19:51:33 26 ...	8080	6

Request **Response**

Pretty Raw Hex Render

```
HTTP/2 200 OK
Date: Sat, 26 Sep 2026 14:09:27 GMT
Content-Type: text/html
Server: cloudflare
Last-Modified: Sat, 26 Sep 2026 09:10:30 GMT
Allow: GET, HEAD
Age: 6656
CF-Cache-Status: HIT
CF-Ray: a412d8b5e0aa1b3-RTH
<!doctype html><html lang="en">
<head>
<title>
Example Domain
</title>
<link rel="icon" href="data:,"
<meta name="viewport" content="width=device-width, initial-scale=1">
<style>
body{
background:#eee;
width:60vw;

```

Inspector

Request attributes 2

Request headers 15

Response headers 8

Event log All issues

Memory: 157.1MB of 7.63GB Disabled