1. แผนภาพ ER Diagram ภาพรวมทั้งระบบ (Full System Overview — Light Theme)

SmartCareer — Entity-Relationship (ER) Diagram

PostgreSQL Database Schema (Prisma ORM) • 30 Models & 37 Foreign-Key Relationships

Users & Auth · Companies · Candidate & GitHub · Jobs & Applications · Skills & Courses · Assessments & AI Grading · PK Primary Key · FK Foreign Key · UK Unique

1. USERS, AUTH & COMPANIES

1. User — `users`

PK id	UUID
UK email	String
passwordHash	String?
role	UserRole
authProvider, providerId	AuthProvider
avatarUrl, isActive, tokenVersion	String? / Bool / Int
createdAt, updatedAt	DateTime

2. CompanyMember — `company_members`

PK id	UUID
FK UK userId	UUID
FK UK companyId	UUID
role, createdAt	String / DateTime

3. Company — `companies`

PK id	UUID
name, UK slug	String
industry, companySize, website	String?
contactEmail, contactPhone, logoUrl	String?
verificationStatus	VerificationStatus
createdAt, updatedAt	DateTime

4. CompanyVerification — `company_verifications`

PK id	UUID
FK companyId	UUID
businessRegNo, documents	String? / Json?
status, reviewedBy, reviewedAt	VerificationStatus

5. Notification — `notifications`

PK id	UUID
FK userId	UUID
type, title, message, link	NotificationType
isRead, metadata, createdAt	Bool / Json? / Date

6. AdminAuditLog — `admin_audit_logs`

PK id	UUID
FK actorId	UUID
action, targetType, targetId	String
metadata, createdAt	Json? / DateTime

7. AuthChallenge — `auth_challenges`

PK id	String
purpose, payload	Json
expiresAt	DateTime

8. AuthRateLimit — `auth_rate_limits`

PK key	String
count	Int
expiresAt	DateTime

2. CANDIDATE & GITHUB PORTFOLIO

9. CandidateProfile — `candidate_profiles`

PK id	UUID
FK UK userId	UUID
fullName, headline, bio	String
education, experience	Json?
targetCareer	String?
UK githubUsername	String?
githubConnectedAt, createdAt	DateTime

10. CandidateSkill — `candidate_skills`

PK id	UUID
FK UK candidateId	UUID
FK UK skillId	UUID
theoryScore, codingScore	Float (0-100)
practicalScore, verifiedScore	Float
isVerified, verifiedAt	Bool / DateTime?

11. GitHubRepository — `github_repositories`

PK id	UUID
FK UK candidateId	UUID
UK fullName, repoName	String
url, language, isFork	String / Bool
stargazersCount, forksCount	Int
topics, languagesBreakdown	Json?

12. GitHubEvidence — `github_evidences`

PK id	UUID
FK candidateSkillId	UUID
FK repositoryId	UUID
dependencyMatches	Json?
commitCount, linesOfCode	Int
scoreContribution, detectedAt	Float / DateTime

13. CompanyEvaluation (4D) — `company_evaluations`

PK id	UUID
FK UK applicationId	UUID
FK companyId	UUID
FK candidateId	UUID
technical, problemSolving	Int (1-5)
communication, teamwork	Int (1-5)
overallFeedback, strengths	String / Json?

3. JOBS, APPLICATIONS & INGESTION

14. Job — `jobs`

PK id	UUID
FK companyId	UUID?
FK customAssessmentId	UUID?
companyName, title, slug	String
location, isRemote, employmentType	JobType
salaryMin, salaryMax, currency	Int? / String
source, externalId, isActive	JobSource

15. JobSkill — `job_skills`

PK id	UUID
FK UK jobId	UUID
FK UK skillId	UUID
isRequired, weight, minimumScore	Bool / Float

16. JobFavorite — `job_favorites`

PK id	UUID
FK UK candidateId	UUID
FK UK jobId	UUID
createdAt	DateTime

17. JobApplication — `job_applications`

PK id	UUID
FK UK jobId	UUID
FK UK candidateId	UUID
FK assignedAssessmentId	UUID?
status, UK roundNumber	ApplicationStatus
matchScoreAtApplication	Float?
matchAssessmentSnapshot	Json?

18. ApplicationStatusHistory — `application_status_histories`

PK id	UUID
FK applicationId	UUID
FK changedById	UUID?
previousStatus, newStatus	ApplicationStatus
note, createdAt	String? / DateTime

19. IngestionRun — `ingestion_runs`

PK id	UUID
UK requestKey, activeKey	String
source, quota, state	String / Int

20. IngestionLog — `ingestion_logs`

PK id	UUID
source, status	IngestionStatus
created, updated, error	Int counts

4. SKILLS, FRAMEWORKS & COURSES

21. Skill — `skills`

PK id	UUID
UK name	String
UK slug	String
category	SkillCategory
description, icon, createdAt	String? / DateTime

22. SkillFrameworkItem — `skill_framework_items`

PK id	UUID
FK frameworkId	UUID
FK skillId	UUID
topicName, level	String
requiredScore, description	Float / String?

23. SkillFramework — `skill_frameworks`

PK id	UUID
UK code	String
name, provider, version	String
description, createdAt	String? / DateTime

24. CourseSkill — `course_skills`

PK id	UUID
FK UK courseId	UUID
FK UK skillId	UUID
relevanceScore	Float

25. Course — `courses`

PK id	UUID
title, url, thumbnailUrl	String
provider, externalId	CourseSource
level, duration, rating	String / Float?

5. ASSESSMENTS & AI GRADING

26. Assessment — `assessments`

PK id	UUID
FK companyId	UUID?
FK skillId	UUID?
UK slug, title	String
type, version	AssessmentType
timeLimitMinutes, passingScore	Int / Float
feedbackVisibility, isActive	FeedbackVisibility

27. Question — `questions`

PK id	UUID
FK assessmentId	UUID
title, prompt	String
difficulty, points	Difficulty / Int
evaluationMethod	EvaluationMethod
testCases, rubric, starterCode	Json? / String?

28. Choice — `choices`

PK id	UUID
FK questionId	UUID
text, isCorrect, order	String / Bool / Int

29. AssessmentAttempt — `assessment_attempts`

PK id	UUID
FK assessmentId	UUID
FK candidateId	UUID
status, reviewStatus	AttemptStatus
aiScore, humanScore, finalScore	Float?
evaluationSnapshot, integrityEvents	Json?

30. AssessmentAnswer — `assessment_answers`

PK id	UUID
FK attemptId	UUID
FK questionId	UUID
selectedChoiceId, submittedCode	String?
executionResult, isCorrect, points	Json? / Bool / Float

2. แผนภาพ ER Diagram ภาพรวมทั้งระบบ (Full System Overview — Dark Theme)

SmartCareer — Entity-Relationship (ER) Diagram

PostgreSQL Database Schema (Prisma ORM) • 30 Models & 37 Foreign-Key Relationships

Users & Auth · Companies · Candidate & GitHub · Jobs & Applications · Skills & Courses · Assessments & AI Grading · PK Primary Key · FK Foreign Key · UK Unique

1. USERS, AUTH & COMPANIES

1. User — `users`

PK id	UUID
UK email	String
passwordHash	String?
role	UserRole
authProvider, providerId	AuthProvider
avatarUrl, isActive, tokenVersion	String? / Bool / Int
createdAt, updatedAt	DateTime

2. CompanyMember — `company_members`

PK id	UUID
FK UK userId	UUID
FK UK companyId	UUID
role, createdAt	String / DateTime

3. Company — `companies`

PK id	UUID
name, UK slug	String
industry, companySize, website	String?
contactEmail, contactPhone, logoUrl	String?
verificationStatus	VerificationStatus
createdAt, updatedAt	DateTime

4. CompanyVerification — `company_verifications`

PK id	UUID
FK companyId	UUID
businessRegNo, documents	String? / Json?
status, reviewedBy, reviewedAt	VerificationStatus

5. Notification — `notifications`

PK id	UUID
FK userId	UUID
type, title, message, link	NotificationType
isRead, metadata, createdAt	Bool / Json? / Date

6. AdminAuditLog — `admin_audit_logs`

PK id	UUID
FK actorId	UUID
action, targetType, targetId	String
metadata, createdAt	Json? / DateTime

7. AuthChallenge — `auth_challenges`

PK id	String
purpose, payload	Json
expiresAt	DateTime

8. AuthRateLimit — `auth_rate_limits`

PK key	String
count	Int
expiresAt	DateTime

2. CANDIDATE & GITHUB PORTFOLIO

9. CandidateProfile — `candidate_profiles`

PK id	UUID
FK UK userId	UUID
fullName, headline, bio	String
education, experience	Json?
targetCareer	String?
UK githubUsername	String?
githubConnectedAt, createdAt	DateTime

10. CandidateSkill — `candidate_skills`

PK id	UUID
FK UK candidateId	UUID
FK UK skillId	UUID
theoryScore, codingScore	Float (0-100)
practicalScore, verifiedScore	Float
isVerified, verifiedAt	Bool / DateTime?

11. GitHubRepository — `github_repositories`

PK id	UUID
FK UK candidateId	UUID
UK fullName, repoName	String
url, language, isFork	String / Bool
stargazersCount, forksCount	Int
topics, languagesBreakdown	Json?

12. GitHubEvidence — `github_evidences`

PK id	UUID
FK candidateSkillId	UUID
FK repositoryId	UUID
dependencyMatches	Json?
commitCount, linesOfCode	Int
scoreContribution, detectedAt	Float / DateTime

13. CompanyEvaluation (4D) — `company_evaluations`

PK id	UUID
FK UK applicationId	UUID
FK companyId	UUID
FK candidateId	UUID
technical, problemSolving	Int (1-5)
communication, teamwork	Int (1-5)
overallFeedback, strengths	String / Json?

3. JOBS, APPLICATIONS & INGESTION

14. Job — `jobs`

PK id	UUID
FK companyId	UUID?
FK customAssessmentId	UUID?
companyName, title, slug	String
location, isRemote, employmentType	JobType
salaryMin, salaryMax, currency	Int? / String
source, externalId, isActive	JobSource

15. JobSkill — `job_skills`

PK id	UUID
FK UK jobId	UUID
FK UK skillId	UUID
isRequired, weight, minimumScore	Bool / Float

16. JobFavorite — `job_favorites`

PK id	UUID
FK UK candidateId	UUID
FK UK jobId	UUID
createdAt	DateTime

17. JobApplication — `job_applications`

PK id	UUID
FK UK jobId	UUID
FK UK candidateId	UUID
FK assignedAssessmentId	UUID?
status, UK roundNumber	ApplicationStatus
matchScoreAtApplication	Float?
matchAssessmentSnapshot	Json?

18. ApplicationStatusHistory — `application_status_histories`

PK id	UUID
FK applicationId	UUID
FK changedById	UUID?
previousStatus, newStatus	ApplicationStatus
note, createdAt	String? / DateTime

19. IngestionRun — `ingestion_runs`

PK id	UUID
UK requestKey, activeKey	String
source, quota, state	String / Int

20. IngestionLog — `ingestion_logs`

PK id	UUID
source, status	IngestionStatus
created, updated, error	Int counts

4. SKILLS, FRAMEWORKS & COURSES

21. Skill — `skills`

PK id	UUID
UK name	String
UK slug	String
category	SkillCategory
description, icon, createdAt	String? / DateTime

22. SkillFrameworkItem — `skill_framework_items`

PK id	UUID
FK frameworkId	UUID
FK skillId	UUID
topicName, level	String
requiredScore, description	Float / String?

23. SkillFramework — `skill_frameworks`

PK id	UUID
UK code	String
name, provider, version	String
description, createdAt	String? / DateTime

24. CourseSkill — `course_skills`

PK id	UUID
FK UK courseId	UUID
FK UK skillId	UUID
relevanceScore	Float

25. Course — `courses`

PK id	UUID
title, url, thumbnailUrl	String
provider, externalId	CourseSource
level, duration, rating	String / Float?

5. ASSESSMENTS & AI GRADING

26. Assessment — `assessments`

PK id	UUID
FK companyId	UUID?
FK skillId	UUID?
UK slug, title	String
type, version	AssessmentType
timeLimitMinutes, passingScore	Int / Float
feedbackVisibility, isActive	FeedbackVisibility

27. Question — `questions`

PK id	UUID
FK assessmentId	UUID
title, prompt	String
difficulty, points	Difficulty / Int
evaluationMethod	EvaluationMethod
testCases, rubric, starterCode	Json? / String?

28. Choice — `choices`

PK id	UUID
FK questionId	UUID
text, isCorrect, order	String / Bool / Int

29. AssessmentAttempt — `assessment_attempts`

PK id	UUID
FK assessmentId	UUID
FK candidateId	UUID
status, reviewStatus	AttemptStatus
aiScore, humanScore, finalScore	Float?
evaluationSnapshot, integrityEvents	Json?

30. AssessmentAnswer — `assessment_answers`

PK id	UUID
FK attemptId	UUID
FK questionId	UUID
selectedChoiceId, submittedCode	String?
executionResult, isCorrect, points	Json? / Bool / Float

Domain 1: Users, Auth, Companies & Security (Full Schema)

9 Models • Complete Column Definitions, Primary/Foreign Keys & Constraints

PK Primary Key FK Foreign Key UK Unique

User — users

PK	id	String @default(uuid())
UK	email	String @unique
	passwordHash	String?
	role	UserRole @default(CANDIDATE)
	authProvider	AuthProvider @default(LOCAL)
	providerId	String?
	avatarUrl	String?
	isActive	Boolean @default(true)
	tokenVersion	Int @default(0)
	createdAt	DateTime @default(now())
	updatedAt	DateTime @updatedAt

CandidateProfile — candidate_profiles

PK	id	String @default(uuid())
FK UK	userId	String @unique -> users.id
	fullName	String
	headline	String?
	bio	String?
	avatarUrl	String?
	education	Json?
	experience	Json?
	targetCareer	String?
UK	githubUsername	String? @unique
	githubConnectedAt	DateTime?
	createdAt	DateTime @default(now())
	updatedAt	DateTime @updatedAt

Company — companies

PK	id	String @default(uuid())
	name	String
UK	slug	String @unique
	industry	String?
	companySize	String?
	description	String?
	website	String?
	address	String?
	contactEmail	String?
	contactPhone	String?
	logoUrl	String?
	verificationStatus	VerificationStatus
	createdAt	DateTime @default(now())
	updatedAt	DateTime @updatedAt

Notification — notifications

PK	id	String @default(uuid())
FK	userId	String -> users.id
	type	NotificationType
	title	String
	message	String
	link	String?
	metadata	Json?
	isRead	Boolean @default(false)
	createdAt	DateTime @default(now())

CompanyMember — company_members

PK	id	String @default(uuid())
FK UK	userId	String -> users.id
FK UK	companyId	String -> companies.id
	role	String @default("RECRUITER")
	createdAt	DateTime @default(now())

CompanyVerification — company_verifications

PK	id	String @default(uuid())
FK	companyId	String -> companies.id
	businessRegNo	String?
	documents	Json?
	status	VerificationStatus
	reviewedBy	String? (Admin userId)
	reviewedAt	DateTime?
	rejectionReason	String?
	createdAt	DateTime @default(now())

AdminAuditLog — admin_audit_logs

PK	id	String @default(uuid())
FK	actorId	String -> users.id
	action	String
	targetType	String
	targetId	String?
	metadata	Json?
	createdAt	DateTime @default(now())

AuthChallenge — auth_challenges

PK	id	String
	purpose	String
	payload	Json
	expiresAt	DateTime @@index

AuthRateLimit — auth_rate_limits

PK	key	String
	count	Int
	expiresAt	DateTime @@index

Domain 2: Skills, GitHub Portfolio, Frameworks & Courses (Full Schema)

8 Models • Complete Column Definitions, Primary/Foreign Keys & Constraints

PK Primary Key FK Foreign Key UK Unique

CandidateProfile (Ref) — candidate_profiles

PK	id	String @default(uuid())
FK UK	userId	String @unique
	fullName, targetCareer	String
UK	githubUsername	String? @unique

CandidateSkill — candidate_skills

PK	id	String @default(uuid())
FK UK	candidateId	String -> candidate_profiles.id
FK UK	skillId	String -> skills.id
	practicalScore	Float @default(0)
	theoryScore	Float @default(0)
	codingScore	Float @default(0)
	verifiedScore	Float @default(0)
	isVerified	Boolean @default(false)
	verifiedAt	DateTime?
	updatedAt	DateTime @updatedAt

GitHubRepository — github_repositories

PK	id	String @default(uuid())
FK UK	candidateId	String -> candidate_profiles.id
	repoName	String
UK	fullName	String @@unique([candidateId, fullName])
	description	String?
	url	String
	language	String?
	stargazersCount	Int @default(0)
	forksCount	Int @default(0)
	isFork	Boolean @default(false)
	lastCommitAt	DateTime?
	topics	Json?
	languagesBreakdown	Json?
	createdAt	DateTime @default(now())

Skill (Master) — skills

PK	id	String @default(uuid())
UK	name	String @unique
UK	slug	String @unique
	category	SkillCategory @default(BACKEND)
	description	String?
	icon	String?
	createdAt	DateTime @default(now())

GitHubEvidence — github_evidences

PK	id	String @default(uuid())
FK	candidateSkillId	String -> candidate_skills.id
FK	repositoryId	String -> github_repositories.id
	dependencyMatches	Json?
	commitCount	Int @default(0)
	linesOfCode	Int @default(0)
	scoreContribution	Float @default(0)
	detectedAt	DateTime @default(now())

CourseSkill — course_skills

PK	id	String @default(uuid())
FK UK	courseId	String -> courses.id
FK UK	skillId	String -> skills.id
	relevanceScore	Float @default(1.0)

SkillFramework — skill_frameworks

PK	id	String @default(uuid())
	name	String
	provider	String (AWS, MICROSOFT, etc.)
UK	code	String @unique
	description	String?
	version	String?
	createdAt	DateTime @default(now())

SkillFrameworkItem — skill_framework_items

PK	id	String @default(uuid())
FK	frameworkId	String -> skill_frameworks.id
FK	skillId	String -> skills.id
	topicName	String
	level	String @default("ASSOCIATE")
	requiredScore	Float @default(70)
	description	String?

Course — courses

PK	id	String @default(uuid())
	title	String
	provider	CourseSource @default(YOUTUBE)
	description	String?
	url	String
	thumbnailUrl	String?
	duration	String?
	level	String @default("All Levels")
	rating	Float?
	source	String @default("YouTube")
	externalId	String?
	publishedAt	DateTime?
	createdAt	DateTime @default(now())

Domain 3: Jobs, Applications, 4D Evaluations & Ingestion (Full Schema)

8 Models • Complete Column Definitions, Primary/Foreign Keys & Constraints

PK Primary Key FK Foreign Key UK Unique

Job — jobs

PK id	String @default(uuid())
FK companyId	String? -> companies.id
companyName	String
companyLogoUrl	String?
title	String
slug	String
description	String
requirements, benefits	String?
location	String
isRemote	Boolean @default(false)
employmentType	JobType @default(FULL_TIME)
salaryMin, salaryMax	Int?
salaryCurrency	String @default("THB")
source	JobSource @default(INTERNAL)
sourceUrl, externalId	String?
isActive	Boolean @default(true)
acceptedQuota	Int?
FK customAssessmentId	String? -> assessments.id
publishedAt, expiresAt	DateTime
createdAt, updatedAt	DateTime

JobSkill — job_skills

PK id	String @default(uuid())
FK UK jobId	String -> jobs.id
FK UK skillId	String -> skills.id
isRequired	Boolean @default(true)
weight	Float @default(1.0)
minimumScore	Float @default(50)

JobApplication — job_applications

PK id	String @default(uuid())
FK UK jobId	String -> jobs.id
FK UK candidateId	String -> candidate_profiles.id
status	ApplicationStatus @default(APPLIED)
UK roundNumber	Int @default(1)
coverLetter, resumeUrl	String?
matchScoreAtApplication	Float?
matchAssessmentSnapshot	Json?
internalNote	String?
FK assignedAssessmentId	String? -> assessments.id
createdAt, updatedAt	DateTime

ApplicationStatusHistory — application_status_histories

PK id	String @default(uuid())
FK applicationId	String -> job_applications.id
previousStatus	ApplicationStatus?
newStatus	ApplicationStatus
FK changedById	String? -> users.id
note	String?
createdAt	DateTime @default(now())

JobFavorite — job_favorites

PK id	String @default(uuid())
FK UK candidateId	String -> candidate_profiles.id
FK UK jobId	String -> jobs.id
createdAt	DateTime @default(now())

CompanyEvaluation (4D) — company_evaluations

PK id	String @default(uuid())
FK UK applicationId	String @unique -> job_applications.id
FK companyId	String -> companies.id
FK candidateId	String -> candidate_profiles.id
technicalScore	Int @default(3) (1-5)
problemSolvingScore	Int @default(3) (1-5)
communicationScore	Int @default(3) (1-5)
teamworkScore	Int @default(3) (1-5)
overallFeedback	String
strengths	Json?
areasForImprovement	Json?
createdAt	DateTime @default(now())

IngestionRun — ingestion_runs

PK id	String @default(uuid())
UK requestKey	String @unique
source, quota, state	String / Int
UK activeKey	String? @unique
parentId	String?
startedAt, heartbeatAt, finishedAt	DateTime
result	Json?

IngestionLog — ingestion_logs

PK id	String @default(uuid())
source	String
status	IngestionStatus @default(SUCCESS)
startedAt, finishedAt	DateTime
createdCount, updatedCount	Int
duplicateCount, errorCount	Int
errorMessage, metadata	String? / Json?

Domain 4: Assessments, Questions, Attempts & AI/Human Grading (Full Schema)

5 Core Models • Complete Column Definitions, Primary/Foreign Keys & Constraints

PK Primary Key FK Foreign Key UK Unique

Assessment — assessments

PK id	String @default(uuid())
FK companyId	String? -> companies.id
title	String
UK slug	String @unique
description	String?
frameworkCode, frameworkVersion	String?
frameworkScope	String?
type	AssessmentType @default(THEORY)
FK skillId	String? -> skills.id
version	Int @default(1)
timeLimitMinutes	Int @default(30)
passingScore	Float @default(70)
feedbackVisibility	FeedbackVisibility
isActive	Boolean @default(true)
createdAt, updatedAt	DateTime

Question — questions

PK id	String @default(uuid())
FK assessmentId	String -> assessments.id
title	String
prompt	String
frameworkTopicId	String?
frameworkMappingNote	String?
difficulty	QuestionDifficulty @default(MEDIUM)
points	Int @default(10)
starterCode	String?
testCases	Json?
evaluationMethod	QuestionEvaluationMethod
rubric	Json?
behavioralChecks	Json?
solutionCode, explanation	String?
version	Int @default(1)
createdAt	DateTime @default(now())

Choice (Theory Options) — choices

PK id	String @default(uuid())
FK questionId	String -> questions.id
text	String
isCorrect	Boolean @default(false)
order	Int @default(0)

AssessmentAttempt — assessment_attempts

PK id	String @default(uuid())
FK assessmentId	String -> assessments.id
FK candidateId	String -> candidate_profiles.id
status	AttemptStatus @default(IN_PROGRESS)
assessmentVersion	Int @default(1)
score, maxScore, percentage	Float?
passed	Boolean?
aiScore, humanScore, finalScore	Float?
reviewStatus	AssessmentReviewStatus
reviewedById, reviewedAt, reviewReason	String? / DateTime?
evaluationSnapshot	Json? (AI Rubric Breakdown)
evaluatorModel, evaluatorProvider	String?
promptVersion	String?
sourceCode	String? @db.Text
timeSpentSeconds	Int @default(0)
snapshot, integrityEvents, draftCode	Json?
startedAt, completedAt	DateTime

AssessmentAnswer — assessment_answers

PK id	String @default(uuid())
FK attemptId	String -> assessment_attempts.id
FK questionId	String -> questions.id
selectedChoiceId	String?
submittedCode	String?
executionResult	Json? (stdout, stderr, status)
isCorrect	Boolean @default(false)
pointsEarned	Float @default(0)
createdAt	DateTime @default(now())

7. ตารางสรุปโครงสร้างตารางและความสัมพันธ์ (Entity Reference — ตารางที่ 1 ถึง 16)

#	Model (Prisma)	Table Name (PostgreSQL)	Domain	Primary / Unique Keys	คำอธิบายหน้าที่และความสัมพันธ์ (Foreign Keys)
1	**User**	`users`	Users & Auth	PK: `id` UK: `email`	บัญชีผู้ใช้หลัก (CANDIDATE, COMPANY, ADMIN) เชื่อม 1:1 กับ CandidateProfile และ 1:N กับ CompanyMember, Notification, AdminAuditLog
2	**CandidateProfile**	`candidate_profiles`	Candidate	PK: `id` UK: `userId`, `githubUsername`	ข้อมูลโปรไฟล์ผู้สมัครงาน การศึกษา ประสบการณ์ อาชีพเป้าหมาย • FK: `userId` → `users.id` (Cascade)
3	**Company**	`companies`	Companies	PK: `id` UK: `slug`	ข้อมูลบริษัทและสถานะการยืนยันตัวตน • เชื่อม 1:N กับ CompanyMember, CompanyVerification, Job, Assessment, CompanyEvaluation
4	**CompanyMember**	`company_members`	Companies	PK: `id` UK: `(userId, companyId)`	ตารางเชื่อมผู้ใช้เข้ากับบริษัท (OWNER, RECRUITER, HR) • FK: `userId` → `users.id`, `companyId` → `companies.id`
5	**CompanyVerification**	`company_verifications`	Companies	PK: `id`	คำขอยืนยันนิติบุคคลและเอกสารแนบ • FK: `companyId` → `companies.id` (Cascade)
6	**Skill**	`skills`	Skills & Courses	PK: `id` UK: `name`, `slug`	ข้อมูลทักษะหลัก (Master Data) แยกตามหมวดหมู่ (SkillCategory) • เชื่อมกับ CandidateSkill, JobSkill, CourseSkill, Assessment
7	**CandidateSkill**	`candidate_skills`	Candidate	PK: `id` UK: `(candidateId, skillId)`	คะแนนทักษะของผู้สมัคร (theoryScore, codingScore, practicalScore) • FK: `candidateId` → `candidate_profiles.id`, `skillId` → `skills.id`
8	**GitHubRepository**	`github_repositories`	Candidate	PK: `id` UK: `(candidateId, fullName)`	ข้อมูล Repository ที่ซิงก์จาก GitHub ของผู้สมัคร • FK: `candidateId` → `candidate_profiles.id`
9	**GitHubEvidence**	`github_evidences`	Candidate	PK: `id`	หลักฐานการใช้ทักษะที่สกัดได้จาก Repo (Dependencies, Commits, LOC) • FK: `candidateSkillId` → `candidate_skills.id`, `repositoryId` → `github_repositories.id`
10	**SkillFramework**	`skill_frameworks`	Skills & Courses	PK: `id` UK: `code`	กรอบมาตรฐานทักษะสากล (AWS, MICROSOFT, GOOGLE_CLOUD, COMPTIA, INTERNAL) • เชื่อม 1:N กับ SkillFrameworkItem
11	**SkillFrameworkItem**	`skill_framework_items`	Skills & Courses	PK: `id`	หัวข้อย่อยและเกณฑ์คะแนนในกรอบมาตรฐานทักษะ • FK: `frameworkId` → `skill_frameworks.id`, `skillId` → `skills.id`
12	**Job**	`jobs`	Jobs & Apps	PK: `id`	ประกาศรับสมัครงาน (ทั้งภายในและดึงจากภายนอก) • FK: `companyId` → `companies.id`, `customAssessmentId` → `assessments.id`
13	**JobSkill**	`job_skills`	Jobs & Apps	PK: `id` UK: `(jobId, skillId)`	ทักษะที่ต้องการในแต่ละตำแหน่งงาน (Required / Preferred, Weight, MinScore) • FK: `jobId` → `jobs.id`, `skillId` → `skills.id`
14	**JobApplication**	`job_applications`	Jobs & Apps	PK: `id` UK: `(jobId, candidateId, roundNumber)`	ใบสมัครงาน คะแนน Match ณ ตอนสมัคร และข้อสอบที่ได้รับมอบหมาย • FK: `jobId` → `jobs.id`, `candidateId` → `candidate_profiles.id`, `assignedAssessmentId` → `assessments.id`
15	**JobFavorite**	`job_favorites`	Jobs & Apps	PK: `id` UK: `(candidateId, jobId)`	รายการงานที่ผู้สมัครกดบันทึกไว้ (Bookmark/Favorite) • FK: `candidateId` → `candidate_profiles.id`, `jobId` → `jobs.id`
16	**ApplicationStatusHistory**	`application_status_histories`	Jobs & Apps	PK: `id`	ประวัติการเปลี่ยนสถานะใบสมัครงานพร้อมบันทึกผู้เปลี่ยน • FK: `applicationId` → `job_applications.id`, `changedById` → `users.id`

8. ตารางสรุปโครงสร้างตาราง (ตารางที่ 17 ถึง 30) และ Enums ทั้งหมดในระบบ

#	Model (Prisma)	Table Name (PostgreSQL)	Domain	Primary / Unique Keys	คำอธิบายหน้าที่และความสัมพันธ์ (Foreign Keys)
17	**Assessment**	`assessments`	Assessments	PK: `id` UK: `slug`	ชุดข้อสอบวัดทักษะ (THEORY / PRACTICAL_CODING) ทั้งข้อสอบกลางและข้อสอบเฉพาะบริษัท • FK: `companyId` → `companies.id` , `skillId` → `skills.id`
18	**Question**	`questions`	Assessments	PK: `id`	โจทย์คำถาม, Starter Code, Test Cases และเกณฑ์ Rubric • FK: `assessmentId` → `assessments.id` (Cascade)
19	**Choice**	`choices`	Assessments	PK: `id`	ตัวเลือกคำตอบสำหรับข้อสอบปรนัย (Theory) • FK: `questionId` → `questions.id` (Cascade)
20	**AssessmentAttempt**	`assessment_attempts`	Assessments	PK: `id`	การเข้าทำข้อสอบ คะแนน AI/Human, AI Evaluation Snapshot และ Integrity Events • FK: `assessmentId` → `assessments.id` , `candidateId` → `candidate_profiles.id`
21	**AssessmentAnswer**	`assessment_answers`	Assessments	PK: `id`	คำตอบรายข้อ โค้ดที่ส่ง และผลลัพธ์การรันโค้ด (Execution Result) • FK: `attemptId` → `assessment_attempts.id` , `questionId` → `questions.id`
22	**CompanyEvaluation**	`company_evaluations`	Companies	PK: `id` UK: `applicationId` (1:1)	ผลประเมินผู้สมัคร 4 มิติ (Technical, Problem Solving, Communication, Teamwork 1-5) • FK: `applicationId` → `job_applications.id` , `companyId` → `companies.id` , `candidateId` → `candidate_profiles.id`
23	**Course**	`courses`	Skills & Courses	PK: `id`	คอร์สเรียนแนะนำ (YouTube / Udemy) สำหรับวางแผนการเรียนรู้ (Learning Plan) • เชื่อม 1:N กับ CourseSkill
24	**CourseSkill**	`course_skills`	Skills & Courses	PK: `id` UK: `(courseId, skillId)`	ตารางเชื่อมคอร์สเรียนกับทักษะและค่าความเกี่ยวข้อง (relevanceScore) • FK: `courseId` → `courses.id` , `skillId` → `skills.id`
25	**Notification**	`notifications`	Users & Auth	PK: `id`	การแจ้งเตือนในระบบของผู้ใช้แต่ละคน • FK: `userId` → `users.id` (Cascade)
26	**AdminAuditLog**	`admin_audit_logs`	Users & Auth	PK: `id`	บันทึกประวัติการกระทำของแอดมิน (Audit Trail) • FK: `actorId` → `users.id` (Cascade)
27	**IngestionRun**	`ingestion_runs`	System / Ops	PK: `id` UK: `requestKey` , `activeKey`	ตารางควบคุม Distributed Lock และสถานะการทำงานขณะดึงข้อมูลประกาศงานจากภายนอก (Standalone)
28	**IngestionLog**	`ingestion_logs`	System / Ops	PK: `id`	บันทึกประวัติและสถิติผลการดึงข้อมูลงาน (จำนวนที่สร้าง, อัปเดต, ซ้ำ, ข้อผิดพลาด) (Standalone)
29	**AuthChallenge**	`auth_challenges`	System / Ops	PK: `id`	เก็บสถานะ OAuth Challenge และรหัสแลกเปลี่ยน Token แบบใช้ครั้งเดียว (Standalone, Index: `expiresAt`)
30	**AuthRateLimit**	`auth_rate_limits`	System / Ops	PK: `key`	จำกัดอัตราการเรียกใช้งานระบบยืนยันตัวตน (Rate Limit Counter) (Standalone, Index: `expiresAt`)