

ID	Test Case	Precondition
NAME		
1	Name accepts only letters	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
2	Name accepts letters and space	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
3	Name accepts letters and hyphen	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
4	Name rejects numbers	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
5	Name rejects special character	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
6	Name required (empty)	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
7	Name below minimum limit	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
8	Name at minimum limit	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
9	Name at maximum limit	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
10	Name above maximum limit	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
39	Name with accented letter	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
41	Name with leading/trailing spaces (trim)	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.

49	Name doesn't revalidate after correction (error persists with a valid value)	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
----	--	--

SURNAME

11	Surname below minimum limit	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
12	Surname at minimum limit	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
13	Surname within valid range	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
14	Surname with number in the 15th character	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
15	Surname rejects numbers	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
16	Surname rejects special character	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
17	Simple valid surname	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
18	Surname required (empty)	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
40	Surname with accented letters	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.

42	Surname with leading/trailing spaces (trim)	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
50	Surname accepts value far above the maximum limit (63 characters)	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
65	Surname at the specified maximum limit (15 characters)	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
66	Surname above the specified maximum limit (16 characters)	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
67	Surname accepts letters and hyphen	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.

ADDRESS

19	Complete valid address	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
20	Address removes leading/trailing spaces (trim)	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
21	Address at minimum limit	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
22	Address below minimum limit	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
23	Address above maximum limit	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
24	Address required (empty)	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.

25	Address rejects disallowed character	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
43	Address at the documented maximum limit (50 characters)	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
44	Address above the documented limit (51 characters)	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.

PHONE

29	Phone below minimum limit	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
30	Phone at the specified minimum limit (10 characters)	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
31	Phone with 11 characters - inconsistent state	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
32	Phone at the specified maximum limit (12 characters)	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
33	Phone above the specified maximum (13 characters)	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
34	Phone far above the maximum (14 characters)	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
35	Phone without the required '+' symbol	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
36	Phone rejects letters	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
37	Phone required (empty)	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.

45	Phone with spaces between numbers	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
46	Phone with hyphens between numbers	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.

METRO STATION

26	Station selected via suggestion	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
27	Station required (empty)	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
28	Station with text that doesn't match any suggestion	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.

COOKIE BANNER

38	Cookie banner doesn't disappear completely	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
----	--	--

E2E FLOW / PERSISTENCE

47	Complete flow (E2E) with all valid fields	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.
48	Data persistence when switching between forms	User is on the "Place order" screen, in the "Who is the scooter for" form (first step of the order). Cookie banner already accepted.

ORDER STATUS

51	Confirmation popup shows the order number after 'Place order'	User has correctly filled in the 'Who is the scooter for' and 'Rental' forms.
----	---	---

52	'Check status' button leads to the 'Order status' screen with the number pre-filled	Order confirmation popup is open, showing the order number.
53	Order status with a non-existent number shows an error message	User is on the "Order status" screen (accessed via the "Order status" button in the homepage header).
54	Initial order state: "The scooter is in the warehouse"	User is on the "Order status" screen (accessed via the "Order status" button in the homepage header). A valid order was recently created and has not yet been accepted by any courier.
55	Status chain: color scheme, position and legend of layout elements	User is on the "Order status" screen (accessed via the "Order status" button in the homepage header). An order at any stage is being checked.
56	"Courier is on the way" state shows the courier's name	User is on the "Order status" screen (accessed via the "Order status" button in the homepage header). The order being checked has already been accepted by a courier (confirmed in the mobile app).
57	"Courier has arrived" state	User is on the "Order status" screen (accessed via the "Order status" button in the homepage header). The courier pressed the "Complete" button (arrival) in the mobile app for this order.

58	"Okay, let's go for a ride" state shows rental countdown	User is on the "Order status" screen (accessed via the "Order status" button in the homepage header). The courier confirmed delivery completion for this order.
59	Status changes to "Rental time is over" when the period ends	User is on the 'Order status' screen (accessed via the 'Order status' button in the homepage header). The rental period of an already-delivered order has come to an end.
60	Delayed order shows "Courier is delayed" status in red	User is on the "Order status" screen (accessed via the "Order status" button in the homepage header). The courier did not deliver the scooter by the cutoff time of the chosen delivery date (e.g., an order for January 1st not delivered by 11:59 PM the same day).
61	Cancel order: confirmation popup	User is on the "Order status" screen (accessed via the "Order status" button in the homepage header). A valid order, not yet accepted by any courier, is being checked.
62	Cancel order: confirmation deletes the order and returns to the home page	Popup "Would you like to cancel the order?" is open.
63	"Back" button in the cancellation popup keeps the order active	Popup "Would you like to cancel the order?" is open.
64	"Cancel" button cannot be clicked after a courier accepts the order	User is on the "Order status" screen (accessed via the "Order status" button in the homepage header). The order being checked has already been accepted by a courier (status "Courier is on the way" or later).

Test Steps	Equivalence Class	Boundary Values
1. Fill in the "Name" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Valid - letters only (2-15 characters)	-
1. Fill in the "Name" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Valid - letters + space	-
1. Fill in the "Name" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Valid - letters + hyphen	-
1. Fill in the "Name" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Invalid - contains numbers	-
1. Fill in the "Name" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Invalid - special character	-
1. Fill in the "Name" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Invalid - empty field	-
1. Fill in the "Name" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Below minimum (1 character)
1. Fill in the "Name" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Minimum (2 characters)
1. Fill in the "Name" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Maximum (15 characters)
1. Fill in the "Name" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Above maximum (16 characters)
1. Fill in the "Name" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Valid - accented letter (é)	-
1. Fill in the "Name" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Valid - with leading/trailing spaces	-

1. Fill in the "Name" field with "maria" followed by spaces until exceeding 15 characters. 2. Remove focus from the field (Tab) and observe the error. 3. Delete the extra spaces, leaving a valid value ("maria"). 4. Remove focus from the field again and check whether the error disappears.	Exploratory	-
1. Fill in the "Surname" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Below minimum (1 character)
1. Fill in the "Surname" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Minimum (2 characters)
1. Fill in the "Surname" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Valid - letters only	-
1. Fill in the "Surname" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Invalid - contains number	-
1. Fill in the "Surname" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Invalid - contains numbers	-
1. Fill in the "Surname" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Invalid - special character	-
1. Fill in the "Surname" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Valid - letters only	-
1. Fill in the "Surname" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Invalid - empty field	-
1. Fill in the "Surname" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Valid - accented letters (ç, ã)	-

1. Fill in the "Surname" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Valid - with leading/trailing spaces	-
1. Fill in the "Surname" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Far above the specified maximum (63 characters)
1. Fill in the "Surname" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Maximum (15 characters)
1. Fill in the "Surname" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Above maximum (16 characters)
1. Fill in the "Surname" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Valid - letters + hyphen	-
1. Fill in the "Address" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Valid - letters, numbers and comma	-
1. Fill in the "Address" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Valid - with leading/trailing spaces	-
1. Fill in the "Address" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Minimum (5 characters)
1. Fill in the "Address" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Below minimum (4 characters)
1. Fill in the "Address" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Above maximum (67 characters)
1. Fill in the "Address" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Invalid - empty field	-

1. Fill in the "Address" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Invalid - disallowed character (#)	-
1. Fill in the "Address" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Maximum documented in the requirements (50 characters)
1. Fill in the "Address" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Above the documented maximum (51 characters)
1. Fill in the "Phone" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Below minimum (9 characters)
1. Fill in the "Phone" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Minimum specified in the requirements (10 characters)
1. Fill in the "Phone" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Within the 10-12 range (11 characters)
1. Fill in the "Phone" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Specified maximum (12 characters)
1. Fill in the "Phone" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Above the specified maximum (13 characters)
1. Fill in the "Phone" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	-	Far above the maximum (14 characters)
1. Fill in the "Phone" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Invalid - missing the required "+"	-
1. Fill in the "Phone" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Invalid - contains letters	-
1. Fill in the "Phone" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Invalid - empty field	-

1. Fill in the "Phone" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Invalid - contains spaces	-
1. Fill in the "Phone" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Invalid - contains hyphens	-
1. Fill in the "Metro station" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Valid - select station from suggested list	-
1. Fill in the "Metro station" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Invalid - empty field	-
1. Fill in the "Metro station" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Invalid - text not present in the station list	-
1. Fill in the "General / Home page" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Exploratory	-
1. Fill in the "General / Full flow" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Exploratory - positive flow	-
1. Fill in the "General / Full flow" field with the test data. 2. Fill in the other required fields of the form with valid data. 3. Remove focus from the field (Tab) or click "Next" and observe the validation.	Exploratory - specific requirement	-
1. Correctly fill in all required fields in both forms. 2. Click 'Place order'.	-	-

1. Click the "Check status" button in the popup.	-	-
1. Type an order number that doesn't exist in the "Order number" field. 2. Press Enter or click "Go!".	-	-
1. Type the valid order number and press Enter/"Go!".	-	-
1. Check an order and observe the status chain shown on screen (the 4 statuses in vertical/horizontal sequence).	-	-
1. Type the order number and check the status.	-	-
1. Type the order number and check the status.	-	-

1. Type the order number and check the status.	-	-
1. Check the status of an order whose rental period has already expired.	-	-
1. Check the status of a delayed order.	-	-
1. Check the order. 2. Click the "Cancel" button.	-	-
1. Click the "Cancel" button inside the popup.	-	-
1. Click the "Back" button inside the popup.	-	-
1. Check the status of the already-accepted order. 2. Try to click the "Cancel" button.	-	-

Test Data (Equivalence Class)	Test Data (Boundary Values)	Expected Result
Maria	-	Field is accepted, no red border and no error message
Ana Paula	-	Field is accepted, no error
Jean-Pierre	-	Field is accepted, no error
Maria123	-	Red border and message "Enter a valid name"
Maria@Silva	-	Red border and message "Enter a valid name"
"" (empty)	-	Red border and message "Enter a valid name"
-	A	Invalid field: red border and error message
-	Jo	Field is accepted, no error
-	Franciscodesouz	Field is accepted, no error
-	Franciscodesouza	Invalid field: red border and error message
José	-	Field is accepted, no error (accents are part of the Portuguese alphabet)
" Maria "	-	Ideally accepted with spaces removed on blur, as happens with the Address field

maria	-	After correcting the value to something valid and removing focus again, the border should return to normal and the error message should disappear.
-	S	Invalid field: red border and message "Enter a valid name"
-	Si	Field is accepted, no error
Fernandeswouza (14 char.)	-	Field is accepted, no error
Fernandeswouza1	-	Invalid field: red border and error message
Silva123	-	Red border and message "Enter a valid name"
Silva!	-	Red border and message "Enter a valid name"
Silva	-	Field is accepted, no error
"" (empty)	-	Red border and message "Enter a valid name"
Conceição	-	Field is accepted, no error (accents are part of the Portuguese alphabet)

" Silva "	-	Ideally accepted with spaces removed on blur, as happens with the Address field
-	mmmmmmmmmmmmmeee eeeeeeeeeeeeeeeeeeee eeeeeeeeeeeeeeeeeeee eeeeee	Field should be invalid (63 far exceeds the maximum of 15 defined in the requirements)
-	Fernandeswouzam	Field is accepted, no error
-	Fernandeswouzama	Invalid field: red border and error message (exceeds the 15-character limit)
Fernandeswouzama---	-	Field is accepted, no error (hyphen is allowed, same rule as the Name field — see case ID 3)
Rua Augusta, 123	-	Field is accepted, no error
" Rua Teste 55 "	-	Field is accepted; leading/trailing spaces are removed on blur
-	Rua A	Field is accepted, no error
-	Rua5	Invalid field: red border and error message
-	Rua das Palmeiras, numero 123, apto 456, Bairro Jardim das Flores	Invalid field: red border and error message
"" (empty)	-	Red border and error message, same as the other required fields

Rua Augusta #123	-	Red border and error message (character "#" is not a letter, number, space, hyphen, dot or comma)
-	"A" x 50	Field should be accepted (50 is the maximum defined in the requirements)
-	"A" x 51	Invalid field: red border and error message
-	12345678	Invalid field: red border and message "Enter a valid number"
-	123456789	Field should be accepted (10 is the minimum defined in the requirements)
-	1234567890	Field should be accepted (within the specified 10-12 range)
-	12345678901	Field is accepted, no error
-	123456789012	Field should be invalid (13 exceeds the maximum of 12 defined in the requirements)
-	1234567890123	Invalid field: red border and error message
1234567890	-	Red border and message "Enter a valid number"
#ERROR!	-	Red border and message "Enter a valid number"
"" (empty)	-	Red border and message "Enter a valid number"

#ERROR!	-	Red border and error message (rule allows only numbers and "+")
-999999955	-	Red border and error message (rule allows only numbers and "+")
Type "1st" and select "1st Street"	-	The suggestion appears in the dropdown list; when selected, the field is accepted with no error
"" (empty)	-	Red border and message "Choose the station"
Estacao Inventada XYZ	-	Field should become invalid and/or show an error message informing an invalid station
Click "Accept cookies" and navigate to another page	-	The cookie banner disappears completely after acceptance
Name=Maria, Surname=Silva, Address=Rua Augusta 123, Station=1st Street, Phone=+12345678901	-	After filling in all fields with valid data and clicking "Next", the user is taken to the "Rental" screen
Fill in "Who is the scooter for", go to "Rental" and click "Back"	-	The previously filled data (Name, Surname, Address, Station, Phone) remains in the fields
-	-	A popup appears with the text "Order number: NNNNNN. Write it down: it will come in handy to keep track of the status", with a "Check status" button.

-	-	User is taken to the "Order status" screen, with the "Order number" field already filled in with the newly created order number.
-	-	The error message "This order doesn't exist. Is the number correct?" is shown.
-	-	The status "The scooter is in the warehouse" appears active (highlighted in black), while the other statuses in the chain appear in gray. The order data (name, surname, address, etc.) is displayed correctly.
-	-	The status chain is shown with the 4 (or 5, considering "The rental period has ended") stages in sequence. The current status is highlighted in black (text and/or number), statuses not yet reached appear in gray, and completed statuses have the number replaced with a check icon. Order data (name, surname, address) appears above the status chain; if the text doesn't fit on one line, it continues on the next line.
-	-	The "Courier is on the way" status becomes active (black), the previous status ("The scooter is in the warehouse") shows a check. The displayed text is "Courier {name} is on the way to you", with the name of the courier who accepted the order. If the name is too long, the text continues on the second line.
-	-	The "Courier has arrived" status becomes active (black); previous statuses show a check.

-	-	The "Okay, let's go for a ride" status becomes active (black). Below the title, the text "The rental ends on {date}" appears, calculated from the moment the scooter was delivered, showing the remaining days.
-	-	The status changes to "Rental time is over", with the caption "The courier will pick up the scooter soon". (Note: a 5th front-end status, "The rental period has ended", used to exist in this spot, but today the text of the 4th status simply turns gray like the others, since the back-end doesn't implement this 5th status.)
-	-	The status changes to "Courier is delayed" and the caption shown is "We won't be able to deliver the scooter in time. To clarify the status of your order, call support: 0101." Both the status and the caption are highlighted in red.
-	-	A popup appears with the text "Would you like to cancel the order?" and two buttons: "Back" and "Cancel".
-	-	A new popup appears with the text "The order has been canceled. Feel free to come back at any time :)" and an "Okay" button. Clicking "Okay" takes the user to the home page. The canceled order is deleted from the system and can no longer be checked (should show the "order doesn't exist" message if the same number is checked again).
-	-	The popup closes and the user returns to the "Order status" screen, with the order still active (not canceled).
-	-	The "Cancel" button can no longer be clicked (disabled or absent), since cancellation is only allowed before acceptance by a courier.

Actual Result	Actual Result - Chrome 1280x720
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
BUG: rejected with the message "Enter a valid name", even though "é" is a valid letter in Portuguese	BUG - see bugs tab — tested version: Chrome 149.0.0.0 (macOS)
NOTE: field is accepted (no error), but the leading/trailing spaces are NOT removed - inconsistent behavior compared to the Address field, which does trim	OK (accepted), but inconsistent with Address - see bugs tab — tested version: Chrome 149.0.0.0 (macOS)

OK - not a real bug. Root cause: when correcting the field without deleting the entire string, invisible residual spaces remained in the value, keeping the total above 15 characters. Correct behavior.	OK - field revalidates correctly (border returns to black, error disappears) — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
BUG: rejected with the message "Enter a valid name", even though "ç" and "ã" are valid letters in Portuguese	BUG - see bugs tab — tested version: Chrome 149.0.0.0 (macOS)

NOTE: field is accepted (no error), but the leading/trailing spaces are NOT removed - inconsistent behavior compared to the Address field, which does trim	OK (accepted), but inconsistent with Address - see bugs tab — tested version: Chrome 149.0.0.0 (macOS)
BUG: the 63-character value is accepted with no error at all, greatly exceeding the specified maximum limit (15 characters)	BUG - see bugs tab — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome (macOS)
BUG: the 16-character value is accepted with no error at all; the form advances normally to the "Rental" step with the invalid data filled in.	BUG - see bugs tab — tested version: Chrome (macOS)
OK - behaves as expected. Confirmed by the user: hyphens are accepted with no error; other special symbols correctly invalidate with an error message (see case ID 16).	Not retested in this round (see Opera)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK (length validation occurs), but the displayed text is "Enter a valid number", which diverges from what is specified in the requirements ("Type a valid number")	BUG (text) - see bugs tab — tested version: Chrome 149.0.0.0 (macOS)
OK (length is validated), but error text diverges from specified	BUG (text) - see bugs tab — tested version: Chrome 149.0.0.0 (macOS)
BUG: no red border or error message is shown; the field appears to be optional	BUG - see bugs tab — tested version: Chrome 149.0.0.0 (macOS)

OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
BUG/UX: no error message is shown; the field silently reverts to the last valid value previously selected	BUG - see bugs tab — tested version: Chrome 149.0.0.0 (macOS)
OK - cookie banner disappears correctly after acceptance, even when navigating to "Place order". Retest on 07/02 did not reproduce the original behavior of bug JSQ-6.	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected - navigation to "Rental" occurred correctly	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - behaves as expected - all data remained filled in when going back	OK - behaves as expected — tested version: Chrome 149.0.0.0 (macOS)
OK - popup shows "The order has been made / Order number: 996251. Write it down: it will come in handy to keep track of the status" with "Check status" button, as specified (English version of the app, text equivalent to PT)	OK - popup shows "The order has been made / Order number: 996251. Write it down: it will come in handy to keep track of the status" with "Check status" button, as specified (English version of the app, text equivalent to PT) — tested version: Safari (user's browser, equivalent visual evidence)

OK - popup "The order has been made" shows "Check status" button; when clicked, navigates to the "Order status" screen with the order number already filled in the search field (confirmed across multiple orders: 226450, 401619, 95270, 936999)	OK - popup "The order has been made" shows "Check status" button; when clicked, navigates to the "Order status" screen with the order number already filled in the search field (confirmed across multiple orders: 226450, 401619, 95270, 936999) — tested version: Chrome 149.0.0.0 (macOS)
OK - a clearly non-existent order number (111222) shows "This order doesn't exist / Is the number correct?", as specified	OK - a clearly non-existent order number (111222) shows "This order doesn't exist / Is the number correct?", as specified — tested version: Chrome 149.0.0.0 (macOS)
OK - status "The scooter is in the warehouse" active in black, other statuses (2,3,4) in gray, order data displayed correctly	OK - status "The scooter is in the warehouse" active in black, other statuses (2,3,4) in gray, order data displayed correctly — tested version: Safari (user's browser, equivalent visual evidence)
OK - visual scheme confirmed cumulatively: active/current step in black (bold), completed steps with a check mark and grayed out, future steps in light gray, the "delayed" step highlighted entirely in red (title + caption), courier name and contact number shown inline when applicable; position and order of the 4 steps consistent across all orders tested	OK - visual scheme confirmed cumulatively: active/current step in black (bold), completed steps with a check mark and grayed out, future steps in light gray, the "delayed" step highlighted entirely in red (title + caption), courier name and contact number shown inline when applicable; position and order of the 4 steps consistent across all orders tested — tested version: Chrome 149.0.0.0 (macOS)
OK - accepted order (track 194686) shows step 2 "Courier Frodo is on the way" in black/bold with "Contact number: 0101", courier name correctly displayed	OK - accepted order (track 194686) shows step 2 "Courier Frodo is on the way" in black/bold with "Contact number: 0101", courier name correctly displayed — tested version: Chrome 149.0.0.0 (macOS)
OK - successfully reproduced. Correction relative to the previous result: the PUT /api/v1/orders/finish/:id endpoint WORKS and advances the order to "Courier has arrived" (step 3 with check). The previous test used the outdated internal order ID (the "id" field in the Orders table does not match the "track" tracking number and can change between queries - recommend investigating this instability separately). Steps: 1) accept the order via PUT /api/v1/orders/accept/:id?courierId=X; 2) query GET /api/v1/orders/track?t=<number> to get the current internal "id"; 3) call PUT /api/v1/orders/finish/<id> using that updated id. Reproduced with order 862215.	OK - successfully reproduced. Correction relative to the previous result: the PUT /api/v1/orders/finish/:id endpoint WORKS and advances the order to "Courier has arrived" (step 3 with check). The previous test used the outdated internal order ID (the "id" field in the Orders table does not match the "track" tracking number and can change between queries - recommend investigating this instability separately). Steps: 1) accept the order via PUT /api/v1/orders/accept/:id?courierId=X; 2) query GET /api/v1/orders/track?t=<number> to get the current internal "id"; 3) call PUT /api/v1/orders/finish/<id> using that updated id. Reproduced with order 862215. — tested version: Chrome 149.0.0.0 (macOS)

OK - status "Okay, let's go for a ride" confirmed on order 401619: step 4 shown highlighted (black), steps 1-3 in gray (completed/skipped), caption "Until the rental period is over", as specified	OK - status "Okay, let's go for a ride" confirmed on order 401619: step 4 shown highlighted (black), steps 1-3 in gray (completed/skipped), caption "Until the rental period is over", as specified — tested version: Safari (user's browser, equivalent visual evidence)
INCONCLUSIVE (but root cause clarified) - when calling the finish endpoint, the deliveryDate field is overwritten with the current instant, and step 4 shows "Okay, let's go for a ride - The rent will end on <date/time>" calculated as deliveryDate + rentTime (rental period). To see the "rental time is over" state it would be necessary to actually wait for that period to elapse in real time (minimum 1 day, since the shortest period option is "a day"). It wasn't possible to force this state within this testing session's window; recommend re-running this specific case after waiting for the rental period to expire.	INCONCLUSIVE (but root cause clarified) - when calling the finish endpoint, the deliveryDate field is overwritten with the current instant, and step 4 shows "Okay, let's go for a ride - The rent will end on <date/time>" calculated as deliveryDate + rentTime (rental period). To see the "rental time is over" state it would be necessary to actually wait for that period to elapse in real time (minimum 1 day, since the shortest period option is "a day"). It wasn't possible to force this state within this testing session's window; recommend re-running this specific case after waiting for the rental period to expire. — tested version: Chrome 149.0.0.0 (macOS)
OK - status "Courier is delayed" with caption "We won't be able to deliver the scooter in time. To clarify the status of your order, call support: 0101", status and caption highlighted in red, as specified	OK - status "Courier is delayed" with caption "We won't be able to deliver the scooter in time. To clarify the status of your order, call support: 0101", status and caption highlighted in red, as specified — tested version: Safari (user's browser, equivalent visual evidence)
OK - confirmation popup "Would you like to cancel the order?" shown when clicking "Cancel the order", with "Back" and "Cancel" buttons, confirmed on 2 different orders (373570 and 401619)	OK - confirmation popup "Would you like to cancel the order?" shown when clicking "Cancel the order", with "Back" and "Cancel" buttons, confirmed on 2 different orders (373570 and 401619) — tested version: Safari (user's browser, equivalent visual evidence)
OK - clicking "Cancel" in the confirmation popup shows the message "The order has been canceled / Feel free to come back at any time :)" with an "Okay" button, and confirming returns to the home page ("Order"/"Order status" buttons visible), confirmed on 2 different orders	OK - clicking "Cancel" in the confirmation popup shows the message "The order has been canceled / Feel free to come back at any time :)" with an "Okay" button, and confirming returns to the home page ("Order"/"Order status" buttons visible), confirmed on 2 different orders — tested version: Safari (user's browser, equivalent visual evidence)
OK - non-accepted order (track 828226): popup "Would you like to cancel the order?" - clicking "Back" closes the popup and keeps the order active (confirmed via API: cancelled=false), "Cancel order" button remains visible	OK - non-accepted order (track 828226): popup "Would you like to cancel the order?" - clicking "Back" closes the popup and keeps the order active (confirmed via API: cancelled=false), "Cancel order" button remains visible — tested version: Chrome 149.0.0.0 (macOS)
OK - order accepted by a courier (track 963527, status=1): "Cancel order" button is not shown anywhere on screen (not even after scrolling the page), preventing cancellation after acceptance, as expected	OK - order accepted by a courier (track 963527, status=1): "Cancel order" button is not shown anywhere on screen (not even after scrolling the page), preventing cancellation after acceptance, as expected — tested version: Chrome 149.0.0.0 (macOS)

Actual Result - Opera 1280x720	Jira Bug Link
Not tested (Opera unavailable in the test environment)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
BUG - reproduces same as Chrome (rejected with "Enter a valid name") — tested version: Opera (latest)	https://jferson1987.atlassian.net/browse/JSQ-7
BUG - reproduces same as Chrome (accepted with no error, spaces not removed) — tested version: Opera (latest)	https://jferson1987.atlassian.net/browse/JSQ-11

OK (test correction) — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
BUG - reproduces same as Chrome (rejected with "Enter a valid name") — tested version: Opera (latest)	https://jferson1987.atlassian.net/browse/JSQ-7

BUG - reproduces same as Chrome (accepted with no error, spaces not removed) — tested version: Opera (latest)	https://jferson1987.atlassian.net/browse/JSQ-11
BUG - see bugs tab — tested version: Opera (latest)	https://jferson1987.atlassian.net/browse/JSQ-19
Not retested in this round (see Chrome)	
BUG - see bugs tab — tested version: Opera (latest); confirmed by the user: 16 characters accepted, advances to the next step with no error	https://jferson1987.atlassian.net/browse/JSQ-27
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK (length validation occurs), but error text diverges from specified, reproduces same as Chrome — tested version: Opera (latest)	https://jferson1987.atlassian.net/browse/JSQ-9
OK (length validation occurs), but error text diverges from specified, reproduces same as Chrome — tested version: Opera (latest)	https://jferson1987.atlassian.net/browse/JSQ-9
BUG - reproduces same as Chrome — see bugs tab — tested version: Opera (latest)	https://jferson1987.atlassian.net/browse/JSQ-1

OK - behaves as expected — tested version: Opera (latest)	
BUG - reproduces same as Chrome — tested version: Opera (latest)	https://jferson1987.atlassian.net/browse/JSQ-8
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
BUG - reproduces same as Chrome — tested version: Opera (latest)	https://jferson1987.atlassian.net/browse/JSQ-3
BUG - reproduces the inconsistent behavior (accepted, black border, no error in this run) — tested version: Opera (latest)	https://jferson1987.atlassian.net/browse/JSQ-5
OK - behaves as expected — tested version: Opera (latest)	
BUG - reproduces same as Chrome (accepted with no error) — tested version: Opera (latest)	https://jferson1987.atlassian.net/browse/JSQ-4
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	

OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
BUG/UX - reproduces same as Chrome, silently reverts to "1st Street" — tested version: Opera (latest)	https://jferon1987.atlassian.net/browse/JSQ-10
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - behaves as expected — tested version: Opera (latest)	
OK - popup shows "The order has been made / Order number: 996251. Write it down: it will come in handy to keep track of the status" with "Check status" button, as specified (English version of the app, text equivalent to PT) — tested version: Opera (latest)	

OK - popup "The order has been made" shows "Check status" button; when clicked, navigates to the "Order status" screen with the order number already filled in the search field (confirmed across multiple orders: 226450, 401619, 95270, 936999) — tested version: Opera (latest)	
OK - a clearly non-existent order number (111222) shows "This order doesn't exist / Is the number correct?", as specified — tested version: Opera (latest)	
OK - status "The scooter is in the warehouse" active in black, other statuses (2,3,4) in gray, order data displayed correctly — tested version: Opera (latest)	
OK - visual scheme confirmed cumulatively: active/current step in black (bold), completed steps with a check mark and grayed out, future steps in light gray, the "delayed" step highlighted entirely in red (title + caption), courier name and contact number shown inline when applicable; position and order of the 4 steps consistent across all orders tested — tested version: Opera (latest)	
OK - accepted order (track 194686) shows step 2 "Courier Frodo is on the way" in black/bold with "Contact number: 0101", courier name correctly displayed — tested version: Opera (latest)	
OK - successfully reproduced. Correction relative to the previous result: the PUT /api/v1/orders/finish/:id endpoint WORKS and advances the order to "Courier has arrived" (step 3 with check). The previous test used the outdated internal order ID (the "id" field in the Orders table does not match the "track" tracking number and can change between queries - recommend investigating this instability separately). Steps: 1) accept the order via PUT /api/v1/orders/accept/:id?courierId=X; 2) query GET /api/v1/orders/track?t=<number> to get the current internal "id"; 3) call PUT /api/v1/orders/finish/<id> using that updated id. Reproduced with order 862215. — tested version: Opera (latest)	

OK - status "Okay, let's go for a ride" confirmed on order 401619: step 4 shown highlighted (black), steps 1-3 in gray (completed/skipped), caption "Until the rental period is over", as specified — tested version: Opera (latest)	
INCONCLUSIVE (but root cause clarified) - when calling the finish endpoint, the deliveryDate field is overwritten with the current instant, and step 4 shows "Okay, let's go for a ride - The rent will end on <date/time>" calculated as deliveryDate + rentTime (rental period). To see the "rental time is over" state it would be necessary to actually wait for that period to elapse in real time (minimum 1 day, since the shortest period option is "a day"). It wasn't possible to force this state within this testing session's window; recommend re-running this specific case after waiting for the rental period to expire. — tested version: Opera (latest)	https://jferon1987.atlassian.net/browse/JSQ-26
OK - "Courier is delayed" status also confirmed on Opera (orders 936999 and 827724), same behavior as Chrome/Safari	
OK - popup "Would you like to cancel the order?" also confirmed on Opera (order 936999), with Back/Cancel buttons, same behavior as Chrome/Safari	
OK - cancellation also confirmed on Opera (order 936999): "The order has been canceled" message and return to home, same behavior as Chrome/Safari	
OK - non-accepted order (track 828226): popup "Would you like to cancel the order?" - clicking "Back" closes the popup and keeps the order active (confirmed via API: cancelled=false), "Cancel order" button remains visible — tested version: Opera (latest)	
OK - order accepted by a courier (track 963527, status=1): "Cancel order" button is not shown anywhere on screen (not even after scrolling the page), preventing cancellation after acceptance, as expected — tested version: Opera (latest)	

ID	Test Case	Precondition
LOGIN		
1	Valid login within range (letters, 2-10 characters)	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
2	Login rejects numbers	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
3	Login rejects special characters	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
4	Login below minimum limit (1 character)	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
5	Login at minimum limit (2 characters)	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
6	Login at maximum limit (10 characters)	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
7	Login above maximum limit (11 characters)	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
8	Login required (empty)	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
PASSWORD		
9	Valid password (4 digits)	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
10	Password rejects letters	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
11	Password below the exact length (3 digits)	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
12	Password above the exact length (5 digits)	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
13	Password rejects special characters	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
14	Password required (empty)	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").

LOGIN + PASSWORD (COMBINED SCENARIOS)

15	Correct login + incorrect password	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
16	Non-existent login + any password	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
17	Both login and password empty	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").

LOGIN SCREEN (UI/UX)

18	Login screen shown on first launch	App freshly installed on the emulator, with no previous login.
19	Active session skips the login screen	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
20	"I don't remember my password"	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
21	Logout redirects to the login screen	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
22	Login screen layout follows the Figma design	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
23	Password mask while typing	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").
24	API configuration "?" icon present	App open on the login screen.
25	"I don't remember my password" popup layout follows the Figma design	Android emulator (API 31) open with the Urban Scooter app installed. API address configured via the "?" icon pointing to the active server. Test courier created via API (login: "ninja", password: "1234").

EXPLORATORY

26	Layout adaptation when rotating the device (landscape) - exploratory	Android emulator (API 31) open with the Urban Scooter app installed, authenticated, on the "All orders" screen.
27	Error message when using the app without an internet connection - exploratory	Android emulator (API 31) open with the Urban Scooter app installed, with the emulator's internet connection turned off.

ORDERS (COURIER)

28	Order list shows order details	Emulator with the Urban Scooter app open and authenticated. An order was created via API (address, delivery date, name, surname, phone, color).
29	"Complete" button shows a confirmation dialog	Same precondition as above, with at least one pending order in the list.

30	Confirming "Yes" marks the order as completed	Confirmation dialog "Have you completed the order?" is open.
31	Canceling with "No" keeps the order pending	Confirmation dialog "Have you completed the order?" is open.
32	Courier status indicator for an order with no courier assigned	Order created via API with no courier assigned.
33	Full order details (name, surname, phone, color) displayed correctly	Order created via API with name, surname, phone and color set.
34	"Accept" button on a pending order	Android emulator (API 31) open with the Urban Scooter app installed and logged in as a courier. At least one pending order ("Unknown") exists in the "All orders" list.

Test Steps	Expected Result
1. Fill in the Login field with "ninja". 2. Fill in the Password field with "1234". 3. Tap "Login".	Login successful; app shows the "Order list" screen.
1. Fill in the Login field with "ninja1". 2. Fill in the Password field with "1234". 3. Tap "Login".	Field does not accept numbers, or the "Invalid username or password" notification is shown.
1. Fill in the Login field with "ninja!". 2. Fill in the Password field with "1234". 3. Tap "Login".	Field does not accept the special character, or the "Invalid username or password" notification is shown.
1. Fill in the Login field with "n". 2. Fill in the Password field with "1234". 3. Tap "Login".	"Invalid username or password" notification is shown.
1. Create a courier with a 2-letter login (e.g., "jo") via API. 2. Fill in the Login field with "jo" and the correct password. 3. Tap "Login".	Login successful.
1. Create a courier with a 10-letter login via API. 2. Fill in the Login field with the 10-letter value and the correct password. 3. Tap "Login".	Login successful.
1. Fill in the Login field with an 11-letter value. 2. Fill in the Password field with "1234". 3. Tap "Login".	Field does not accept the 11th letter, or the "Invalid username or password" notification is shown.
1. Leave the Login field empty. 2. Fill in the Password field with "1234". 3. Tap "Login".	"Invalid username or password" notification is shown, or the "Login" button remains inactive.
1. Fill in the Login field with "ninja". 2. Fill in the Password field with "1234". 3. Tap "Login".	Login successful.
1. Fill in the Login field with "ninja". 2. Fill in the Password field with "12ab". 3. Tap "Login".	Field does not accept letters, or the "Invalid username or password" notification is shown.
1. Fill in the Login field with "ninja". 2. Fill in the Password field with "123". 3. Tap "Login".	"Invalid username or password" notification is shown.
1. Fill in the Login field with "ninja". 2. Fill in the Password field with "12345". 3. Tap "Login".	Field does not accept the 5th digit, or the "Invalid username or password" notification is shown.
1. Fill in the Login field with "ninja". 2. Fill in the Password field with "12#4". 3. Tap "Login".	Field does not accept the special character, or the "Invalid username or password" notification is shown.
1. Fill in the Login field with "ninja". 2. Leave the Password field empty. 3. Tap "Login".	"Invalid username or password" notification is shown, or the "Login" button remains inactive.

1. Fill in the Login field with "ninja". 2. Fill in the Password field with "9999". 3. Tap "Login".	"Invalid username or password" notification is shown; user remains on the login screen.
1. Fill in the Login field with "naoexiste". 2. Fill in the Password field with "1234". 3. Tap "Login".	"Invalid username or password" notification is shown; user remains on the login screen.
1. Leave both the Login and Password fields empty. 2. Tap "Login".	"Invalid username or password" notification is shown, or the "Login" button remains inactive.
1. Open the app for the first time.	The login screen is shown.
1. Log in successfully. 2. Fully close the app (remove it from the recents list). 3. Reopen the app.	The app opens directly on the "Order list" screen (default), without showing the login screen again.
1. On the login screen, tap "I don't remember my password".	A notification with the text "Contact the manager: 0101" and an "ok" button is shown.
1. Log in successfully. 2. From any screen in the app, tap the sign-out/logout option.	The user is redirected to the login screen.
1. Open the login screen. 2. Compare the title, fields, button and link with the design in Figma ("Urban.Scooter Mobile PT").	Title "Urban Scooter" / "Login for couriers", username field, password field, black "Login" button and blue "I don't remember my password" link, in the position and style of the Figma design.
1. Tap the Password field. 2. Type "1234".	The typed characters appear hidden (e.g., dots), not as plain text.
1. Check the bottom-right corner of the screen.	The "?" icon is visible and, when tapped, opens the window to configure the API address.
1. Tap "I don't remember my password". 2. Compare the popup layout with the Figma design.	Popup with centered text "Contact the manager: 0101" and an "ok" button, in the Figma style.
1. With the app open on the orders screen, rotate the emulator to landscape orientation. 2. Observe the resulting layout.	The layout adapts to landscape, or (if portrait is the only supported orientation) the screen stays locked in portrait.
1. Turn off the emulator's internet connection. 2. Try to use the app (e.g., login/load orders). 3. Observe the message shown.	The app shows a message informing about the lack of connection, in the Figma style.
1. Open the "All orders" tab. 2. Check the fields shown on the order card.	The card shows Address, Delivery date and a courier status indicator matching the created order.
1. Tap the "Complete" button of an order. 2. Observe the dialog shown.	A dialog appears with the question "Have you completed the order?" and the options "Yes" and "No".

1. Tap "Yes". 2. Observe the order card.	The card button changes from "Complete" to "Completed" (disabled), reflecting the new status.
1. Tap "No". 2. Observe the order card.	The dialog closes and the card button remains "Complete" (the order is not marked as completed).
1. Open the "All orders" tab. 2. Observe the status indicator next to the colored circle on the card.	The indicator shows a translated/understandable label (e.g., "No courier" or "Pending"), consistent with the rest of the app in Portuguese.
1. Open the order in the list (expand/tap, if applicable). 2. Check the Name, Surname, Phone and Color fields.	The values shown in the app exactly match the ones sent when creating the order via API.
1. On the "Order list" screen, tap "Accept" on a pending order. 2. In the "Would you like to accept the order?" popup, tap "Yes".	The order is accepted, the app remains open, and the order starts showing up in "My orders" with an updated status.

Actual Result	Status	Jira Bug Link
OK - login successful, "Order list" screen shown ("No orders")	Approved	
BUG: the field accepts the number normally (no format validation). When trying to log in, a raw technical error "HTTP 404 Not Found" is shown instead of the expected "Invalid username or password" notification.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-20
BUG: same behavior as ID 2 - the field accepts the special character, and when trying to log in the raw technical error "HTTP 404 Not Found" is shown instead of the expected notification.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-20
BUG: same behavior as IDs 2 and 3 - the field accepts the value below the minimum, and when trying to log in the raw technical error "HTTP 404 Not Found" is shown instead of the expected notification.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-20
OK - login successful with a 2-character login ("jo")	Approved	
OK - login successful with a 10-character login ("ninjaxxxx")	Approved	
BUG: the field accepts well over 11 characters (more than 100 tested), with no maximum limit applied.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-21
OK - "Invalid username or password" notification correctly shown with the Login field empty	Approved	
OK - login successful (same test as case 1)	Approved	
OK - the Password field does not allow typing letters (numeric keyboard blocks input)	Approved	
OK - "Invalid username or password" notification correctly shown with a 3-digit password	Approved	
OK - the Password field does not accept the 5th digit (4-character limit correctly applied)	Approved	
OK - the Password field does not allow typing special characters (numeric keyboard blocks input)	Approved	
OK - "Invalid username or password" notification correctly shown with the Password field empty	Approved	

BUG: same root cause as IDs 2/3/4 - correct login + incorrect password shows the raw technical error "HTTP 404 Not Found" instead of the expected notification.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-20
BUG: same root cause - a non-existent login shows the raw technical error "HTTP 404 Not Found" instead of the expected notification.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-20
OK - "Invalid username or password" notification correctly shown with both fields empty	Approved	
OK - the login screen was shown on the app's first launch	Approved	
OK - the active session is recognized, the app opens directly on the "Order list" screen without asking to log in again	Approved	
OK - "Contact the manager: 0101" notification correctly shown	Approved	
OK - logout correctly redirects to the login screen	Approved	
OK - layout matches the Figma design (title, fields, black "Login" button, blue "I don't remember my password" link)	Approved	
OK - the Password field masks the digits with "•" while typing, as per the Figma design	Approved	
OK - "?" icon present and successfully used to configure the server	Approved	
OK - the "Contact the manager: 0101" popup with "OK" button matches the Figma layout (forget_password frame)	Approved	
BUG - the device rotates to landscape but the app content keeps the portrait layout, rotated as a block inside the landscape frame (tab and message text ends up vertical, cut off at the sides)	Reproved	https://jferson1987.atlassian.net/browse/JSQ-22
OK - shows the message "No internet access, please check...", as per the Figma design	Approved	
OK - card shows Address "Rua Augusta, 123" and Delivery date "10.07.2026", matching the order created via API	Approved	
OK - tapping "Complete" shows the dialog "Have you completed the order?" with the "No" and "Yes" options	Approved	

OK - tapping "Yes" changes the card button from "Complete" to "Completed" (disabled)	Approved	
OK - tapping "No" closes the dialog and the card button remains "Complete" (order not marked as completed)	Approved	
BUG - the indicator shows "Unknown" in English, not translated, for orders with no courier assigned (reproduced on 2 different orders)	Reproved	https://jferson1987.atlassian.net/browse/JSQ-23
OK - Name "Cliente", Surname "Teste", Phone "+351912345678" and Color "black" shown on the card, exactly as sent via API (shown directly on the card, no need to expand)	Approved	
BUG: the app closes (crashes) when confirming "Yes", showing a technical error screen "Oops! Something went wrong :(" with a stack trace (java.lang.IllegalStateException, RxJava/HandlerScheduler), and returns to the login screen on reload. Reproduced with order 862215.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-26

ID	Test Case	Precondition
COURIER CREATION		
1	Create courier with valid data	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.
2	Create courier without the "login" field	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.
3	Create courier without the "password" field	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.
4	Create courier without the "firstName" field	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.
5	Create courier with an empty request body	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.
LOGIN		
6	Login with numbers (should contain only Latin letters)	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.
7	Login with a special character	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.
8	Login below the minimum limit (1 character)	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.
9	Login at the minimum limit (2 characters)	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.
10	Login at the maximum limit (10 characters)	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.
11	Login above the maximum limit (11 characters)	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.

19	Create courier with an already existing login (duplicate)	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.
----	---	---

FIRSTNAME

12	firstName with numbers	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.
13	firstName below the minimum limit (1 character)	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.
14	firstName above the maximum limit (11 characters)	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.

PASSWORD

15	Password with letters (should contain only numbers)	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.
16	Password below the exact length (3 digits)	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.
17	Password above the exact length (5 digits)	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.
18	Password with a special character	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API.

DELETE COURIER (DELETE)

20	Delete an existing courier	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API. Test courier created and authenticated via API to get the ID needed for deletion.
21	Deleting a courier removes their linked orders (cascade)	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API. Test courier created and authenticated via API to get the ID needed for deletion.

22	Delete a courier with a non-existent ID	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API. Test courier created and authenticated via API to get the ID needed for deletion.
23	Delete a courier with an ID in an invalid format (non-numeric)	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API. Test courier created and authenticated via API to get the ID needed for deletion.
24	Delete a courier that was already deleted before (double delete)	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API. Test courier created and authenticated via API to get the ID needed for deletion.
25	Login no longer works after the courier is deleted	Urban Scooter server active (https://cnt-83d97b55-2300-4985-837d-f369c65e2b33.containerhub.tripleten-services.com). Ping /api/v1/ping confirmed ("pong (pt)"). Requests sent via fetch (POST/DELETE) directly to the API. Test courier created and authenticated via API to get the ID needed for deletion.

Test Steps	Test Data (request body)	Expected Result
1. Send POST /api/v1/courier with valid login, password and firstName.	{"login":"testq123456","password":"1234","firstName":"Ana"}	201 Created; courier is created in the database.
1. Send POST /api/v1/courier without the login field.	{"password":"1234","firstName":"Ana"}	400 Bad Request (required field missing).
1. Send POST /api/v1/courier without the password field.	{"login":"nologinpwd","firstName":"Ana"}	400 Bad Request (required field missing).
1. Send POST /api/v1/courier without the firstName field.	{"login":"nofname","password":"1234"}	400 Bad Request — firstName is required per the requirements.
1. Send POST /api/v1/courier with body {}.	{}	400 Bad Request.
1. Send POST /api/v1/courier with a login containing numbers.	{"login":"abc123","password":"1234","firstName":"Ana"}	400 Bad Request — login must contain only Latin letters.
1. Send POST /api/v1/courier with a login containing a special character.	{"login":"ab@cd","password":"1234","firstName":"Ana"}	400 Bad Request — login must contain only Latin letters.
1. Send POST /api/v1/courier with a 1-character login.	{"login":"a","password":"1234","firstName":"Ana"}	400 Bad Request — minimum of 2 characters.
1. Send POST /api/v1/courier with a login of exactly 2 letters.	{"login":"jo","password":"1234","firstName":"Ana"}	201 Created.
1. Send POST /api/v1/courier with a login of exactly 10 letters.	{"login":"abcdefghij","password":"1234","firstName":"Ana"}	201 Created.
1. Send POST /api/v1/courier with an 11-letter login.	{"login":"abcdefghijk","password":"1234","firstName":"Ana"}	400 Bad Request — maximum of 10 characters.

1. Send POST /api/v1/courier with a login already registered in the database.	{"login":"testq123456","password":"1234","firstName":"Outro"}	409 Conflict — login must be unique.
1. Send POST /api/v1/courier with a firstName containing numbers.	{"login":"fnnum1","password":"1234","firstName":"Ana123"}	400 Bad Request — firstName must contain only Latin letters.
1. Send POST /api/v1/courier with a 1-character firstName.	{"login":"fn1c1","password":"1234","firstName":"A"}	400 Bad Request — minimum of 2 characters.
1. Send POST /api/v1/courier with an 11-letter firstName.	{"login":"fn11c1","password":"1234","firstName":"Abcdefghijk"}	400 Bad Request — maximum of 10 characters.
1. Send POST /api/v1/courier with a password containing letters.	{"login":"pwletr1","password":"abcd","firstName":"Ana"}	400 Bad Request — password must contain only numbers.
1. Send POST /api/v1/courier with a 3-digit password.	{"login":"pw3d1","password":"123","firstName":"Ana"}	400 Bad Request — length must be exactly 4.
1. Send POST /api/v1/courier with a 5-digit password.	{"login":"pw5d1","password":"12345","firstName":"Ana"}	400 Bad Request — length must be exactly 4.
1. Send POST /api/v1/courier with a password containing a special character.	{"login":"pwesp1","password":"12#4","firstName":"Ana"}	400 Bad Request — password must contain only numbers.
1. Send DELETE /api/v1/courier/:id with the ID of an existing courier.	DELETE /api/v1/courier/17	200 OK; courier account is removed from the database.
1. Create an order via POST /api/v1/orders. 2. Accept the order with the courier (PUT /api/v1/orders/accept/:id?courierId=X). 3. Delete the courier via DELETE /api/v1/courier/:id. 4. Check the order via GET /api/v1/orders/track?t=<track>.	Order created (track 735453) and accepted by courier 17; courier then deleted.	The order linked to the deleted courier should be removed (should no longer be found).

1. Send DELETE /api/v1/courier/:id with an ID that doesn't exist in the database.	DELETE /api/v1/courier/999999	404 Not Found.
1. Send DELETE /api/v1/courier/:id with a non-numeric value in place of the ID.	DELETE /api/v1/courier/abc	400 Bad Request handled (input validation error).
1. Send DELETE /api/v1/courier/:id again for an already-deleted ID.	DELETE /api/v1/courier/17 (repeat)	404 Not Found.
1. After deleting the courier, send POST /api/v1/courier/login with the login and password that belonged to the deleted courier.	{"login":"delme123456","password":"1234"}	Error — the account no longer exists.

Actual Result	Status	Jira Bug Link
201 {"ok":true}	Approved	
400 {"code":400,"message":"Not enough data to create an account."}	Approved	
400 {"code":400,"message":"Not enough data to create an account."}	Approved	
BUG: 201 {"ok":true} — courier is created even without the name.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-13
400 {"code":400,"message":"Not enough data to create an account."}	Approved	
BUG: 201 {"ok":true} — accepted with no format validation.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-12
BUG: 201 {"ok":true} — accepted with no format validation.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-12
BUG: 201 {"ok":true} — accepted below the minimum limit.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-12
201 {"ok":true}	Approved	
201 {"ok":true}	Approved	
BUG: 201 {"ok":true} — accepted above the maximum limit.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-12

409 {"code":409,"message":"This login is not available. Try another."}	Approved	
BUG: 201 {"ok":true} — accepted with no format validation.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-14
BUG: 201 {"ok":true} — accepted below the minimum limit.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-14
BUG: 201 {"ok":true} — accepted above the maximum limit.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-14
BUG: 201 {"ok":true} — accepted with no format validation.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-15
BUG: 201 {"ok":true} — accepted with the wrong length.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-15
BUG: 201 {"ok":true} — accepted with the wrong length.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-15
BUG: 201 {"ok":true} — accepted with no format validation.	Reproved	https://jferson1987.atlassian.net/browse/JSQ-15
200 {"ok":true}	Approved	
BUG: the order continues to exist normally after the courier is deleted, with all data intact and status unchanged (status 1 - accepted).	Reproved	https://jferson1987.atlassian.net/browse/JSQ-16

404 {"code":404,"message":"There's no courier with this ID."}	Approved	
BUG: 500 {"code":500,"message":"invalid input syntax for integer: \"abc\""} — unhandled exception, exposes an internal PostgreSQL error.	Reproved	https://jferon1987.atlassian.net/browse/JSQ-17
404 {"code":404,"message":"There's no courier with this ID."}	Approved	
404 {"code":404,"message":"Account not found."}	Approved	