
Probability of Remaining FGM−Free by Birth Cohort
Self−reported cohorts (adult recall)
Shaded areas represent 95% confidence intervals. Hollow points mark where a cohort's follow−up e
Probability of not experiencing FGM
100%
95%
90%
85%
80%
75%
70%
0
5
10
15
20
25
30
35
40
45
50
Age of girl or woman
Birth cohort
1970 to 1974
1975 to 1979
1980 to 1984
1985 to 1989
1990 to 1994
1995 to 1999
2000 to 2004
2005 to 2009


Probability of Remaining FGM−Free by Birth Cohort
Daughter−reported cohorts (mother's report)
Shaded areas represent 95% confidence intervals. Hollow points mark where a cohort's follow−up e
100%
95%
90%
85%
80%
75%
70%
Probability of not experiencing FGM
to age 14
0
2
4
6
8
10
12
14
16
18
20
Age of girl or woman
Birth cohort
2005 to 2009
2010 to 2014
2015 to 2019
2020 to 2024


s(cohort_mid,6.31)
2
0
−2
−4
−6
−8
1970
1990
2010
cohort_mid


s(age_year,5.73)
2
0
−2
−4
−6
−8
0
10
20
30
40
50
age_year


Burkina Faso − smoothed cohort effect on FGM risk
12.5%
10.0%
7.5%
5.0%
2.5%
predicted risk
1970
1980
1990
2000
2010
2020
birth cohort (midpoint year)


Burkina Faso − smoothed age effect on FGM risk
predicted risk
6%
4%
2%
0%
0
10
20
30
40
50
age (years)