Student:	Email:
Julio Barros	jribeir2@emich.edu


Time on Task:	Progress:
1 hour, 1 minute	100%

Report Generated: Tuesday, December 5, 2023 at 5:12 PM

Section 1: Hands-On Demonstration


Part 1: Capture Memory using DumpIt

3. **Make a screen capture** showing the **DumpIt success notification**.



Part 2: Analyze Memory using E3

8. **Make a screen capture** showing the **list of processes in the memory dump**.



10. **Record** the start times for the oldest process and the newest process.

Oldest = 7/12/2021 4:24:49 AM
Newest = 7/12/2021 6:42:43 AM


15. **Document** your findings for the conhost.exe process. What is it and what is it used for?

The Windows Console Host is the server application for all of the Windows APIs as well the classic Windows user interface for working with command-line Applications


17. **Document** your findings for the hooker.exe process. What is it and what is it used for?

hooker.exe is a password and data stealing trojan.

21. **Make a screen capture** showing the **registry keys opened by the Hooker.exe process**.



23. **Make a screen capture** showing the **files opened by the hooker.exe process**.



Section 2: Applied Learning

Part 1: Capture Memory using FTK Imager

6. **Make a screen capture** showing the ***Memory capture finished successfully*** **confirmation.**



Part 2: Analyze Memory using Volatility

7. **Document** your findings for the rvlkl.exe process. What is it and what is it used for?

Rvlkl.exe is an executable exe file that belongs to the Revealer Keylogger process which comes along with the Revealer Keylogger Software developed by Logixoft software developer. Revealer Keylogger is a program that allows you to monitor the keystrokes typed on your computer, such as passwords, chat messages, emails, and web searches. It can also take screenshots of your desktop and send them to a remote server or email address. Revealer Keylogger is marketed as a parental control or employee monitoring tool, but it can also be used for malicious purposes by hackers or spies.

9. **Document** whether any processes are flagged as hidden.

No


12. **Document** whether the netscan module displays network usage associated with the Hooker.exe or rvlkl.exe processes.

There is no sign of Hooker or rvlkl processes

15. **Document** any information you were able to gather about port 56610.

TCP port 56610 uses the Transmission Control Protocol. TCP is one of the main protocols in TCP/IP networks. TCP is a connection-oriented protocol, it requires handshaking to set up end-to-end communications.

26. **Make a screen capture** showing the **DensityScout results**.



Section 3: Challenge and Analysis

Part 1: Identify Malicious Connections

Document the three processes that connected to 205.134.253.10:4444.


Is the offset ox7fa9a3d0 currently closed to the dllhost.exe

Document the name and purpose of the software you discovered.


It uses this port to eavesdrop on traffic and communications, for its communications, and to receive data from the compromised computer. Malware such as the Blaster worm and its variants used port 4444 to create backdoors.

Part 2: Identify Malicious Processes

Make a screen capture showing the **fixtureComputer.exe process, and all those below it, in the pslist output.**



Make a screen capture showing the **output of the yarascan**.



Part 3: Identify Privilege Escalation

Make a screen capture showing the **output of your privilege comparison**.

