
















Polarized Capacitor (Radial)	10uF	1	C1	CAPR5-4X5
Capacitor	0.1uF	10	C2,C3,C6,C7,C8,C9,C10,C11,C12,C13	2012CAP
Capacitor	0.001uF	2	C14,C15	2012CAP
Header, 2-Pin	CON2	1	P1	HDR1X2
Header, 7-Pin, Dual row	CON14	2	P2,P3	HDR2X7
NPN General Purpose Amplifier	25C1815	1	Q1	TO-92A
Resistor	10K	10	R1,R2,R3,R4,R5,R6,R7,R8,R9,R21	AXIAL-0.4
Resistor	4.7K	8	R10,R11,R12,R13,R14,R15,R16,R17	AXIAL-0.4
Resistor	680K	1	R18	AXIAL-0.4
Resistor	150	2	R19,R20	AXIAL-0.4
Resistor	3.3K	1	R22	AXIAL-0.4
	TP	1	TP1	PIN1
General-Purpose Single Biopolar Timer	NE555	1	U1	SO8_M
FET Operational Amplifier	LM339	2	U2,U3	DIP-14
	40147	1	U4	DIP-16
Hex Inverter, 14-Pin PDIP	4069	1	U5	DIP-14
Dual Decade Up-Counter	4518	1	U6	SOIC16_M
4-Bit Magnitude Comparator	4585	1	U7	DIP-16
Dual J-K Master/Slave Flip=Flop with Set and Reset	4027	1	U8	DIP-16
Quad 2-Input OR Buffered B series Gate, 14-Pin SOIC	4071	1	U9	DIP-14
Quad 2-Input NOR Buffered B series Gate, 14-Pin PDIP	4001	1	U10	DIP-14
Decade Counter with 10 Decoded Outputs	4017	1	U11	DIP-16
8-Channel Analog Multiplexer/Demultiplexer	4051	1	U12	DIP-16
Quad D-Type Flip-Flop	4175	1	U13	DIP-16
Variable Resistor	1M	1	VR1	VR4
Potentiometer	100K	1	VR2	HDR1X3
Potentiometer	10K	1	VR3	HDR1X3