



















MM 00.001

MM 00.001

Description	Quantity	Designator	Value	Footprint
Polarized Capacitor (Radial)	1	C1	10uF	CAPR5-4X5
Capacitor	10	C2,C3,C6,C7,C8,C9,C10,C11,C12,C13	0.1uF	2012CAP
Capacitor	2	C4,C5	0.01uF	2012CAP
Header, 2-Pin	1	P1	CON2	HDR1X2
Header, 7-Pin, Dual row	2	P2,P3	CON14	HDR2X7
NPN General Purpose Amplifier	2	Q1,Q2	25C1815	TO-92A
Resistor	11	R1,R2,R3,R4,R5,R6,R7,R8,R19,R20,R21	10K	AXIAL-0.4
Resistor	1	R9	100	AXIAL-0.4
Resistor	8	R10,R11,R12,R13,R14,R15,R16,R17	4.7K	AXIAL-0.4
Resistor	1	R18	680K	AXIAL-0.4
Resistor	1	R22	1K	AXIAL-0.4
	1	TP1	TP	PIN1
General-Purpose Single Biopolar Timer	1	U1	NE555	SO8_M
FET Operational Amplifier	2	U2,U3	LM339	DIP-14
	1	U4	40147	DIP-16
Hex Inverter, 14-Pin PDIP	1	U5	4069	DIP-14
Dual Decade Up-Counter	1	U6	4518	SOIC16_M
4-Bit Magnitude Comparator	1	U7	4585	DIP-16
Dual J-K Master/Slave Flip-Flop with Set and Reset	1	U8	4027	DIP-16
Quad 2-Input OR Buffered B series Gate, 14-Pin SOIC	1	U9	4071	DIP-14
Quad 2-Input NOR Buffered B series Gate, 14-Pin PDIP	1	U10	4001	DIP-14
Decade Counter with 10 Decoded Outputs	1	U11	4017	DIP-16
8-Channel Analog Multiplexer/Demultiplexer	1	U12	4051	DIP-16
Quad D-Type Flip-Flop	1	U13	4175	DIP-16
Variable Resistor	1	VR1	1M	VR4
Potentiometer	1	VR2	100K	HDR1X3
Potentiometer	1	VR3	10K	HDR1X3