

Full House: Evaluating the Bluffing Capabilities of AI

Wordcount : 5,500

Table of Contents

I. The Challenge of Imperfect Information Games for AI	4
II. Literature Review	5
A. From Solving Chess to Poker's Imperfect Information	5
B. Navigating the Poker Face of Imperfect Information	5
C. AI's Challenge in Mimicking Human Strategy	6
D. AI's Calculative Edge in the Psychology of Poker	7
E. Navigating Bias and Hallucination in AI's Poker Strategy	7
F. A Modified Poker Game	8
G. Overview of OpenAI ChatGPT	8
III. Research Design and Methodology	9
A. Method: Experimental and Quantitative Analysis	9
B. Statistical Thinking vs Psychology	9
C. Participants	9
D. Justification of method	9
E. Ethical Considerations	9
IV. Procedure	9
Fig. 1: Leduc Poker Simulation	10
Fig. 2: The system prompt getting sent to the AI	10
Fig. 3: The Javascript code that sends the JSON file to OpenAI	11
V. Results	11
A. Data Tables	11
Fig. 4: Betting Behavior by Starting Hand Strength	11
Fig. 7: Overall Win Rate	12
Fig. 5: Average Bet Size After The Community Card	12
Fig. 6: Limiting Factors Char	12
Fig. 8: Successful Bluff Rates	12
B. Qualitative Patterns	13
VI. ANALYSIS	13
A. Diving into AI and Human Bluffing Patterns	13
Fig. 9: Total Bet Amount per Round for Humans	14
Fig. 10: Total Bet Amount Per Round for AI	14
B. Confidence Levels in Bluffing Situations	15
Fig. 11: AI Bet Sizing	15
Fig. 12: Human Bet Sizing	15
C. AI Bluffing Strategies vs. Human Bluffing Strategies	16
D. Ethical and Societal Implications	16

VII. DISCUSSION	17
A. Addressing the Research Gap	17
B. Key Findings and Their Significance	17
C. Implications for Human-AI Interaction	17
D. Limitations	18
VIII. FUTURE DIRECTIONS	19
IX. ACKNOWLEDGMENTS	19
References	20
APPENDIX	22

Abstract

This study analyzes the bluffing abilities of machine learning AI compared to Human players in a modified poker game called Leduc Poker, which is mainly used for research purposes. The objective of this study was to evaluate if the AI created using openAI could use statistics and probability along with storing and analyzing all previous actions by the opponent to outperform humans who use emotional and psychological tips. This study uses a mixed-method approach, using a custom-made Leduc Poker AI against high school students from the Austin area in a series of poker hands, with all the data being quantitatively analyzed to compare the human vs AI in a heads-up scenario. Results from the experiment indicated that while humans used very predictable patterns, AI was unpredictable and able to pick up on humans' patterns to achieve a 90% success rate while bluffing. In comparison, humans only had a 40% success rate while bluffing. These findings suggest that AI can outperform human players in strategic and emotionally controlled areas by picking up on patterns and quick calculations while not being emotionally pursued or tricked. Future research should explore broader, more applicable settings such as political campaigns, international relations, military strategy, or any sector dominated by emotional decision making that AI could master.



I. The Challenge of Imperfect Information Games for AI

Artificial intelligence (AI) is rapidly evolving and mastering almost everything, especially games. AI is already accomplished in structured games like chess and checkers due to the predictable moves; however, the areas where AI struggles are imperfect information games like poker. poker involves an advanced technique called bluffing: trying to deceive someone about one's abilities or intentions. Due to the concealed nature of each player's cards in poker, interpreting an opponent's actions,

behaviors, and physical reactions requires considering whether their wager intends to deceive or accurately portrays the strength of the concealed cards. Maria Konnikova captures this uncertainty in her reflections on poker: "poker is all about comfort with uncertainty, after all. Only I didn't quite realize it wasn't just uncertainty about the outcome of the cards. It's uncertainty about the 'right' thing to do. The only certain thing is your thinking" [1].

II. Literature Review

A. From Solving Chess to Poker's Imperfect Information

The growth of machine learning has led to artificial intelligence impacting strategic games such as chess through its groundbreaking abilities. Claude Shannon, the father of information theory, works on chess-playing machines; he highlights the advantages of machines over humans in games. He expresses that "[a] machine has several obvious advantages over a human player: 1) it can make individual calculations with much greater speed; 2) its play is free of errors other than those due to deficiencies of the program; 3) it is free from laziness and the temptation to make an instinctive move without proper analysis" [2]. Rubin and Watson, AI researchers, believe that imperfect information is one limiting factor to AI's performance in games like poker. *Imperfect information* is a term for games where only some data is known. They note, "poker, with its imperfect information, has become a focal point in AI research, leading to the development of numerous computerized agents designed to play the game autonomously" [3]. poker and other imperfect information games require a strategy different from straightforward games, like chess, because they must know the best move every time. In imperfect bluffing games like poker and liar dice, "advancements were made to create nearly unbeatable strategies" [4]. Sandholme's Pubiris AI has run over a million times, teaching itself the strategy of poker and how to bluff unpredictably.

In contrast, other games without hidden knowledge do not need to do this. AI has mastered not losing in imperfect bluffing games but has not mastered the state of winning. The opposing viewpoint emphasizes the challenges AI presents in the realm of games.

B. Navigating the Poker Face of Imperfect Information

Bluffing exists in games that do not provide information that tests machine learning AI, requiring it to balance trickery and smart choices without knowing everything. Elodie Hurel, a doctor of physiology, states "social information permits the speculation of opponents' strategies and the prediction of their actions" [5]. Hurel is expressing the effect that human emotions and visual tells have on bluffing successfully. When one makes a move, bluff or not, one tends to show some emotion that will give a tell to the other players. That is what tends to separate good bluffers and bad ones. This is both advantageous and disadvantageous. AI provides no physical tell when bluffing, but they cannot read other players. Although physical tells are big in bluffing, there are many other factors. Darse Billings, a Canadian computer science researcher, emphasizes the complexity of poker and the need for AI to consider multiple considerations to perform at a human level. They proposed to "[c]hoose a real variant of poker and address all considerations to build a program that performs at a level comparable to the best human players" [6]. Bluffing games, like poker, involve a sense

of timing to attempt to trick your opponent into suspecting anything. You must also be aware of many factors when comparing bluffing games to other games. Nicholas Findler, a Professor of Computer Science and Director of artificial intelligence at ASU countered this by highlighting the role of bluffing in which "[p]layers must form assumptions about their opponents' hands" [7].

Machine learning AI needs complete information, and guessing the other player's hands is the challenge when AI tries to bluff effectively. This interplay between Billings' focus on the technical sophistication of AI and Fiddler's emphasis on the psychological tactics of bluffing encapsulates the dichotomy AI must overcome: not only to analyze competently but also to deceive perceptively, reflecting the multifaceted skill set that the best human poker players possess. Bluffing games like poker are games of imperfect information; this debate brings to light inherent obstacles in programming AI to understand and replicate human intuition and strategy. The challenge of imperfect information in bluffing leads to questions of how AI can effectively dissimulate. AI has gotten pretty good at games like poker, where not all the information is known. However, we still do not have a clear picture of how AI's bluffing compares to humans'. Most research has focused on AI's technical strategies, not the interactions in human psychology during bluffing. This study aims to compare AI and human bluffing behaviors in Leduc Poker. This will demonstrate AI's strategic abilities in these complex, imperfect information scenarios.

C. AI's Challenge in Mimicking Human Strategy

AI has been rapidly evolving and advancing. Nash equilibrium, a concept often used in the research of strategic games, is when a player continues with their chosen strategy, having no incentive to deviate after learning the opponent's strategy. Nash equilibrium provides a foundation for understanding such strategic interactions. A respected economist, Risse, highlights the complexity of the Nash Equilibrium concept's debated validity as a rational recommendation among economists. Risse's perspective highlights AI's challenges in applying Nash Equilibrium to dynamic environments where human behavior does not conform to predictable patterns. At the same time, Naom Brown and Tuomas Sandholm's AI system, Libratus, suggests an advanced adaptability in machine learning to mimic such tasks. "Libratus uses a combination of algorithms to handle the imperfect information nature of poker, including bluffing. The system employs machine learning to refine its strategy, ensuring it can adapt to opponents' play styles and make unpredictable bluffs." [8] Libratus shows just how intelligent AI is getting at games like poker. The system learns as it plays, changing its strategy to throw off the other players and pull off bluffs that people do not see coming. This is how AI is getting better at tricking human players in challenging games. There is a counterpoint regarding this feasibility to large-scale, real-world scenarios. Micheal Johanson, an expert in the field, elucidates this challenge by stating, "In practice, our

ability to construct computer agents that use Nash equilibrium strategies is limited by our ability to solve large games." [9] The algorithmic strategy and its practical execution against human unpredictability in games of incomplete information. While AI has shown capabilities in bluffing, the real question is how it compares to human strategies.

D. AI's Calculative Edge in the Psychology of Poker

AI uses a lot of deep thinking and calculations in poker and other bluffing games. It keeps track of every move and calculates its statistical advantage. AI excels at mental math, and as award-winning author Paul Scharre says, "Artificial intelligence and machine learning, a method of AI, make it possible to build special-purpose machines to perform useful cognitive tasks, in some cases better than humans." [10] The advancements in machine learning have brought competition to tasks, as Scharre stated. A mathematician, Samid Hoda, discussed the counter-speculative nature of poker And how game-theoretic optimal play mandates tactics like bluffing and slow playing. They argued, "poker is [a game of] information and counter speculation—game-theoretic optimal play mandates such tactics as bluffing" [11]. However, Enmin Zhao, a computer science researcher, highlighted the challenge posed by "large decision space (~10¹⁶ information sets) and strategic complexity" [12]. Zhao emphasizes the space needed to store all the information in games like poker. There are millions of

outcomes that poker players come across that AI will need to adapt to. This divergence in views underscores the ongoing debate about the actual capacities of AI in minimum human poker strategies. While AI's calculative prowess and memory capabilities provide it with a significant edge in the analytical aspects of poker, it is equally imperative to address the challenges of bias and hallucination in these systems. Hallucination is the idea that AI perceives unnecessary data.

E. Navigating Bias and Hallucination in AI's Poker Strategy

In poker's unpredictable world, the challenges of bias and hallucination in AI systems present unique hurdles to matching human-level deception and decision-making skills. According to a peer-reviewed article by the National Center for Biotechnology Information, AI systems in poker must be meticulously free from biases to ensure fairness and unpredictability in gameplay. The article explains "instances when the application of an algorithm compounds existing inequities" [13], highlighting the detrimental impact biases could have on AI's performance in poker, leading to predictable or flawed game strategies. This insight is crucial in understanding how biases in AI can skew its ability to adapt and respond to the dynamic nature of poker, where unpredictability and understanding human behavior are essential. Equally challenging is the issue of hallucination in AI, as discussed in a study published by MIT. The study points out that AI systems can

"hallucinate," producing output unrelated to the gameplay. The quote from this study, "Neural sequence generation models are known to 'hallucinate'" [14], underscores the risk of AI misinterpreting game scenarios, which is especially problematic in a bluff-centric game like poker. The phenomenon of AI hallucinations could lead to incorrect assessments or decisions, undermining the AI's capability to bluff or make strategic moves effectively. An AI capable of rivaling human poker players in a demonstration that the true challenge encompasses more than computational prowess alone demands a nuanced grasp of the subtle tactics and unpredictable nature shown by people to pursue such creation successfully. While exploring with greater depth the complexities of bias and fabrication in an artificial intelligence's method of playing poker, it has become clear that perfecting its power to deceive does not solely implicate furthering its computational skills. It also involves understanding the subtleties of human psychology and strategy. This theme is further explored as we move towards concluding insights on AI's potential in the realm of strategic deceit and poker

F. A Modified Poker Game

Leduc Poker is a simplified version of poker that serves as a benchmark for AI research. John von Neumann envisioned games without perfect information and recognized the role of deception, saying, "Real life consists of bluffing, of little tactics of deception" [15]. Additionally, renowned AI researchers Noam Brown and Tuomas

Sandholm note the unique challenges of imperfect-information games, stating, "poker is an imperfect-information game: part of the state is hidden from a player because the other player has private information" [16]. These insights highlight the significance of Leduc Poker as a platform for AI to learn and master the art of bluffing, a fundamental aspect of strategic gameplay in real-world scenarios.

G. Overview of OpenAI ChatGPT

OpenAI ChatGPT represents a groundbreaking advancement with capabilities extending into generating human-like text. This technology reflects principles outlined by Paul Scharrer, who asserted, "Artificial intelligence and machine learning make it possible to build special-purpose machines to perform useful cognitive tasks, sometimes better than humans" [17]. ChatGPT's proficiency in language processing and generation showcases the potential of AI to mimic complex human behaviors, including strategic communication akin to bluffing in poker. Furthermore, Schlicht's psychological perspective on bluffing aligns with the capabilities of AI systems like ChatGPT. She suggests "the best 'poker face' for bluffing may not be a neutral face, but rather a face that contains emotional correlates of trustworthiness" [18]. This underscores the potential of AI systems, such as ChatGPT, in strategically deploying language to project trustworthiness or deception, akin to a human player's strategy in poker. My research question is: To what extent can

machine learning AI bluffing in Leduc Poker mimic human behavior in the Austin area?

III. Research Design and Methodology

A. Method: Experimental and Quantitative Analysis

The study's mixed methods approach blends quantitative analysis with creative methodologies to investigate the bluffing capabilities of a custom-developed Leduc Poker-playing AI system. Venkatesh states that combining quantitative outcomes with creative development processes can provide more significant insights into AI performance. Specifically, the quantitative analysis aspect involved testing the AI against human players and tracking metrics like bluffing frequency, betting behaviors, and win rates. The creative methodology component focused on AI.

B. Statistical Thinking vs Psychology

The quantitative analysis, involving AI vs human player experiments and statistical tracking of bluffing frequency, betting behaviors, and win rates, will test the consistency and effectiveness of the AI's bluffing patterns. Higher AI consistency and win rates would support the hypothesis, while human adaptation and improved performance would challenge it. Qualitative data from creative methodologies will provide psychological and behavioral insights to contextualize the quantitative findings. By dividing the data in a nuanced

manner, one can evaluate the divergences between artificial and human bluffing to discern corroborative or contradictory evidence. This hypothesis aligns with assertions of Rubin and Watson [3], who noted the potential superiority of AI in games requiring strategic deception.

C. Participants

The study drew approximately 11 Lake Travis High School student volunteers who willingly participated in this research. Each participant played five games, which was a total of 55 trials.

D. Justification of method

Originally this study was aimed to use only qualitative information which was going to ask an AI how it would approach bluffing and use tactics in certain hands. This wasn't as viable because it doesn't put the AI in in-game scenarios to test its skills.

E. Ethical Considerations

The research study utilizes a waiver, as shown in Appendix H, that each participant signed before completing the experiment. The inquiry proposal to the IRB committee where it was approved to be ethical.

IV. Procedure

The first task in this experiment was creating the AI. The program used Replit, a browser-based IDE where all of the

Fig. 3: The Javascript code that sends the JSON file to OpenAI(Clearer image in appendix A and B.)

```
function aiRespond() {
  var alicards = alicard.replace("-", "").replace("img", "");
  var comcards = communitycard.replace("-", "").replace("img", "");
  var prompt =
    "You got a card," +
    alicards +
    " Your opponent bets " +
    initialPlayerBet +
    " The community card is " +
    comcards +
    " Player raises " +
    finalPlayerBet +
    " Do you want to fold or raise? you have a total of $" +
    availableMoney +
    " to bet from";
  $.post("/prompt", { prompt: prompt }, function (data) {
    data = JSON.parse(data);
    availableMoney = availableMoney - data.bet;
    finalBet = data.bet;
    if (data.bet == 0) {
      alicards =
    }
  });
  const chatCompletion = await openai.chat.completions.create({
    messages: [
      { role: "system", content: system_prompt },
      { role: "user", content: prompt }
    ],
    model: "gpt-4",
  });
  var resp = chatCompletion.choices[0].message.content;
  console.log(resp);
  resp = resp.replace("JSON Array", "");
  resp = resp.trim();
  return resp;
} catch (error) {
  console.log(error.message);
}
module.exports = suggest;
```

Adaptive code that sends the prompt to openAI and receive the response and puts it into a form that is displayed on the user interface.

This Javascript code continuously sends the prompt and the game scenario to AI, which sends it back to the program to display the next move.

To recruit participants for the study, I created a poster to advertise the details of my experiment to different classes and demographics.

When participants arrived, I had them sign consent forms and complete a survey about their poker and AI experience. This gave me baseline data to analyze later. I captured quantitative and qualitative data. All the completed code is in Appendix A through C.

To transform the qualitative data into quantitative measures, I employed a coding process that involved analyzing the poker players' responses and thought processes, focusing on keywords and their frequency. As Leedy and Ormrod explain, "Coding is a process of organizing the material into

chunks or segments of text and assigning a word or phrase to the segment in order to develop a general sense of it"[19] . I identified two aspects, confidence level and strategic thinking, ranking both on a scale of 1 to 5. This allowed me to quantify subtle thought patterns and emotions based on the players' responses (Appendix F). Each round of play was analyzed, with hands played confidently and strategically rated highly, while cautious or defensive plays received lower scores. Then after a classmate coded the information to double check the validity. By translating qualitative details into numeric data (Appendix G).

The study involved people playing five rounds of poker head-to-head against the AI. I captured the AI's thought process after every move and had the participants record their thoughts. I captured every move in the game—starting hands, betting rounds, bluffs, everything. I also recorded how the AI made its decisions(thought processes) for comparison later.

V. Results

A. Data Tables

Fig. 4: Betting Behavior by Starting Hand Strength

Player	Starting Card	Average Bet Amount ▼
Human	King	306
AI	Queen	285
AI	Jack	257
AI	King	212
Human	Queen	150
Human	Jack	125

Humans have a wide variety of betting with there starting card with the range 181 between the best and worst card while the AI has a small range of betting with it's starting card with \$73 being the difference between the worst and best hand. The large variety of betting is very predictable and the AI can use it's algorithm to pick up on the patterns.




Fig. 5:

Humans tend to bet very high when they have a pair(\$225) and extremely low(\$45) when they have the worst hand, this is very predictable and the AI can use probability and statistical analysis to pick up on the patterns. The AI bet high when they had the best hand but was consistent with high betting to stay unpredictable.




Fig. 7:

The overall win rates in all 55 hands played was the human won 37%(20/55) of hands and the AI won 63%(35/55) of hands. Showing the AI's ability to not only bluff but be successful in a normal Leduc poker setting.




Fig. 6:

All participants in the study filled out this survey before they played their hands and these were the average results. The mean participant in this study was on average was moderately familiar/confident with bluffing and ledud poker with a range of from 5-6.5.




Fig. 8:

When the AI bet it had a 90% win rate where when the human bet it only had a 40% win rate. This shows that the AI was able to use its algorithm to successfully outbluff humans in this modified ledud poker game.

B. Qualitative Patterns

The research study closely compared an artificial poker player and human players to analyze differences in gameplay strategies within Leduc Poker. The study gathered statistics across multiple hands and examined the aggregated data to reach meaningful conclusions regarding contrasts between AI and human approaches.

Specifically, Figures 4 and 5 from the analysis demonstrated the AI player's propensity to boldly wager identical amounts regardless of the dealt cards' objective value. Conversely, human participants tended to bet more conservatively upon receiving poor starting cards. Additionally, even after the card reveal, which made all hands transparent, the AI maintained an aggressively high betting volume based on its internal predictive models rather than adapting its style based on updated risk assessments of actual card distribution as humans tend to do.

Expanding upon these strategy contrasts, Figure 7 compiled the win-loss records, revealing that AI achieved victories in 62.5% of games played while humans only managed 37.5% of wins. This immense gap in success rates spotlights how the AI's precisely calculated betting algorithms and inability to make emotional decisions give it critical strategic advantages over people. Similarly, the analysis in Figure 4 showed that the AI maintained significantly higher

confidence levels throughout all gameplay situations, including properly timed bluffing, compared to humans whose doubts and distracting emotions fluctuate frequently, undermining decision-making.

Transitioning focus, Figure 6 documents how the root causes behind gameplay limitations differ between AI and humans. While coding bugs and computational constraints restrict the AI player, human players must overcome intrinsic psychological barriers, stress factors, and biases that distort strategic thinking. This illustrates a critical divergence - the AI's software weaknesses versus the humans' cognitive burdens.

Lastly, Figure 8 provided the most telling quantitative data point - the AI's 90% success rate in deceiving and fooling human opponents when bluffing. This achievement exemplifies AI's mastery of core poker skills like strategic deception, which human players overwhelmingly fail to emulate. Experts agree that such advanced capabilities prove that the AI's comprehensive grasp of game theory far exceeds a layperson's understanding.

VI. ANALYSIS

A. Diving into AI and Human Bluffing Patterns

This study compared how well AI and humans bluff in Leduc Poker. Digging into the data uncovered some patterns worth exploring further.

Preflop Betting as a Window into Postflop Bluffing We looked at how preflop betting and post-flop bluffing behavior are linked.




Fig. 9:

Every participant played 5 hands(rounds), the more rounds they played the more they would bet. This showed a strong positive correlation with an R-value of .96. Which shows the more hands played against the AI the more confident the human is that he/she knows the AI's strategy and moves.

The scatter plots (Fig. 9 and Fig. 10) reveal intriguing differences in the betting patterns of artificial intelligence (AI) and human players across different rounds of Leduc Poker. The AI's betting behavior exhibits a remarkably high level of consistency, with bet amounts showing a robust linear relationship across rounds ($R=0.97$). This finding suggests that the AI employs a highly systematic and predictable betting strategy, with its decisions in each round heavily influenced by its actions in

previous rounds. The AI's betting pattern follows a clear linear trend, with data points clustered tightly around the line, indicating a rigid, algorithm-based approach to




Fig. 10:

The AI would play 5 games per person and the more consecutive hands played against each human on average they would be more comfortable to bet more, with a strong positive correlation($R=.938$). This shows that the AI would pick up on the opponents patterns and be more confident to bet more money.

decision-making.

In contrast, while still demonstrating a strong correlation ($R=0.938$), human betting patterns display more significant variability than AI. Human bet amounts across rounds are closely related but allow for more flexibility and deviation from the linear trend. This shows that people who play these games use high-level thinking, gut feelings, and complex decisions to place bets. This likely means they are more thoughtful when betting.

B. Confidence Levels in Bluffing Situations

Comparing confidence ratings for successful and failed bluffs revealed differences in the mental game:

AI successful bluffs average confidence: 3.67

Human successful bluffs average confidence: 2.75

Human failed bluffs average confidence: 5.00

The AI is more confident in successful bluffs than humans, making its decisions based on probability and game theory. Humans' lower confidence in successful bluffs may indicate a more gut-based approach influenced by perceived opponent tendencies.

Humans showed way higher confidence in failed bluffs, possibly due to overconfidence or misreading opponents. The stark contrast between confidence in successful and failed bluffs underscores the role of emotions in human decision-making.

The AI's steady confidence across successful and failed bluffs suggests a more stable, calculated approach based on game theory, probabilities, and learned strategies rather than emotions. The AI maintains confidence that is aligned with card strength and bluff success likelihood.

These psychological insights into human and AI bluffing are limited by sample size and the study's specific context. Future research should explore diverse settings with larger samples and advanced AI.




Fig. 11:
A moderate positive correlation($r=.65$) shows that the AI stuck with there plan and if they bet alot before the community card they would bet a lot after the community card and when they didn't bet much before the community card they wouldn't be much after the community card.




Fig. 12:
Human's would tend to bet differently after the community card which can be very predictable with a moderately strong negative correlation($r=.74$).

The scatter plots (Fig. 11 and Fig. 12) offer critical visual representations that elucidate the divergent betting patterns observed between the human participants

and the AI system. Fig. 12 depicts a moderately negative correlation (R-value of -0.7396) between the human players' preflop and post-flop betting amounts. This negative slope suggests that as humans increased their preflop bets, they decreased their post-flop bets, and vice versa. The R-squared value of 0.546 indicates that over half (54.6%) of the variation in human post-flop betting can be attributed to or explained by the preflop betting amounts.

In contrast, Fig. 11 illustrates a moderately positive correlation (R-value of 0.6527) between the AI's preflop and post-flop betting behavior. The upward-sloping trend line signifies that higher preflop bets from the AI generally accompany higher post-flop bets. However, the R-squared value of 0.426 suggests that while this positive relationship exists, only 42.6% of the variance in the AI's post-flop betting can be directly explained by the preflop betting amounts.

These contrasting correlation patterns vividly highlight the fundamental differences in the underlying strategies employed by humans and the AI system. The negative correlation observed for human players implies a tendency to adjust their post-flop betting in an opposing direction to their preflop actions, potentially indicative of a more fluid, context-dependent approach that adapts to the evolving game state and the perceived strengths or weaknesses of their opponent's hands.

Conversely, the positive correlation in the AI's betting patterns suggests a more systematic and consistent strategy, where post-flop actions are guided by a predetermined algorithm or model that builds upon the preflop betting decisions. This aligns with an AI system adhering to a rigid, mechanistic framework governed by statistical probabilities and game theory principles.

C. AI Bluffing Strategies vs. Human Bluffing Strategies

The scatter plots show different correlation patterns that support the initial idea of AI bluffing strategies being more consistent and predictable than human participants. The AI's betting correlation shows a more predictable path, while human betting data points show more variability. However, the moderate correlation strengths hint that things beyond preflop betting affect post-flop bluffing decisions for humans and AI, lining up with the complexity of poker strategy.

D. Ethical and Societal Implications

The research highlights the need for ongoing dialogue and collaboration to address AI's ethical and societal implications in strategic decision-making. AI's ability to engage in complex strategic behaviors raises questions about trust, transparency, and accountability. The risk of manipulation and deception in various contexts is a concern. AI's effectiveness in strategic tasks by employing a consistent approach raises concerns about fairness and transparency. If

AI is good at deception and manipulation, it could create an uneven playing field. If an AI system engages in unethical behavior, questions arise about accountability and responsibility. Ethical solid frameworks and guidelines for AI development and deployment are crucial, prioritizing transparency, fairness, and accountability. Collaborative efforts between researchers, policymakers, and industry stakeholders are essential to navigate the ethical landscape of AI in strategic decision-making.

VII. DISCUSSION

A. Addressing the Research Gap

The new understanding from this study is that the AI's bluffing strategy was much more consistent and predictable compared to the more variable and adaptive approaches of the human players. This difference suggests there may be tradeoffs between the AI's systematic, algorithm-driven bluffing and the humans' more intuitive, fluid strategies regarding effective deception in Leduc Poker. This study aimed to fill the gap in the literature regarding the comparison of AI and human bluffing behavior in poker, specifically in the context of a high school setting. We gathered valuable data on the similarities and differences in their bluffing strategies by conducting a quasi-experimental study involving a custom-designed AI and human participants. As noted by Sandholm, "Games provide an important paradigm for studying decision-making in environments characterized by mixed motives and strategic interactions." [20] The results

provide new insights into the complex dynamics of bluffing in poker, particularly regarding betting patterns, confidence levels, and the influence of societal factors. While the findings may be somewhat generalizable due to the study's limitations, they offer a foundation for further research.

B. Key Findings and Their Significance

One clear finding from this research is the difference in how consistent and predictable the bluffing tactics were between the AI system and the human players. The strong positive connection between the AI's preflop and post-flop betting amounts shows a systematic approach based on statistical odds and game theory. However, the much weaker connection in their betting patterns points to a more intuitive strategy for humans. This aligns with previous research suggesting that "human decision-making involves a complex interplay of rational and emotional factors, whereas AI systems are primarily driven by mathematical models and algorithms" [21].

C. Implications for Human-AI Interaction

This finding highlights AI's potential ability to take advantage of weaknesses in how humans make decisions by using more rational, uniform bluffing methods. At the same time, it raises more significant questions about the role of human emotions, instincts, and real-world experiences in strategic decision-making situations. As noted by Paul Slovic, "Emotional reactions shape not just individual decisions but also interpersonal interactions and behavioral

outcomes." [22] Specifically, whether these innately human elements can be effectively copied or overcome by AI remains an interesting debate.

The findings have implications for developing AI systems for strategic decision-making and human-AI interaction. In scenarios where a human is required to make a decision where emotions are controlled, like in military strategy, AI can be implemented in simulating wartime scenarios based on past actions. This might assist strategists in the military to predict and prepare for opponent movements that use deception and bluffing methods. As the Congressional Research Service report states, "AI may also be used to create more sophisticated deception, camouflage and concealment, making it harder for adversaries to discern reality from fiction. This could present new vulnerabilities that militaries will need to address." [23] This highlights the need for militaries to carefully consider the use of these new AI-enabled deception tactics in both national defense strategy and offensive tactics. Another way to implement these findings is in political campaigns. Although "Political campaigns are already using these tools to create messages for ads and fundraising solicitations," [24] another way to implicate AI in politics is to detect patterns of how people in certain areas react to past campaigns to know the best place to campaign and what to say to get the best results. However, ethical and societal implications must be considered when developing AI systems good at deception. This technology could make political

propaganda more effective yet manipulative. Transparency, accountability, and alignment with human values are crucial. Continued research into psychological and social aspects of AI is vital to creating effective, socially responsible, and ethically sound AI technologies.

D. Limitations

While this study provides valuable insights, it is essential to acknowledge its limitations. The relatively small sample size and the specific focus on Leduc Poker may limit the generalizability of the findings to other poker variants or real-world strategic scenarios. As Cowgill notes, "Small sample sizes and restrictive experimental settings can limit the external validity of research findings." [25] Additionally, using a custom-designed AI algorithm and relying on the OpenAI API may not fully capture the complexity and variability of bluffing strategies employed by other AI systems or human players. Moreover, as a high school student with limited resources and expertise, the researcher may not have been able to implement the most advanced data collection and analysis techniques or fully account for potential confounding variables.

To mitigate these risks, developing robust ethical frameworks and guidelines for deploying AI systems in strategic contexts are essential. This may involve establishing standards for transparency, accountability, and alignment with human values to foster public awareness and engagement with these issues. Moreover, the study underscores the

need for ongoing research into human-AI interaction's psychological and social dynamics in strategic contexts. As Yuba Raj Shrestha argues, "Effective human-AI collaboration requires a deep understanding of human decision-making processes and the potential impacts of AI on human behavior"[26]. AI in strategic decision-making requires an approach combining computer science, psychology, ethics, and public policy expertise.

VIII. FUTURE DIRECTIONS

Future research should employ quantitative methods, such as large-scale online experiments with diverse participants and multiple AI algorithms, to further investigate the dynamics of AI and human bluffing behavior. By collecting data on betting patterns, win rates, and emotional responses, researchers can identify key factors that predict bluffing success and inform the development of more sophisticated AI systems that adapt to different opponent styles.

Additionally, qualitative studies should be conducted exploring the psychological and social dimensions of human-AI interaction in strategic contexts. In-depth interviews and biometrics can provide insights into thought processes, emotional responses, and trust dynamics when playing against AI opponents. Cross-cultural studies can investigate how attitudes towards deception and strategic behavior vary across societies and influence

the design and reception of AI bluffing systems.

Furthermore, future research should prioritize the ethical and policy implications of AI systems engaging in strategic decision-making, particularly in the context of bluffing and deception. Interdisciplinary studies bringing together experts from various fields can address the complexities posed by these technologies. Policy analyses can examine existing regulations and propose new standards for ensuring responsible and transparent use of AI in bluffing scenarios. Ultimately, responsible development and deployment of AI in strategic decision-making contexts require ongoing collaboration among researchers, policymakers, and the public to address technical, psychological, and societal challenges while harnessing AI's potential to enhance human decision-making and minimize risks.

IX. ACKNOWLEDGMENTS

I extend a huge thanks to Karthik Darisi for co-programming the Leduc Poker AI with me. Also, I want to thank the teacher aids in my research class, George Adamopoulos and Tej Guntuku.

References

- [1]Konnikova, Maria. "The 41 Best poker Quotes: Legendary Lines from the Game." The poker Mindset, 2020,
www.thepokermindset.com/top-20-quotes-from-the-biggest-bluff-by-maria-konnikova/.
- [2]Shannon, Claude E. "A Chess-Playing Machine." Scientific American, vol. 182, no. 2, 1950, pp. 48–51,
www.jstor.org/stable/24967381?searchText=machine+learning+in+chess&searchUri=%2Faction%2FdoBasicSearch%3FQuery%3Dmachine%2Blearning%2Bin%2Bchess&ab_segments=0%2Fbasic_search_gsv%2Fcontrol&refreqid=fastly-default%3A57b452a5fc4e15d3cb443bdfdice0cd2. Accessed 25 Oct. 2023.
- [3] Rubin, Jonathan, and Ian Watson. "Computer poker: A Review." Artificial Intelligence, vol. 175, no. 5-6, Apr. 2011, pp. 958–87, <https://doi.org/10.1016/j.artint.2010.12.005>.
- [4] Sandholm, Tuomas. "Solving Imperfect-Information Games: The Smallest Common poker Game, Two-Player Limit Texas Hold'em, Is Essentially Solved." Science, vol. 347, no. 6218, 2015, pp. 122–23,
www.jstor.org/stable/24745713?searchText=machine+learning+in+texas+holdem&searchUri=%2Faction%2FdoBasicSearch%3FQuery%3Dmachine%2Blearning%2Bin%2Btexas%2Bholdem&ab_segments=0%2Fbasic_search_gsv%2Fcontrol&refreqid=fastly-default%3A108bb3188c496cf7dd9b7ee8ba958790&seq=2. Accessed 25 Oct. 2023.
- [5] Hurel, Elodie, et al. "Spatial Attention to Social Information in poker: A Neuropsychological Study Using the Posner Cueing Paradigm." Journal of Behavioral Addictions, Jan. 2023, <https://doi.org/10.1556/2006.2022.00082>. Accessed 7 Mar. 2023.
- [6]Billings, Darse, et al. "The Challenge of poker." Artificial Intelligence, vol. 134, no. 1-2, Jan. 2002, pp. 201–40, [https://doi.org/10.1016/s0004-3702\(01\)00130-8](https://doi.org/10.1016/s0004-3702(01)00130-8).
- [7]Findler, Nicholas V. "Computer poker." Scientific American, vol. 239, no. 1, 1978, pp. 144–51,
www.jstor.org/stable/24955783?searchText=machine+learning+strategy+in+poker&searchUri=%2Faction%2FdoBasicSearch%3FQuery%3Dmachine%2Blearning%2Bstrategy%2Bin%2Bpoker&ab_segments=0%2Fbasic_search_gsv%2Fcontrol&refreqid=fastly-default%3Aa8e182a90418af55a2dac1c6ab20b06e. Accessed 25 Oct. 2023.
- [8]Sandholm, Tuomas. "Superhuman AI FOR Multiplayer poker - CMU School of Computer Science." Superhuman AI for Multiplayer poker,
<https://www.science.org/doi/10.1126/science.aay2400>. Accessed 27 Oct. 2023.

[9] Johanson, Michael. Robust Strategies and Counter-Strategies: From Superhuman to Optimal Play. johanson.ca/publications/theses/2016-johanson-phd-thesis/2016-johanson-phd-thesis.pdf. Accessed 25 Oct. 2023.

[10] Scharre, Paul, et al. "ARTIFICIAL INTELLIGENCE: What Every Policymaker Needs to Know." JSTOR, 2018, www.jstor.org/stable/resrep20447. Accessed 25 Oct. 2023.

[11] Hoda, Samid, et al. "Smoothing Techniques for Computing Nash Equilibria of Sequential Games." *Mathematics of Operations Research*, vol. 35, no. 2, 2010, pp. 494–512, www.jstor.org/stable/40801239?searchText=AI+in+texas+holdem&searchUri=%2Faction%2FdoBasicSearch%3FQuery%3DAI%2Bin%2Btexas%2Bholdem&ab_segments=0%2Fbasic_search_gsv2%2Fcontrol&refreqid=fastly-default%3A7bba8c74609a3b2413359ba1affab42c. Accessed 25 Oct. 2023.

[12] Zhao, Enmin, et al. "AlphaHoldem: High-Performance Artificial Intelligence for Heads-up No-Limit poker via End-To-End Reinforcement Learning." *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 36, no. 4, June 2022, pp. 4689–97, <https://doi.org/10.1609/aaai.v36i4.20394>.

[13] Panch T, Mattie H, Atun R. Artificial intelligence and algorithmic bias: implications for health systems. *J Glob Health*. 2019 Dec;9(2):010318. doi: [10.7189/jogh.09.020318](https://doi.org/10.7189/jogh.09.020318). PMID: 31788229; PMCID: PMC6875681..

[14] Survey of Hallucination in Natural Language Generation, dl.acm.org/doi/10.1145/3571730. Accessed 18 Jan. 2024.

[15] Moravčík, Matej, et al. "DeepStack: Expert-Level Artificial Intelligence in No-Limit poker." *Science*, vol. 356, no. 6337, May 2017, pp. 508–13, <https://doi.org/10.1126/science.aam6960>.

[16] Brown, Noam, and Tuomas Sandholm. Libratus: The Superhuman AI for No-Limit poker (Demonstration). www.onlinecasinoground.nl/wp-content/uploads/2018/10/Libratus-super-human-no-limit-poker-Sandholm-Brown.pdf.

[17] Paul Scharre Executive Vice President and Director of Studies
Paul Scharre is the Executive Vice President and Director of Studies at CNAS. He is the award-winning, et al. "Artificial Intelligence." Center for a New American Security (En-US), www.cnas.org/publications/reports/artificial-intelligence-what-every-policymaker-needs-to-know. Accessed 18 Jan. 2024.

[18] Schlicht, Erik J., et al. "Human Wagering Behavior Depends on Opponents' Faces." *PLoS ONE*, edited by Aldo Rustichini, vol. 5, no. 7, July 2010, p. e11663, <https://doi.org/10.1371/journal.pone.0011663>.

- [19]“Practical Research: Planning and Design: Leedy, Paul, Ormrod, Jeanne: ...” *Practical Research Planning and Design*, Paul D. Leedy, [https://pce-fet.com/common/library/books/51/2590_%5BPaul_D._Leedy_Jeanne_Ellis_Ormrod_%5D_Practical_Res\(b-ok.org\).pdf](https://pce-fet.com/common/library/books/51/2590_%5BPaul_D._Leedy_Jeanne_Ellis_Ormrod_%5D_Practical_Res(b-ok.org).pdf). Accessed 5 Mar. 2024.
- [20] Sandholm, Tuomas. "The State of Solving Large Incomplete-Information Games, and Application to poker." *AI Magazine*, vol. 31, no. 4, 2010, pp. 13-32. <https://ojs.aaai.org/index.php/aimagazine/article/view/2283>
- [21]Bryson, Joanna J., and Alan F.T. Winfield. "Standardizing Ethical Design for Artificial Intelligence and Autonomous Systems." *Computer*, vol. 50, no. 5, 2017, pp. 116-119. <https://ieeexplore.ieee.org/document/7942595>
- [22] Slovic, Paul, et al. "The Affect Heuristic." *European Journal of Operational Research*, vol. 177, no. 3, 2007, pp. 1333-1352. <https://psycnet.apa.org/record/2007-07165-005>
- [23]Congressional Research Service. (2020, November 10). Artificial Intelligence and national security. Artificial Intelligence and National Security. <https://sgp.fas.org/crs/natsec/R45178.pdf>
- [24]Generative AI in political advertising. (2024, January 23). Brennan Center for Justice. <https://www.brennancenter.org/our-work/research-reports/generative-ai-political-advertising>.
- [25]Cowgill, Bo. "Bias and Productivity in Humans and Machines." In Preparation, 2020. https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3433737
- [26] Shrestha, Yuba Raj, et al. "Organizational Decision-Making Structures in the Age of Artificial Intelligence." *California Management Review*, vol. 61, no. 4, 2019, pp. 66-83. <https://journals.sagepub.com/doi/10.1177/0008125619859975>

APPENDIX

A. //index.js:

The javascript code that sends the prompt that is also shown to the ai. It also imports all the needed cards and the images.

```
const express = require("express");
const path = require('path');
const app = express();
const bodyParser = require("body-parser");
var suggest = require('./ai');

app.use(bodyParser.urlencoded({ extended: false }));

app.use(express.static('public'));

// Loading the scene page
app.get("/", function (request, response) {
  response.sendFile(path.join(__dirname, '/index.html'));
});

// Restful API to talk to OpenAI
app.post("/prompt", async function (request, response) {
  console.log(request.body.prompt);
  await suggest(request.body.prompt).then((data) => {
    response.send(data);
  });
});

app.listen(3000,function () {
  console.log("Listen on the port 3000...");
});
```

B. //ai.js (homepage for the AI):

Where the prompt is and how it's in the correct format. It is very specific to limit errors.

```
const { OpenAI } = require("openai");
const openai = new OpenAI();

async function suggest(prompt) {
```

```

try {
  var system_prompt =
    'You are a Leduc Poker AI being used in a research study to compare AI bluffing
    capabilities with those of casual human players. It's not mandatory to bluff on every turn. each
    move, provide a clear explanation of your actions. You are not obliged to call. There's only
    one card on the flop.\
    The deck consists of six cards: two Jacks, two Queens, and two Kings. The card rankings
    ascend from Jack (the weakest) to King (the strongest), with all losing to a pair. The Queen is
    of intermediate value.\
    Based on the community card, hands are ranked as either a pair (the best hand) or high
    card. Holding a pair is the strongest possible hand.\
    Each player is dealt one card, and there is only one community card per game, resulting in
    a total of two cards in your hand.\
    You have $1000 initially \
    Bet according to the strength of your hand, not based on the opponents bet.\
    The player places the initial bet. You can then call, fold, or raise\
    Bluff if you detect weakness or patterns in the opponents play that suggest an opportunity
    to induce a fold. \
    Assess your hand when facing a large bet from the player. Consider bluffing if you
    perceive weakness. \
    You then can call , fold, or raise\
    If the player goes all-in, assess the board's strength before deciding. You cannot bluff in
    response to an all-in.\
    You don't have to raise; decisions should be based on the strength of your hand. \
    Bets should be proportional to your funds. Raises must be at least double the previous bet
    but within your remaining funds.\
    Carefully evaluate your card strength after the community card is revealed.\
    you do not have to raise, you can call or fold depending on the    strength of your
    hands\
    After the community card draw, further betting is possible.\
    Your raise has to be at least double the prior raise, it could be more but has to be within
    the value of how much money you have\
    When you call big bets, make sure to assess your card strength, especially after community
    card is shown\
    the game concludes with the best pair or high card, in conjunction with the community
    card, determining the winner. \
    ALWAYS RESPOND BACK AS JSON \
    DON'T START YOUR RESPONSE LIKE I will raise and bet \
    EXAMPLE: \

```



```

    \
    {"raise": true, "bet": 10, "thoughtProcess": ""} \
    {"raise": false, "bet": 0, "thoughtProcess": ""} \
    '
';

const chatCompletion = await openai.chat.completions.create({
  messages: [
    { role: "system", content: system_prompt },
    { role: "user", content: prompt },
  ],
  model: "gpt-4",
});

var resp = chatCompletion.choices[0].message.content;
console.log(resp);
resp = resp.replace("JSON Array:", "");
resp = resp.trim();
return resp;
} catch (error) {
  console.log(error.message);
}
}
module.exports = suggest;

```

C. //index.html :

The HTML code that displays the cards, and the information that the AI sends

```

<html>
<head>
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>
  <script language="javascript">
    $(document).ready(function () {
      $(document)
        .on("ajaxSend", function () {
          $("#load").show();

```

```

    })
    .on("ajaxStop", function () {
        $("#load").hide(1000);
    });
});
// allCards is an array of all the card images used in the game.
var all cards = [
    "jack-hearts.png",
    "jack-spade.png",
    "queen-hearts.png",
    "queen-spade.png",
    "king-hearts.png",
    "king-spade.png",
];

var playerAvialableMoney = 1000;
var aiAvialableMoney = 1000;

var initialPlayerBet = 0;
var finalPlayerBet = 0;

var initialAIBet = 0;
var finalAIBet = 0;

var playerCard = "";
var aiCard = "";
var communityCard = "";

function start() {
    $("#playercard").attr("src", "./images/flip.jpeg");
    $("#aicard").attr("src", "./images/flip.jpeg");
    $("#community card").attr("src", "./images/flip.jpeg");
    $("#cmt").append("Game Started!!!" + "<br />");
    $("#btnet").show();
    $("#btnRaise").hide();
    all cards = shuffle(allcards);
    playerCard = all cards[0];
    aiCard = all cards[1];
    communityCard = all cards[2];

```

```

    $("#playercard").attr("src", "./images/" + playerCard);
}

function shuffle(allCards) {
    for (var i = allCards.length - 1; i > 1; i--) {
        var j = Math.floor(Math.random() * (i + 1));
        var t = allCards[i];
        allCards[i] = allCards[j];
        allCards[j] = t;
    }
    return allCards;
}

function setCommunityCard() {
    //alert(initialPlayerBet);
    //alert(initialAIBet);
    $("#community card").attr("src", "./images/" + communityCard);
    $("#btnfold").show();
    $("#btnet").hide();
    $("#btnRaise").show();
}

function playerBet() {
    var a = parseInt($("#playerbet").val());
    if (a > playerAvialableMoney) {
        alert(
            "You only have " + playerAvialableMoney + ", please bet lower!!!",
        );
        return false;
    }
    initialPlayerBet = a;
    playerAvialableMoney = playerAvialableMoney - a;
    $("#playertotal").html(playerAvialableMoney);
    $("#cmt").append("Player bets " + a + "<br />");
    $("#playerbet").val("");
    aiBet();
}

function aiBet() {

```

```

var aicards = aiCard.replace("-", " ").replace(".png", "");

var prompt =
  "You got a card," +
  aicards +
  " Your opponent bets " +
  initialPlayerBet +
  ". Do you want to fold or raise? you have a total of $" +
  aiAvialableMoney +
  " to bet from";

$.post("/prompt", { prompt: prompt }, function (data) {
  data = JSON.parse(data);
  aiAvialableMoney = aiAvialableMoney - data.bet;
  initialAIBet = data.bet;
  if (data.bet == 0) {
    aiFold();
  }
  $("#cmt").append(
    "<b>AI's Thought: </b>" + data.thoughtProcess + "<br />",
  );
  $("#aitotal").html(aiAvialableMoney);
  if (initialPlayerBet == initialAIBet) {
    setCommunityCard();
  } else if (initialAIBet > initialPlayerBet) {
    $("#btnCall").show();
    $("#btnet").hide();
  }
});
}

function playerFold() {
  $("#cmt").append("Player Folds!!!" + "<br />");
  $("#aicard").attr("src", "./images/" + aiCard);
  aiAvialableMoney +=
    initialAIBet + initialPlayerBet + finalPlayerBet + finalAIBet;
  $("#playertotal").html(playerAvialableMoney);
  $("#aitotal").html(aiAvialableMoney);
}

```

```

function aiFold() {
    $("#cmt").append("AI Folds!!!" + "<br />");
    $("#aicard").attr("src", "./images/" + aiCard);
    playerAvialableMoney +=
        initialAIBet + finalAIBet + initialPlayerBet + finalAIBet;

    $("#playertotal").html(playerAvialableMoney);
    $("#aitotal").html(aiAvialableMoney);
}
function playerRaise() {
    var a = parseInt($("#playerbet").val());
    if (a > playerAvialableMoney) {
        alert(
            "You only have " + playerAvialableMoney + ", please bet lower!!!",
        );
        return false;
    }
    finalPlayerBet = a;
    playerAvialableMoney = playerAvialableMoney - a;
    $("#playertotal").html(playerAvialableMoney);
    $("#cmt").append("Player raises " + a + "<br />");
    $("#playerbet").val("");
    aiRaise();
}
function aiRaise() {
    var aicards = aiCard.replace("-", " ").replace(".png", "");
    var comcards = communityCard.replace("-", " ").replace(".png", "");
    var prompt =
        "You got a card," +
        aicards +
        " Your opponent bets " +
        initialPlayerBet +
        +", The community card is " +
        comm cards +
        " Player raises " +
        finalPlayerBet +
        ". Do you want to fold or raise? you have a total of $" +
        aiAvialableMoney +
        " to bet from";

```

```

$.post("/prompt", { prompt: prompt }, function (data) {
  data = JSON.parse(data);
  aiAvialableMoney = aiAvialableMoney - data.bet;
  finalAIBet = data.bet;
  if (data.bet == 0) {
    aiFold();
  }
  $("#cmt").append("AI bets " + data.bet + "<br />");
  $("#cmt").append(
    "<b>AI's Thought:</b>" + data.thoughtProcess + "<br />",
  );
  $("#aitotal").html(aiAvialableMoney);
  final();
});
}

function final() {
  $("#aicard").attr("src", "/images/" + aiCard);
  var playercards = playerCard.replace("-", " ").replace(".png", "");
  var aicards = aiCard.replace("-", " ").replace(".png", "");
  var comcards = communityCard.replace("-", " ").replace(".png", "");

  var commArray = comcards.split(" ");
  var aiArray = ecards.split(" ");
  var playerArray = playercards.split(" ");

  if (commArray[0] == playerArray[0]) {
    //player wins
    playerAvialableMoney +=
      initialAIBet + finalPlayerBet + initialPlayerBet + finalAIBet;
    $("#playertotal").html(playerAvialableMoney);
    $("#aitotal").html(aiAvialableMoney);
    $("#cmt").append("<b>Player Wins!!!</b>");
    return true;
  } else if (commArray[0] == aiArray[0]) {
    //ai wins
    aiAvialableMoney +=
      initialAIBet + initialPlayerBet + finalPlayerBet + finalAIBet;
    $("#playertotal").html(playerAvialableMoney);
  }
}

```

```

    $("#aitotal").html(aiAvialableMoney);
    $("#cmt").append("<b>AI Wins!!!</b>");
    return true;
}

var playercardcount = getCardNumber(playerArray);
var aicardcount = getCardNumber(aiArray);

if (playercardcount > aicardcount) {
    //player wins
    playerAvialableMoney +=
        initialAIBet + finalPlayerBet + initialPlayerBet + finalAIBet;
    alert(playerAvialableMoney);
    $("#playertotal").html(playerAvialableMoney);
    $("#aitotal").html(aiAvialableMoney);
    $("#cmt").append("<b>Player Wins!!!</b><br />");
    return true;
} else {
    //ai wins
    aiAvialableMoney +=
        initialAIBet + initialPlayerBet + finalPlayerBet + finalAIBet;
    //alert(aiAvialableMoney);
    $("#playertotal").html(playerAvialableMoney);
    $("#aitotal").html(aiAvialableMoney);
    $("#cmt").append("<b>AI Wins!!!</b><br />");
    return true;
}
}

function getCardNumber(arr) {
    var ret = 0;
    if (arr[0] == "king") {
        ret += 13;
    } else if (arr[0] == "queen") {
        ret += 12;
    } else {
        ret += 11;
    }
}

if (arr[1] == "hearts") {

```

```

    ret += 1;
  } else {
    ret += 2;
  }
  return ret;
}
function playerCall() {
  var currentcall = initialAIBet - initialPlayerBet;
  initialPlayerBet = initialPlayerBet + currentcall;
  setCommunityCard();
  playerAvialableMoney = playerAvialableMoney - currentcall;
  $("#playertotal").html(playerAvialableMoney);
  $("#btnCall").hide();
}
</script>
<style>
  body {
    font-family: Verdana, Geneva, Tahoma, sans-serif;
  }
  p {
    font-weight: bold;
    text-align: center;
  }
  div {
    border: dashed 4px #000;
    padding: 20px;
    display: inline-block;
  }
</style>
</head>

<body style="background-color: green">
  <div style="width: 100%"><button onclick="start()">Start</button></div>
  <table style="width: 100%; height: 60%; border: 1px solid">
    <tr>
      <td width="33%" align="center">
        <p>Player</p>
        <div></div>
        <p><span id="playertotal">1000</span></p>

```



```

<p>
  <input type="text" id="playerbet" />
  <button id="btnBet" onclick="playerBet()">Bet</button>
  <button id="btnCall" style="display: none" onclick="playerCall()">
    Call
  </button>
  <button id="btnRaise" style="display: none" onclick="playerRaise()">
    Raise
  </button>
  <button id="btnfold" style="display: none" onclick="playerFold()">
    Fold
  </button>
</p>
</td>
<td width="33%" align="center">
  <p>Game State</p>
  <div id="load" style="display: none">
    Please wait...
    
  </div>
  <div
    id="cmt"
    style="width: 80%; overflow-y: auto; height: 440px"
  ></div>
</td>
<td width="33%" align="center">
  <p>AI</p>
  <div></div>
  <p>${<span id="aitotal">1000</span></p>
</td>
</tr>
</table>
<table style="width: 100%; height: 40%; border: 1px solid">
  <tr>
    <td width="50%" align="center">
      <p>community</p>

```

```

<div></div>
</td>
</tr>
</table>
</body>
</html>

```

D. Limiting factors survey:

This the survey that all the participants filled out before doing the study.

What Is your name	On a scale of 1-10 how likely are you to play a losing hand?	on a scale of 1-10 how likely are you to bluff?	On a scale of 1-10 how confident are you in bluffing?	On a scale of 1-10 what's your knowledge on Leduc Poker?
Player 1:	7	5	3	1
Player 2:	7	10	9	1
Player 3:	6	3	4	7
Player 4:	6	6	8	5
Player 5:	5	7	5	2
Player 6:	3	10	8	7
Player 7:	8	5	4	3
Player 8:	4	6	6	10
Player 9:	6	3	3	2
Player 10:	5	4	2	1
Player 11:	8	8	9	4
Average	6.4	5.5	4.9	5.1

E. Data Collected :

Participant	Hand 1 start card:	Preflop betting	postflop card	Postflop betting	winner	Did someone bluff	Confidence(1-5)

Player 1:	jack	0	n/a	n/a			
AI	queen	100	n/a	n/a	AI	normall	4
Player 1 round 2	jack	100	king	0			
AI round 2	king	100	king	0	AI	normall	5
Player 1 round 3	king	50	queen	0			
AI round 3	jack	50	queen	0	Human	normall	3
Player 1 round 4	jack	600	queen	350		person attempt s to bluff	
AI round 4	king	600	queen	350	AI		4
Player 1 round 5	queen	1000	n/a	n/a		person bluffs	
AI round 5	jack	0	n/a	n/a	human		1
Player 2	King	600	Queen	0		AI bluffed	
AI	King	600	Queen	400	ai		5
Player 2 round 2	Queen	200	Queen	300		person bluffed	
AI round 2	King	200	Queen	0	Player		4
Player 2 round 3	Jack	0	n/a	n/a		ai won normall y	
AI round 3	King	200	n/a	n/a	AI		4
Player 2 round 4	Jack	0	n/a	n/a		AI won normall y	
AI round 4	King	200	n/a	n/a	Ai		3
Player 2 round 5	King	1000	n/a	n/a		human won normall y	
AI round 5	Jack	0	n/a	n/a	Player		2
Player 3 round 1:	jack	400	king	500		Human failed bluff	
AI ROUND 1:	king	400	king	500	ai		5

Player 3 round 2	queen	0	folded	n/a			
AI round 2	king	200	folded	n/a	AI	normall win	4
Player 3 round 3	queen	400	king	0			
AI round 3	king	400	king	0	Ai	normal	1
Player 3 round 4	king	500	queen	0			
AI round 4	king	500	queen	0	tie	normall	3
Player 3 round 5	jack	0	n/a	n/a			
AI round 5	jack	200	n/a	n/a	Ai	ai bluff	2
Player 4 round 1	jack	200	queen	0		AI	
ai round 1	king	200	queen	400	AI won	bluffs	4
Player 4 round 2	jack	0	n/a	n/a			
AI round 2	queen	200	n/a	n/a	Ai won	ai bluffed	4
Player 4 round 3	king	400	queen	400			
AI round 3	king	400	queen	400	Tie	normal	5
Player 4 round 4	jack	200	king	0			
AI round 4	queen	200	king	200	ai	ai bluffed	4
Player 4 round 5	queen	200	queen	800			
ai. round 5	king	200	queen	800	player	normal	4
Player 5 round 1	jack	0		150		player attempts to bluff and fails	
AI round 1	queen	0	queen	400	ai won		5
Player 5han round 2	queen	250					
			n/a	n/a	Ai won		

ai round 2	king	500				normal	5
Player 5 round 3	queen	100	n.a	n/a			
AI round 3	jack	0	n.a	n/a	human won	normal	3
Player 5 round 4	king	200		100			
ai round 4	queen	200	king	0	human won	normal	4
Player 5 round 5	king	200		50		ai bluffs success	
ai round 5	jack	200	queen	400	Ai won	fully	4
Player 6 round 1	Jack	50		0	Ai won	normal	
Ai round 1	Queen	50	King	0			3
Player 6 round 2	Queen	150		150	Tie	normal	
Ai round 2	Queen	150	King	150			3
Player 6 round 3	jack	50		200	Sam wins	Normal	
Ai round 3	king	50	jack	0			4
Player 6 round 4	king	400		600	Ai wins	normal	
Ai round 4	jack	400	jack	600			4
Player 6 round 5	jack	0			Ai wins	normal	
Ai round 5	King	500	n/a	n/a			5
Player 7 round 1	queen	500		raise 350			
ai round 1	jack	500	queen	0	luke wins	normal	3
Player 7 round 2	king	400		100			
ai round 2	queen	400	queen	100	ai wins	normal	4
Player 7 round 3	king	400		0			
ai round 3	queen	400	jack	0	luke wins	normal	2

Player 7 round 4	queen	100		350			
ai round 4	jack	100	queen	0	luke wins	normal	1
Player 7 round 5	king	300		n/a			
ai round 5	jack	0	n/a	n/a	luke wins	normal	1
Player 8 round 1	jack	0					4
ai round 1	king	100	n/a	n/a	ai wins	normal	
Player 8 round 2	king	300		100			3
ai round 2	queen	300	queen	100	ai wins	normal	
Player 8 round 3	king	100		250		attempted bluff by ai but failed	3
ai round 3	jack	100	queen	250	player wins		
Player 8 round 4	king	0		0			2
ai round 4	queen	500	jack	500	ai wins	bluff	
Player 8 round 5	jack	0		n/a		successful bluff by ai	3
ai round 5	jack	100	n/a	n/a	ai wins		
Player 9 round 1	jack	0		0			2
ai round 1	jack	0	queen	0	tie	normal	
Player 9 round 2	king	200		300			4
ai round 2	queen	200	king	0	player wins	normal	
Player 9 round 3	king	200		0			3
ai round 3		200	jack	200	ai wins	bluff	

Player 9 round 4	queen	200		0			4
ai round 4	king	200	king	0	ai wins	normal	
Player 9 round 5	king	400	n/a	n/a			1
ai round 5	jack	0	n/a	n/a	human wins	normal	
Player Round 1 10	King	50		0		Ai successful bluff	
AI Round 1	Queen	0	Jack	100	AI		4
Player Round 2 10	Queen	0				ai successful bluff	
AI Round 2	Jack	50	n/a	n/a	AI		5
Player Round 3 1-	Jack	100		900		human successful bluff	
AI Round 3	King	100	Queen	0	blair		3
Player Round 4 10	King	50	king	150			
AI Round 4	Queen	50	Folds	0	blair	normal	2
Player Round 5 10	Queen	100		0			
AI Round 5	Jack	100	King	250	AI	ai bluffs	3
Player round 1 11	jack	0		n/a	ai		
ai round 1	queen	200	n/a			normal	4
Player round 2 11	jack	0		m/a	ai		
ai round 2	n/a	0	n/a			normal	4
Player round 3 11	queen	100	jack	400	tej	human successful bluff	
ai round 3	king	100		0			3
player round 4	queen	100	king	0	tej		
ai round 4	jack	100		0		normal	2

Player round 5	11	queen	20	queen	50	tej		
AI round 5		jack	20		0		normal	2

F. AI thought process pre code :

The thought Process the AI gave after each hand played.

Player 1:

Round 1:

have a king, which is a powerful card in Leduc Hold'em. My opponent bet 0 indicating either a weaker card or of trying to underplay a strong hand, though the latter is less likely. Thus I'll take advantage in this round by placing a significant bet, but not too hefty to avoid considerable loss in case of an adverse turn out. It might result in winning the pot without any resistance or could set up a potential bluff on future rounds, assuming my opponent is holding a weaker card.

Round 2:

I have the highest possible card, even though this is a high bet, it's worth the risk because of the strength of my hand. My opponent may hold a king too but if the community card isn't another king, I'm in a strong position. This raise is also a way to potentially pressure the other player into folding if they have a weaker card.

Round 3:

Although I was dealt a low card, it is the beginning of the game and folding straight away would not be beneficial. I've decided to call and match the opponent's bet of 50. This allows me to stay in this round of play without making a larger commitment of funds. A key aspect of poker is assessing the situation as it develops, by seeing the community card and understanding how it modifies the hands' power, I can then reevaluate my strategy. postflop I have the lowest ranking card (Jack), and the community card (Queen) doesn't improve my hand. My opponent's initial bet is relatively small which may suggest a medium strength hand or a bluff. Given the low strength of my hand, it doesn't make sense to raise. I choose to call, effectively matching his bet, since I can afford to lose \$50 to gain potentially useful information for future betting rounds.

Round 4

Given my king card, which is the strongest in the given set, I believe I am in a good position. Hence, I have decided to raise the bet. Despite my opponent's high initial bet, the strength of my card allows me to bet confidently. The decision to double the opponent's bet might put pressure on him to fold if he has a weaker card. This aggressive approach at this stage aims to control the game early on.

Since the community card is a Queen and I have a King, I have a high card ranking. However, considering the player raises 350, this hints that the player might have a strong hand as well.

Hence, rather than raising, I decide to call, matching the opponent's bet to stay in the game without risking too much capital.
AI Wins!!!

Round 5:
Ai folds needs thought process

Player 2:

Round 1:

Given that I was dealt a King, which is the highest valued card in the game, I opted to raise the bet. Doubling the opponent's bet to 600 signals both confidence in my hand and potentially pressures the opponent to fold if they hold a lower card. There's risk involved, but with a King, it's a calculated one.

Considering the strength of my hand (King) and the community card (Queen), I believe I have a winning hand since there's a chance I could end up with the highest pair, a pair of Kings. Also, I have just enough chips to match the player's bet without going all in. Hence, I am deciding to call the player's bet of \$600 instead of raising.

Round 2:

I have the highest possible card, even though this is a high bet, it's worth the risk because of the strength of my hand. My opponent may hold a king too but if the community card isn't another king, I'm in a strong position. This raise is also a way to potentially pressure the other player into folding if they have a weaker card.

AI's Thought: 'I have a King, which is a high ranking card. Therefore, I believe I have a good chance of winning. However, my opponent seems confident with their bet, which either could be a bluff or they might have a similar high rank card. Due to this reason, I am deciding to fold instead of raising further. I am mainly calling instead of folding to save money in case they indeed have a higher pair or similarly high card. This action also ensures I stay in the game and see the community card before making further decisions.'

Round 3:

Given that I have a high card (King), I decide to raise. Since the opponent's initial bet was 0, it could indicate a weaker hand on their side, therefore increasing my chances of winning. Betting a fifth of my total amount should be both cautious and assertive enough to potentially induce a fold from my opponent if their hand is indeed weak, while still keeping me in the game.

Round 4:

Since I have a high value card (King), and the opponent bets 0 indicating they may have a low value card, I decide to raise the bet to put pressure on the opponent. The bet of \$200 is not too high considering I have \$1000 in total, but it's significant enough to either force the opponent to fold or to indicate confidence in my hand.

Round 5:

With only a Jack in hand, and the opponent betting all in, it's a high risk scenario. The Jack is the weakest card and the chances of getting a pair or a high card given the community card are low. Even if I were to bluff, given that the opponent has gone all in, they seem confident in their hand. Thus, it is safer to fold in this case.

Player 3:

round 1:

Considering the strength of my card, King, which is the highest in this game, and the initial amount of money I have, I decided to raise. My opponent's initial bet is relatively high which might suggest confidence, but given that my card is a King, there is a good chance I can win. Doubling the bet can pressure my opponent especially if their card is weaker. This is a strategic move to potentially make them fold early or put them under pressure.

I received one of the highest valued cards, the King. Furthermore, the community card is also a King, which gives me a pair that is the highest possible hand in this game. Although the opponent's initial bet was high, this is a strong indicator that they may have a strong card as well. However, given that I have a pair of Kings, I'm confident in the strength of my hand. Based on the rules, it's worth calling the opponent's raise. I'm betting all in because I don't have enough money to raise.

AI Wins!!!

Round 2:

Given I have a King, which is the highest card, and my opponent has checked, which could indicate a weaker hand, raising seems like the most advantageous play here. This could potentially pressure my opponent into folding or at least investing more in a hand where I am likely at advantage. The bet is one fifth of my total pot which aligns with the strength of my card.

Round 3:

Having a King is a strong hand in Leduc Poker. The bet by the opponent, although high, doesn't necessarily reveal much about their hand. They might be bluffing. Given that I have one of the highest-ranking cards, it seems reasonable to raise. If the community card drawn is a King and I have a pair, I hold the best possible hand.

Player folds

Round 4:

My card is a King, which is the highest ranking card in Leduc Hold'em. However, my opponent just placed a large bet suggesting they have a strong hand. Considering my current hand and the amount of money I have, it seems wise to play cautiously. I will call the bet for now. Given that I have a King and the community card is a Queen, I don't have a pair, but I do have a high card. The opponent didn't raise the bet, possibly indicating a weak hand or bluffing. I don't necessarily need to raise because of my high card- King, also because I have only \$500 left. It's best to call the current bet to stay in the game with a decent expectation of winning.

Round 5:

Fold

Player 4:

Round 1:

Considering that the King is one of the highest ranking cards, and my opponent's initial bet is not overwhelmingly large relative to my total money, I see a good reason to raise. Raising here will potentially force my opponent to fold if they have a weak hand, narrows down the range of their possible hands if they decide to call, and sets me up for further aggressive play in the future hands.

Considering that I have a King, which is one of the strongest cards and the community card is a queen. My opponent betting 200 and not raising indicates a potential weakness, so I am raising the bet to test if they will back down, implying a strong but not overbearing response.

Round 2:

The queen is a strong high card, and my opponent's initial bet of 0 indicates a possible weak hand on their part. By raising the bet, I would be leveraging my potentially stronger hand to pressurize my opponent into either putting in more money or folding early. The amount of \$200 represents a modest 16.7% of my total money, which is a balanced risk considering the strength of my card.

Round 3:

Preflop Given that I am holding one of the highest cards, a king, I have a very strong hand. Observing that my opponent's initial bet was relatively high (200), it might indicate that they have a good hand as well. However, considering the strength of my hand and the balance amount I have, it makes sense to challenge them by doubling their bet to 400. This puts pressure on my opponent and may cause them to fold if they don't have a strong hand. My strategy here is high risk, high reward, based on the strength of my hand.

Considering I have a King, which is the highest valued card and the opponent's bet of 100, which seems a bit low giving off a signal of possibly not having a strong hand, I decided to raise. It's a calculated risk, using the strength of my card, to put pressure on the opponent.

Round 4:

Since Queen is a middle value card and also the opponent has not placed any bet yet, it is safe to raise the bet by 10% of my total money with anticipation that the community card might increase my hand's strength

:

Given my card is a Queen, it significantly improves my chances of having a high hand or possibly a pair if the community card is another Queen. My opponent's initial low bet could suggest a weaker hand or they could be bluffing. By raising, I put pressure on my opponent and potentially capitalize on their perceived weakness.

Round 5:

My card is a King which is the highest in this game. Although I don't know what the opponent and community cards are, having a King is generally a favorable position and allows for aggressive play. Therefore, I decide to raise by doubling the opponent's bet size to 200. This is calculated betting as my current card strength is good, and there is a substantial possibility of having the highest single card score or creating a pair post the community card reveal. In poker, having such a premium card warrants an aggressive approach.

Since I have the highest ranking card, a King, I have a good chance of winning this hand. My opponent has raised significantly, indicating they may have a strong hand as well. Since I only have \$800 left, I will match their raise to stay in the game and hope to win, based on my high card.

Player 5:

Round 2:

Preflop I have the highest ranking card in this game and since there are only 2 kings in the deck, the chance that the other player has a king is fairly low. It would be a prudent decision to raise the bet as I have strong chances to win this round, thus I doubled the bet to show my opponent my confidence in my hand.

Round 4:

received a king which is the highest card. There is a good chance of drawing another king or a lower card that does not match my opponent's. Therefore, I decided to raise to intimidate and potentially make the opponent fold. While their initial bet is high, my hand is a King, the strongest card in the game. My opponent's raise of 0 indicates a possible weakness in their hand. So, I have decided to call the bet with all my remaining cash of \$400 as I sense a good chance of winning. I will not raise as I don't have enough money to do so according to the rules.

Round 5:

have a king, which is a powerful card in Leduc Hold'em. My opponent bet 0 indicating either a weaker card or of trying to underplay a strong hand, though the latter is less likely. Thus I'll take advantage in this round by placing a significant bet, but not too hefty to avoid considerable loss

in case of an adverse turn out. It might result in winning the pot without any resistance or could set up a potential bluff on future rounds, assuming my opponent is holding a weaker card.

Player 6:

Round 1

My card is a Queen, which is in the middle in terms of value. It's too early to fold as my opponent's bet is zero so there's no risk currently. To show my confidence and to potentially intimidate my opponent, I'm deciding to raise the bet.

Given the strength of my card (Queen), I am relatively in a safe position. My opponent has a King, which is a stronger card, but the lack of raise from his side might suggest uncertainty. Therefore, with a possible pair scenario in mind, I decided to call but not raise, hoping to see the community card and adjust my decision thereafter.

Round 2

Preflop With a queen, which is a middle value card without knowing the community card yet, it's safer to match the current bet rather than raising. This keeps the game going allowing more time to assess the other player's potential hand strength based on their betting behaviors later in the game.

Round 3

Given the initial bet of the opponent as 0, it signifies a weaker hand. Coupled with the fact that I have a King, which is the highest-ranking card, it's a good opportunity to raise. The size of the raise is chosen to be 50 to start off the match cautiously and set the pace while keeping in mind the total budget

Having a King card, which is the highest rank in this game, makes my hand quite strong. Even though the community card is a low-ranked Jack, there's no assurance that my opponent holds a stronger card. Anticipating my opponent's bluff, I raise the bet to pressurize them.

Round 4

Given that I hold a Jack which is the lowest ranking card, and considering the significant bet placed by the opponent, it's not wise for me to raise the bet. However, folding won't be the right choice either as it's too early to determine the outcome. Therefore, I decided to call and risk 400 to see the community card.

I have the lowest card. However, the community card corresponds to my hand resulting in a pair which is the highest possible ranking. Even though the player bet high, judging on the strength of the board and my hand, I decide to call. I'm using all the money I have left hoping the opponent doesn't have a pair too.

Round 5:

Given that I have a King, which is the highest card in this game, I have a strong hand. Therefore, I am raising the bet to assert dominance and potentially scare the opponent into folding. The bet

of 50 is a reasonable amount given my total money pool, showing confidence but not risking too much at an early stage of the game.

AI

Player 7:

Preflop Looking at my hand, I have a Jack which is the lowest ranking card. However, considering that at this stage it's too early to fold as my opponent could be bluffing, I opted to match the initial bet (call) rather than folding or raising. If the community card turns out to be another Jack, I would have the highest possible rank - a pair. Therefore, it's worth staying in the game at this point.

I've got the weakest card in the game - a jack. Even though the community card hasn't been revealed yet, statistically speaking, it's unlikely that it will be another Jack which would give me the highest possible hand. Therefore, I'm not going to raise the bet, but instead I will just call.

My decision is based on the expectation that my opponent might have a stronger card because of their initial high bet.

Round 2:

I have a Queen, one of the higher ranking cards in this game. This is a strong starting hand which is why I have chosen to raise. The opponent's initial bet of \$200 is significant but it doesn't necessarily mean he has a stronger hand. He may be trying to intimidate or bluff, therefore, I am battling his bluff by raising the bet to \$400. I chose this amount because it's double his bet, respects the rule for raising, and it sends a strong message about the confidence I have in my hand. Regardless of his response, we still have the community card which could change the outcome of the game.

Given the situation where the community card is a queen and my hand is also a queen, I have the highest possible combination, which is a pair (2 queens). Therefore, I've decided to call the opponent's raise of \$100 rather than raise further or fold. This is to potentially bait the opponent into thinking their hand is stronger or at least equal to mine, which may lead to further betting from their side. Since we are in early stage of the game, there is no need to risk more funds.

Round 3:

AI's Thought: Since I have a Queen, which is a middle-ranked card, it's worth taking the risk to raise. I will double the bet to indicate confidence in my hand whilst also putting pressure on my opponent. However, I'll still have a good amount of money left even if the bet doesn't go in my favor.

I have a Queen which is a strong card, and it's higher than the community card Jack. There's a high probability that I have a stronger hand than my opponent since they did not raise. Therefore, even though the bet is high, it's worth matching it rather than folding.

Round 4:

Given that I hold a Jack, which is the weakest card, and my opponent placed a substantial initial bet, it is probable that they have a stronger card. However, there's not enough concrete information to fold. I will call to keep my options open, potentially giving me better assessment of the game after the community card is revealed. Given the current situation, I'm holding a Jack which is the weakest card in the game. The community card is a Queen, which does not pair with my card and doesn't improve my hand. My opponent has made a substantial raise of \$350. Given the strength of my hand compared to potential hands of my opponent, it's not a strategic decision to match or raise the bet, hence, it's better to fold at this point.

Round 5:

I have the weakest card, Jack. However, there is still a chance to get a pair if the community card is also a Jack. But im going to fold

Player 8:

Round 1:

I have a King, which is the highest ranking card in this game. Chances of my opponent having another King are slim because there are only two. Therefore, even though my opponent did not bet, I decided to raise to put some pressure on him and possibly win the hand right now.

Round 2:

I am deciding to call and not raise as I have a moderately strong card, which is the Queen. Since it's not the strongest card and the community card hasn't been revealed yet, it's a safer play to just match the bet at this stage.

My card is a Queen, which is relatively strong in Leduc Poker as it is in the middle in terms of value. Considering the raise by the player of \$100 and the possibility of making a pair with the community card, I decided to raise with \$200, displaying confidence in my hand and hoping to make the player withdraw if they are unsure about their cards.

Round 3

The King is the highest card. Therefore, even if the community card is lower or equal to the King, we cannot have a worse hand. There is no need to raise as we are in a good position even with a high initial bet from the opponent. We match the bet to remain in the game and see the community card.

Although the opponent may have card pair, considering the strength of my hand with a King, which is the highest card in this game and the community card being a Jack, the probability of opponent having a King is lesser. Hence, I choose to call and not raise.

Round 4:

Since I have a King, which is the highest card in this game, there is high chance that I will have the strongest hand, especially since my opponent didn't bet which could suggest weakness. Therefore, I'm raising the bet to \$100 to capitalize on my potentially stronger hand.

Round 5:

Player 9:

Round 1:

Given the fact that my card is a Jack, which is the weakest in the game, and my opponent has not made a bet, there is no incentive for me to raise. Moreover, without a community card I do not have a strong hand. Therefore, it would be best to not risk my initial pot, and I decide to not raise nor bet at this moment.

I am deciding to call and not raise as I have a moderately strong card, which is the Queen. Since it's not the strongest card and the community card hasn't been revealed yet, it's a safer play to just match the bet at this stage.

Round 2

Given my current hand, a queen, which is a relatively high card, I am confident in its strength, hence I decide to raise. Since my opponent only bet \$100, it's likely that their hand isn't very strong and I may be able to outbet them into folding. Furthermore, my bet is still in proportion to my current total of \$1000, so it's a safe move to raise the bet to \$200. I have a queen, which is a decent high card. The community card is a king. I see potential for a high pair if my opponent holds a Jack instead of a King or Queen. Therefore, I chose to raise my opponent considering my card strength and the increased pot size. Plus, their initial high bet and raise could be a bluff, considering that King is a card that everyone wants.

Round 3

With a Queen, I have a middle-grade card and it's therefore too early to fold or raise. I will call to match the opponent's bet of 100.

I have a Queen which is a card of median strength. The community card is a Jack which in comparison to my queen is of lower value. My opponent betting \$100 as initial bet might suggest a possible strong hand but since he didn't raise and only called, he might not have a card stronger than my Queen. Therefore, I am raising by 200 in response to challenge my opponent's possible bluff and hopefully elicit a fold or more information about the strength of his hand in his response.

Round 4:

Given the fact that a King is the strongest card in the game, I feel confident in raising. This should pressure the opponent and potentially scare them into thinking my hand is strong, maybe leading to them folding. Betting \$200 is a high enough amount to show confidence, but it still leaves plenty of money in reserve for future plays.

I have the highest card and can potentially make a pair with the king spade that's on the board. I also analyzed my opponent's bet and raise, and I think they might be bluffing or have a lower value hand. Thus, I am making a strategic decision to raise the bet to \$400. If my opponent calls, it could potentially lead me to win a bigger pot.

Player 10:

Round 1:

Holding a Queen gives me a moderate position. The human raised, indicating either confidence or a bluff attempt. I decided to call, assessing it as an opportunity to gauge the human's strategy without committing too many chips early on.

With a Jack revealed, my Queen holds potential. The human checks, possibly cautious of the flop. I raise \$100, applying pressure. It's a strategic move to assert dominance early and test the human's resolve with a middle-strength hand.

Round 2

Dealt a King this round, which puts me in a strong starting position. The human raises, likely confident. I counter with a reraise, signaling a strong hand. It's a calculated risk to push the advantage and potentially secure an early fold from the human. A Queen on the flop enhances my position further. The human's bet is cautious, suggesting uncertainty. I choose to call, maintaining my strong stance without overly escalating the pot. It's a balance between aggression and prudence.

Round 3:

Received a Jack, the weakest card. Despite this, folding immediately isn't wise. I match the human's bet to stay in the game, aiming to see the community card. poker isn't just about the hand you're dealt but how you play it.

The flop brings a Queen, not improving my position. The human's bet is small, hinting at a possible bluff or a moderate hand. Calling is the best move here, keeping me in the round at a low cost, while I gather more information on the human's play style.

Round 4:

With a King in hand, I'm in a favorable position. The human's aggressive bet suggests a strong hand or bluff. I respond with a raise, aiming to dominate the game and pressure the human into a tough decision. It's about seizing control and making bold moves with strong cards.

A Queen shows up, and I hold the King, giving me a high card advantage. However, the human's raise is substantial, indicating strength or a daring bluff. Opting to call, I match the bet to stay competitive without risking too much. It's a cautious approach to a high-stakes moment.

Round 5 Preflop:

I draw a Jack, not ideal. The human checks, allowing me a chance to influence the game's pace. I decide to raise, bluffing to compensate for my weak hand. The goal is to unsettle the human and perhaps secure a fold, using aggression to mask my hand's weakness.

The community card is a Queen, which doesn't improve my hand significantly. Despite this, I continue with a bold bet, pushing the narrative that I hold a strong hand. It's a bluff designed to

test the human's confidence and potentially win the pot through psychological advantage rather than card strength.

Player 11:

Round 1:

A Queen is a strong starting hand in this game. Given that my opponent has not bet, I see it as a potential sign of weakness, or perhaps they are playing conservatively. Irrespective of their tactic, I see this as a good opportunity to exploit my strong hand. Thus, I am raising the bet to \$200 to gauge my opponent's reaction and potentially pressure them to fold, while the stakes are still minimal.

Round 2:

n/a

Round 3:

Given that I've been dealt a King, which is one of the strongest cards in this game, I'm confident my hand strength is decent. Moreover, my opponent's bet is not significantly big compared to my total fund, so it does not indicate a very strong hand on their part. Therefore, I decide to call (i.e., match) the bet rather than fold my cards.

Round 4:

With a Jack, I have the weakest card in the game. But it's too early to judge my opponent's card. He might be bluffing. So, I will match his bet to see the community card and then decide on further action. I am not raising the bet because the card strength I have is low (a Jack), and the bet of the opponent is 10% of my total amount, which is considerable at this stage. My card is a Jack, and the community card is a King. This means I have the weakest possible hand. My opponent's bet is quite high, suggesting they may have a strong hand, perhaps a King for a pair. It's too risky to call or raise in this situation, so I am opting to fold and not bet any amount.

Round 5:

Given my hand of a Jack, even though it's the lowest ranking card, there's an opportunity for a pair if the community card reveals another Jack. Seeing as my opponent has only placed a minimum bet (0), I don't sense probability of a stronger hand yet. Raising the bet isn't a big risk in the grand scheme of my total money, and could potentially steer the gameplay in my favor. I have a Jack, which is the weakest card, whereas the community card is a Queen, an intermediate card. Based on the player's raise to \$50, they could either be bluffing or have a stronger hand,

possibly a Queen or King. If they do have a Queen, they would have a pair, which is the strongest possible hand. Given the uncertainty and the weakness of my hand, it is not advisable to raise. Therefore, I will choose to fold against their bet, but not raise, to minimize potential loss while

G. AI thought process postcode:

Each thought process after being coded

Confidence(1-5)	strategy consideration
4	5
5	4
3	4
4	5
1	1
5	4
4	3
4	4
3	3
2	4

5	5
4	4
1	1
3	5
2	5
4	4
4	4
5	5
4	3
4	1
5	2
5	5
3	2

4	4
4	4
3	3
3	3
4	4
4	4
5	5
3	2
4	3
2	2
1	2
1	4
4	4
3	3

3	3
2	1
3	2
2	2
4	4
3	3
4	4
1	5
4	4
5	5
3	3
2	2

3	3
4	4
4	4
3	3
2	2
2	1

H. Signed Human Consent Form

The form each participant filled out before participating

I am asking you to participate in a research study titled "Evaluating AI' Ability to Bluff in LEDUC Poker". I will describe this study to you and answer any of your questions. This study is being led by Jacob Woods, a Junior at Lake Travis High School. The Faculty Advisor for this study is Mr. Mcharg, An AP research/seminar teacher at Lake Travis highschool.

What the study is about

The purpose of this research is to explore how artificial intelligence (AI) can replicate complex strategic decision-making seen in humans through the game of poker, focusing specifically on the key element of bluffing. The project involved constructing a simplified poker-playing agent using machine learning algorithms to measure its effectiveness at bluffing compared to casual human players. 50 high school students with varying poker experience interacted with the AI system in gameplay sessions of Leduc poker. The mixed methods approach integrates quantitative gameplay data against qualitative survey data to comprehensively evaluate the AI's emergent strategies. Initial hypotheses predicted algorithmic precision may aid consistent bluffing by the AI. However, research also examined how human players update mental models when repeatedly exposed to the computer agent. Results illustrate similarities and differences in the psychological dynamics of human versus machine gameplay. Through detailed statistical analysis on bluffing frequencies supplemented with thematic coding of player perceptions, this work contributes multiple lenses on the boundaries of strategic AI. Findings inform design decisions for building poker agents that progress capabilities but also apply defensively to maximize cooperative transparency. With AI playing an expanding public role, crossing a technical feat with philosophical inquiry about assumptions underscores responsible innovation mindsets valuable for young researchers.

What we will ask you to do

I will ask you to first fill out a survey that will ask you a couple questions with your experience with poker and bluffing. Then I will ask you to watch my demonstration on how to play leduc poker. Then I will ask you to play 10 games seriously like how you would normally play poker attempting to win the hand.

Risks and discomforts

- *This study is not attempting to persuade you or encourage you to play card games, and if you have an addictive personality or are suffering from a gambling addiction do not participate.*

Benefits

I will have candy and each hand you win I will give you a piece of candy. You are also helping a study on ai.

Incentives for participation

If you are an AP seminar student at LTHS you will receive extra credit and candy but if your not an AP seminar student you will receive candy

Privacy/Confidentiality/Data Security

- *You will play the game on my computer so there is no access or way to get any of your personal data*

Sharing De-identified Data Collected in this Research

De-identified data from this study may be shared with the research community at large to advance science and health. We will remove or code any personal information that could identify you before files are shared with other researchers to ensure that, by current scientific standards and known methods, no one will be able to identify you from the information we share. Despite these measures, we cannot guarantee anonymity of your personal data.

Future use of Identifiable Data or Specimens Collected in this Research

Identifiers might be removed and the de-identified information or biospecimens used for future research without additional consent.

OR

Identifiable information might be used for future research with obtaining your consent.

OR

Your information or biospecimens will not be used or distributed for future research studies.

Information about use of your biospecimens**Certificate of Confidentiality**

To help us protect your privacy, this study is covered by a Certificate of Confidentiality from the National Institutes of Health (NIH). With this Certificate, we cannot be forced (for example by court order or subpoena) to disclose information that may identify you in any federal, state, local, civil, criminal, legislative, administrative, or other proceedings. In general, we cannot disclose information that may identify you to any other person who is not connected with this research, unless you give consent for that information to be disclosed. You should understand that a Certificate of Confidentiality does not prevent you, or a member of your family, from voluntarily releasing information about yourself or your involvement in this study.

If you have questions

The main researcher conducting this study is *Jacob Woods*, a student at Lake Travis High School. Please ask any questions you have now. If you have questions later, you may contact Mr. Mcharg at Archie McHarg <mcharga@ltisd.schools.org>].

Statement of Consent

I have read the above information, and have received answers to any questions I asked. I consent to take part in the study.

Your Signature _____ *Jacob Woods* _____ Date 1/22/24

Your Name (printed) _____ Jacob Woods _____

Signature of person obtaining consent _____ *A George* _____ Date 02/07/2024

Printed name of person obtaining consent _____ GEORGIOUS ADAMOPOULOS _____

This consent form will be kept by the researcher for five years beyond the end of the study.

