





Comment	Description	Designator	Footprint	LibRef	Quantity
104	Capacitor	C1, C2, C3	C0603_M	CAP	3
Diode	Default Diode	D1, D4	MINI_MELF (LL34)	Diode	2
LED0	Typical INFRARED GaAs LED	D2, D5	LED0805_B	LED0	2
RED	Typical INFRARED GaAs LED	D3, D6	LED0805_B	LED0	2
DHT22	Integrated Circuit	IC1	DHT22	DHT22	1
TEMT6000	Integrated Circuit	IC2	TEMT6000	TEMT6000	1
LM393DG	Integrated Circuit	IC3	LM393	LM393DG	1
SRD-05VDC-SL-C	5V一组转换	JK1, JK2	SRD-C_B	SRD-05VDC-SL-C	2
MQ		MQ2	QM-2	MQ	1
Header 2	Header, 2-Pin	P1, P2	KF128-3.81-2P	Header 2	2
Header 2	Header, 2-Pin	P2, P3	HDR2.54-LI-2P	Header 2	2
MOTOR	5P接插件	P3	XH2.54-LI-5P	Header 5	1
Header 4	Header, 4-Pin	P7, P8, P12, P14	HDR2.54-LI-4P	Header 4	4
Header 6	Header, 6-Pin	P9, P13	HDR2.54-LI-6P	Header 6	2
S8050G	Transistor BJT NPN	Q1, Q2	8050	S8050G	2
Res1	Resistor	R1, R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R12, R14, R15	R0603_M	Res1	14
Res Tap	Tapped Resistor	R13	RM065	Res Tap	1
Optoisolator1	4-Pin Phototransistor Optocoupler	U1, U2	SOP4-W2.54_N	Optoisolator1	2
ULN2003V12S16-13	Integrated Circuit	U3	ULN2003	ULN2003V12S16-13	1