

ID: 1adb39f0

The scatterplot shows the relationship between two variables, x and y. A line of best fit for the data is also shown. Which of the following is closest to the difference between the y-coordinate of the data point with x = 1 and the y-value predicted by the line of best fit at x = 1?




- A. 1
- B. 2
- C. 5
- D. 12



The graph shows the momentum y, in newton-seconds, of an object x seconds after the object started moving, for $0 \le x \le 8$. What is the average rate of change, in newton-seconds per second, in the momentum of the object from x=2 to x=6?

ID: 2e74e403

In the given scatterplot, a line of best fit for the data is shown.



Which of the following is closest to the slope of this line of best fit?

- A. **7**
- B. **0.7**
- C. -0.7
- D. **-7**

ID: 9a144a01


Which of the following is true about the values of 2^x and

$$2x + 2$$
 for $x > 0$?

- A. For all x > 0, it is true that $2^x < 2x + 2$.
- B. For all x > 0, it is true that $2^x > 2x + 2$.
- C. There is a constant c such that if 0 < x < c, then $2^x < 2x + 2$, but if x > c, then $2^x > 2x + 2$.
- D. There is a constant c such that if 0 < x < c, then $2^x > 2x + 2$, but if x > c, then $2^x < 2x + 2$.

ID: 03a16790

The scatterplot shows the relationship between two variables, \boldsymbol{x} and \boldsymbol{y} . A line of best fit is also shown.



Which of the following is closest to the slope of the line of best fit shown?


- A. -2.4
- B. **-0.8**
- C. **0.8**
- D. **2.4**

ID: 7ac5d686

An inspector begins a day of work with a large sample of shirts that need to be checked for defects. The inspector works at a constant rate throughout the morning. What type of model is best to model the number of shirts remaining to be checked for defects at any given time throughout the morning?

- A. A linear model with a positive slope
- B. A linear model with a negative slope
- C. An exponential growth model
- D. An exponential decay model


ID: 7fd284ac



The scatterplot above shows data for ten charities along with the line of best fit. For the charity with the greatest percent of total expenses spent on programs, which of the following is closest to the difference of the actual percent and the percent predicted by the line of best fit?

- A. 10%
- B. 7%
- C. 4%
- D. 1%

ID: 3d985614



Each dot in the scatterplot above represents the height *x*, in feet, in the high jump, and the distance *y*, in feet, in the long jump, made by each student in a group of twenty students. The graph of which of the following equations is a line that most closely fits the data?


A.
$$y = 0.82x + 3.30$$

B.
$$y = 0.82x - 0.82$$

C.
$$y = 3.30x + 0.82$$

D.
$$y = 3.30x - 3.30$$

ID: 3c5b19ef



The scatterplot above shows the number of visitors to a railroad museum in Pennsylvania each year from 1968 to 1980, where *t* is the number of years since 1968 and *n* is the number of visitors. A line of best fit is also shown. Which of the following could be an equation of the line of best fit shown?

A.
$$n = 16,090 + 4,680t$$

B.
$$n = 4,690 + 16,090t$$

C.
$$n = 16,090 + 9,060t$$

D.
$$n = 9,060 + 16,090t$$

ID: ab7740a8

In which of the following tables is the relationship between the values of x and their corresponding y-values nonlinear?


٨	x	1	2	3	4
Α.	у	8	11	14	17

R	x	1	2	3	4
D.	у	4	8	12	16

\sim	x	1	2	3	4
О.	у	8	13	18	23

D	х	1	2	3	4
D.	y	6	12	24	48

ID: 9eb896c5



Which of the following could be the equation for a line of best fit for the data shown in the scatterplot above?

A.
$$y = 3x + 0.8$$


B.
$$y = 0.8x + 3$$

C.
$$y = -0.8x + 3$$

D.
$$y = -3x + 0.8$$

ID: fdfc90e4

The scatterplot shows the relationship between two variables, x and y. A line of best fit for the data is also shown.




0 24 26 28 30 32 34 36 At x = 32, which of the following is closest to the *y*-value predicted by the line of best fit?

- A. **0.4**
- B. **1.5**
- $\mathsf{C.}\ \boldsymbol{2.4}$
- D. **3.3**

ID: 50b2807e

The scatterplot shows the relationship between two variables, \boldsymbol{x} and \boldsymbol{y} .



Which of the following equations is the most appropriate linear model for the data shown?

A.
$$y=0.9+9.4x$$

B.
$$y = 0.9 - 9.4x$$

C.
$$y = 9.4 + 0.9x$$

D.
$$y=9.4-0.9x$$

ID: b1b5300b

Prices of 14 Different Cars

Type of car	Priced at no more than \$25,000	Priced greater than \$25,000	Total
Nonhybrid	5	3	8
Hybrid	2	4	6
Total	7	7	14

The table above shows information about 14 cars listed for sale on an auto dealership's website. If one of the cars listed for sale is selected at random, what is the probability that the car selected will be a hybrid car priced at no more than \$25,000?

- $A. \frac{1}{7}$
- B. $\frac{2}{7}$
- C. 3
- D. $\frac{4}{7}$

ID: e1ad3d41

Coat color	Eye color			
Coat color	Deep blue	Light brown	Total	
Cream-tortoiseshell	16	16	32	
Chocolate	12	4	16	
Total	28	20	48	

The data on the coat color and eye color for 48 Himalayan kittens available for adoption were collected and summarized in the table above. What fraction of the chocolate-colored kittens has deep blue eyes?

- A. $\frac{12}{48}$
- B. 28
- C. $\frac{16}{32}$
- 12 D. 16

ID: 0301c5dc

The table below shows the number of state parks in a certain state that contain camping facilities and bicycle paths.

	Has bicycle paths	Does not have bicycle paths
Has camping facilities	20	5
Does not have camping facilities	8	4

If one of these state parks is selected at random, what is the probability that it has camping facilities but does not have bicycle paths?

- A. $\frac{5}{37}$
- B. 25
- C. 28
- 5 D. 9

ID: 0ae37ff3

In a bag, there are 7 red, 4 white, 33 blue, and 33 yellow cubes. If one of these cubes is selected at random, what is the probability of selecting a cube that is <u>neither</u> blue <u>nor</u> yellow?

- A. $\frac{6}{7}$
- B. $\frac{7}{11}$
- C. $\frac{1}{3}$
- D. $\frac{1}{7}$

ID: 2df8f293

Each vertex of a 14-sided polygon is labeled with one of the 14 letters A through N, with a different letter at each vertex. If one vertex is selected at random, what is the probability that the letter D will be at the selected vertex? (Express your answer as a decimal or fraction, not as a percent.)

ID: 912cd125

For a science project, Anka recorded whether it rained each weekday and weekend day for 12 weeks. Her results are summarized in the table below.

Weekday and Weekend Day Rain for 12 Weeks

	Rain	No rain	Total
Number of weekdays	12	48	60
Number of weekend days	8	16	24
Total	20	64	84

If one of the days on which there was no rain is selected at random, what is the probability the day was a weekend day?

- A. $\frac{4}{21}$
- $\frac{1}{8}$
- c. $\frac{2}{3}$
- 3 D. 4

ID: 30db8f77

At a conference, there are a total of 275 attendees. Each attendee is assigned to either group A, group B, or group C. If one of these attendees is selected at random, the probability of selecting an attendee who is assigned to group A is 0.44 and the probability of selecting an attendee who is assigned to group B is 0.24. How many attendees are assigned to group C?

ID: 38a9ac45

If 1,200 customers register for new accounts at a social media website every day, what fraction of the first 60,000 new accounts are registered in the first 5 days?

- A. $\frac{1}{5}$
- B. $\frac{1}{10}$
- C. $\frac{1}{12}$
- D. $\frac{1}{50}$

ID: b6569d0e

United States
Presidents
from 1789 to
2015

Ages	Number
40-44	2
45-49	7
50-54	13
55-59	11
60-64	7
65-69	3

The table above gives the number of United States presidents from 1789 to 2015 whose age at the time they first took office is within the interval listed. Of those presidents who were at least 50 years old when they first took office, what fraction were at least 60 years old?

- A. 43
- 10 B. 34
- C. 24
- 25

ID: a3384df0

Danai		F _V b	ih i+
Pengu	IIII		IDIL

Type of penguin	Male	Female	Total
Chinstrap	41	59	100
Emperor	8	27	35
Gentoo	49	54	103
Macaroni	42	40	82
Total	140	180	320

The number of penguins in a zoo exhibit, sorted by gender and type of penguin, is shown in the table above. Which type of penguin has a female population that is

the closest to being $\frac{1}{3}$ of the total female penguin population in the exhibit?

- A. Chinstrap
- B. Emperor
- C. Gentoo
- D. Macaroni

ID: 46b2e169

A box contains 13 red pens and 37 blue pens. If one of these pens is selected at random, what is the probability of selecting a red pen? (Express your answer as a decimal or fraction, not as a percent.)

ID: f8696cd8

	Human Resources	Accounting
Bachelor's degree	4	3
Master's degree	2	6

The table above shows the number of people who work in the Human Resources and Accounting departments of a company and the highest level of education they have completed. A person from one of these departments is to be chosen at random. If the person chosen works in the Human Resources department, what is the probability that the highest level of education the person completed is a master's degree?

- A. $\frac{2}{15}$
- $\frac{1}{8}$
- $c. \frac{1}{4}$
- D. 15

ID: 53d97af5

A study was done on the weights of different types of fish in a pond. A random sample of fish were caught and marked in order to ensure that none were weighed more than once. The sample contained 150 largemouth bass, of which 30% weighed more than 2 pounds. Which of the following conclusions is best supported by the sample data?

- A. The majority of all fish in the pond weigh less than 2 pounds.
- B. The average weight of all fish in the pond is approximately 2 pounds.
- C. Approximately 30% of all fish in the pond weigh more than 2 pounds.
- D. Approximately 30% of all largemouth bass in the pond weigh more than 2 pounds.

ID: f8f79e11

A park ranger asked a random sample of visitors how far they hiked during their visit. Based on the responses, the estimated mean was found to be 4.5 miles, with an associated margin of error of 0.5 miles. Which of the following is the best conclusion from these data?

- A. It is likely that all visitors hiked between 4 and 5 miles.
- B. It is likely that most visitors hiked exactly 4.5 miles.
- C. It is not possible that any visitor hiked less than 3 miles.
- D. It is plausible that the mean distance hiked for all visitors is between 4 and 5 miles.

ID: e03f3477

A sample consisting of 720 adults who own televisions was selected at random for a study. Based on the sample, it is estimated that 32% of all adults who own televisions use their televisions to watch nature shows, with an associated margin of error of 3.41%. Which of the following is the most plausible conclusion about all adults who own televisions?

- A. More than 35.41% of all adults who own televisions use their televisions to watch nature shows.
- B. Between 28.59% and 35.41% of all adults who own televisions use their televisions to watch nature shows.
- C. Since the sample included adults who own televisions and not just those who use their televisions to watch nature shows, no conclusion can be made.
- D. Since the sample did not include all the people who watch nature shows, no conclusion can be made.

ID: fc46af57

A bag containing 10,000 beads of assorted colors is purchased from a craft store. To estimate the percent of red beads in the bag, a sample of beads is selected at random. The percent of red beads in the bag was estimated to be 15%, with an associated margin of error of 2%. If r is the actual number of red beads in the bag, which of the following is most plausible?

A.
$$r > 1,700$$

ID: 4096a482

Based on a random sample from a population, a researcher estimated that the mean value of a certain variable for the population is **20.5**, with an associated margin of error of **1**. Which of the following is the most appropriate conclusion?

- A. It is plausible that the actual mean value of the variable for the population is between 19.5 and 21.5.
- B. It is not possible that the mean value of the variable for the population is less than 19.5 or greater than 21.5.
- C. Every value of the variable in the population is between 19.5 and 21.5.
- D. The mean value of the variable for the population is **20.5**.

ID: 89f8d08a

A store manager reviewed the receipts from 80 customers who were selected at random from all the customers who made purchases last Thursday. Of those selected, 20 receipts showed that the customer had purchased fruit. If 1,500 customers made purchases last Thursday, which of the following is the most appropriate conclusion?

- A. Exactly 75 customers must have purchased fruit last Thursday.
- B. Exactly 375 customers must have purchased fruit last Thursday.
- C. The best estimate for the number of customers who purchased fruit last Thursday is 75.
- D. The best estimate for the number of customers who purchased fruit last Thursday is 375.

ID: 9ee22c16

A random sample of 400 town voters were asked if they plan to vote for Candidate A or Candidate B for mayor. The results were sorted by gender and are shown in the table below.

	Plan to vote for Candidate A	Plan to vote for Candidate B
Female	202	20
Male	34	144

The town has a total of 6,000 voters. Based on the table, what is the best estimate of the number of voters who plan to vote for Candidate A?

ID: d28c29e1

The International Space Station orbits Earth at an average speed of 4.76 miles per second. What is the space station's average speed in miles per hour?

- A. 285.6
- B. 571.2
- C. 856.8
- D. 17,136.0

ID: b4912cc5

The population density of Iceland, in people per square kilometer of land area, increased from 2.5 in 1990 to 3.3 in 2014. During this time period, the land area of Iceland was 100,250 square kilometers. By how many people did Iceland's population increase from 1990 to 2014?

- A. 330,825
- B. 132,330
- C. 125,312
- D. 80,200

ID: 8e528129

Pure beeswax has a density of 0.555 ounce per cubic inch. An online company sells pure beeswax at a price of \$8.00 per ounce. What is the selling price, in dollars per cubic inch, for pure beeswax purchased from this company?

ID: fea831fc

On April 18, 1775, Paul Revere set off on his midnight ride from Charlestown to Lexington. If he had ridden straight to Lexington without stopping, he would have traveled 11 miles in 26 minutes. In such a ride, what would the average speed of his horse have been, to the nearest tenth of a mile per hour?

ID: 181cc4d6

Rectangle A has length 15 and width w. Rectangle B has length 20 and the same length-to-width ratio as rectangle A. What is the width of rectangle B in terms of w?

A.
$$\frac{4}{3}W$$

B.
$$w+5$$

C.
$$\frac{3}{4}$$
W


D.
$$W - 5$$

ID: 445dd032

Tanya earns \$13.50 per hour at her part-time job. When she works z hours, she earns 13.50z dollars. Which of the following expressions gives the amount, in dollars, Tanya will earn if she works 3z hours?

- A. 3(13.50z)
- B. 3 + 13.50z
- C. 3z + 13.50z
- D. 13.50(z+3)

ID: 939c46d1



The glass pictured above can hold a maximum volume of 473 cubic centimeters, which is approximately 16 fluid ounces. Jenny has a pitcher that contains 1 gallon of water. How many times could Jenny completely fill the glass with 1 gallon of water? (1 gallon = 128 fluid ounces)

- A. 16
- B. 8
- C. 4
- D. 3

ID: e21d10a7

One of a planet's moons orbits the planet every 252 days. A second moon orbits the planet every 287 days. How many more days does it take the second moon to orbit the planet 29 times than it takes the first moon to orbit the planet 29 times?

ID: 8917ce38

Which of the following speeds is equivalent to 90 kilometers per hour? (1 kilometer = 1,000 meters)

- A. 25 meters per second
- B. 32 meters per second
- C. 250 meters per second
- D. 324 meters per second

ID: ec787383

A distance of 61 furlongs is equivalent to how many feet? (1 $furlong = 220 \ yards \ and 1 \ yard = 3 \ feet$)

ID: 7e6c745f

Food	Protein	Cost
1 large egg	6 grams	\$0.36
1 cup of milk	8 grams	\$0.24

The table above shows the amount of protein in two foods and the cost of each food. Based on the table, what is the ratio of the cost per gram of protein in a large egg to the cost per gram of protein in a cup of milk?

- A. 1:2
- B. 2:3
- C. 3:4
- D. 2:1

ID: 873d2838

The population density of Cedar County is 230 people per square mile. The county has a population of 85,100 people. What is the area, in square miles, of Cedar County?

ID: 73ddfdac

A distance of 112 furlongs is equivalent to how many feet? (1 $furlong = 220 \ yards \ and 1 \ yard = 3 \ feet$)

ID: 61b87506

For the values j and k, the ratio of j to k is 11 to 12. If j is multiplied by 17, what is k multiplied by in order to maintain the same ratio?

ID: eb672707

How many $\underline{\text{tablespoons}}$ are equivalent to 14 teaspoons? (3 $\underline{\text{teaspoons}} = 1$ $\underline{\text{tablespoon}}$)

ID: cb4894f9

A triathlon is a multisport race consisting of three different legs. A triathlon participant completed the cycling leg with an average speed of 19.700 miles per hour. What was the average speed, in <u>yards</u> per hour, of the participant during the cycling leg? (1 mile = 1,760 yards)

ID: 1180401d

The total area of a coastal city is 92.1 square miles, of which 11.3 square miles is water. If the city had a population of 621,000 people in the year 2010, which of the following is closest to the population density, in people per square mile of land area, of the city at that time?

- A. 6,740
- B. 7,690
- C. 55,000
- D. 76,000

ID: f6cbb04a

d = 55t

The equation above can be used to calculate the distance d, in miles, traveled by a car moving at a speed of 55 miles per hour over a period of t hours. For any positive constant k, the distance the car would have traveled after 9k hours is how many times the distance the car would have traveled after 3k hours?

- A. 3
- B. 6
- C. 3k
- D. 6k

ID: 96c3e32d

One side of a flat board has an area of 874 square inches. If a pressure of 19 pounds per square inch of area is exerted on this side of the board, what is the total force, in pounds, exerted on this side of the board?

ID: 89c39d77

A competition consisted of four different events. One participant completed the first event with an average speed of 20.300 miles per hour. What was this average speed, in <u>yards</u> per hour? (1 mile = 1,760 yards)

ID: 707db2d3

For the finale of a TV show, viewers could use either social media or a text message to vote for their favorite of two contestants. The contestant receiving more than 50% of the vote won. An estimated 10% of the viewers voted, and 30% of the votes were cast on social media. Contestant 2 earned 70% of the votes cast using social media and 40% of the votes cast using a text message. Based on this information, which of the following is an accurate conclusion?

- A. If all viewers had voted, Contestant 2 would have won.
- B. Viewers voting by social media were likely to be younger than viewers voting by text message.
- C. If all viewers who voted had voted by social media instead of by text message, Contestant 2 would have won.
- D. Viewers voting by social media were more likely to prefer Contestant 2 than were viewers voting by text message.

ID: 63573fea

During the first month of sales, a company sold 1,300,000 units of a certain type of smartphone. During the same month, 15% of the units sold were returned. If sales and the return rate remain the same for each of the next 5 months, about how many units of this smartphone will be returned to the company during this 6-month period?

- A. 195,000
- B. 975,000
- C. 1,170,000
- D. 6,630,000

ID: d693f563

Last year, Cedric had 35 plants in his garden. This year, the number of plants in Cedric's garden is 60% greater than the number of plants in his garden last year. How many plants does Cedric have in his garden this year?

ID: 7cab9fe1

Which expression represents the result of increasing a positive quantity w by 43%?

- A. ${\bf 1.43}w$
- B. 0.57w
- C. $\mathbf{43}w$
- D. 0.43w

ID: 8a714fa1

Which of the following represents the result of increasing the quantity x by 9%, where x > 0?

- A. 1.09x
- B. **0.09**x
- C. x + 9
- D. x + 0.09

ID: 8e2e424e

The number k is 36% greater than 50. If k is the product of 50 and r, what is the value of r?

- A. 36
- B. 3.6
- C. 1.36
- D. 0.36

ID: 709e04de

The value of z is 1.13 times 100. The value of z is what percent greater than 100?

- A. **11.3**
- B. **13**
- C. **130**
- D. **213**

ID: ba61d95f

The population of Greenville increased by 7% from 2015 to 2016. If the 2016 population is k times the 2015 population, what is the value of k?

- A. **0.07**
- B. **0.7**
- $\mathsf{C.}\ 1.07$
- D. **1.7**

ID: 8cbf1415

In a group, 40% of the items are red. Of all the red items in the group, 30% also have stripes. What percentage of the items in the group are red with stripes?

- A. **10**%
- B. **12**%
- $\mathsf{C.}~\mathbf{70}\%$
- D. **75**%

ID: 96a45430

A number n is increased 6%. If the result is 318, what is the value of n?

- A. 199
- B. 299
- C. 300
- D. 337

ID: b2f6f17d

A customer's monthly water bill was \$75.74. Due to a rate increase, her monthly bill is now \$79.86. To the nearest tenth of a percent, by what percent did the amount of the customer's water bill increase?

- A. 4.1%
- B. 5.1%
- C. 5.2%
- D. 5.4%

ID: 94c65646

432 is 96% of what number?

ID: 7b731fc3

What number is 40% greater than 115?

ID: 566759ef

Thomas installed a new stove in his restaurant. At the time of installation, the stove had a value of \$800. Thomas estimates that each year the value of the stove will depreciate by 20% of the previous year's estimated value. What is the estimated value of the stove exactly 2 years after Thomas installed it?

- A. \$480
- B. \$512
- C. \$556
- D. \$640

ID: 37930b2a

Residents of a town were surveyed to determine whether they are satisfied with the concession stand at the local park. A random sample of 200 residents was selected. All 200 responded, and 87% said they are satisfied. Based on this information, which of the following statements must be true?

- I. Of all the town residents, 87% would say they are satisfied with the concession stand at the local park.
- II. If another random sample of 200 residents were surveyed, 87% would say they are satisfied.
- A. Neither
- B. I only
- C. II only
- D. I and II

ID: b4f5a7ca

A survey was conducted using a sample of history professors selected at random from the California State Universities. The professors surveyed were asked to name the publishers of their current texts. What is the largest population to which the results of the survey can be generalized?

- A. All professors in the United States
- B. All history professors in the United States
- C. All history professors at all California State Universities
- D. All professors at all California State Universities

ID: 642519d7

A polling agency recently surveyed 1,000 adults who were selected at random from a large city and asked each of the adults, "Are you satisfied with the quality of air in the city?" Of those surveyed, 78 percent responded that they were satisfied with the quality of air in the city. Based on the results of the survey, which of the following statements must be true?

- 1. Of all adults in the city, 78 percent are satisfied with the quality of air in the city.
- 2. If another 1,000 adults selected at random from the city were surveyed, 78 percent of them would report they are satisfied with the quality of air in the city.
- 3. If 1,000 adults selected at random from a different city were surveyed, 78 percent of them would report they are satisfied with the quality of air in the city.
- A. None
- B. II only
- C. I and II only
- D. I and III only

ID: a456cfd2

Frequency
3
3
8
8
9
11
9
0
6

The frequency table summarizes the **57** data values in a data set. What is the maximum data value in the data set?

ID: 4c774b00

Ages of 20 Students Enrolled in a College Class

Age	Frequency
18	6
19	5
20	4
21	2
22	1
23	1
30	1

The table above shows the distribution of ages of the 20 students enrolled in a college class. Which of the following gives the correct order of the mean, median, and mode of the ages?

- A. mode < median < mean
- B. mode < mean < median
- C. median < mode < mean
- D. mean < mode < median

ID: 3f2ee20a

The results of two independent surveys are shown in the table below.

Men's Height

Group	Sample size	Mean (centimeters)	Standard deviation (centimeters)
А	2,500	186	12.5
В	2,500	186	19.1

Which statement is true based on the table?

- A. The Group A data set was identical to the Group B data set.
- B. Group B contained the tallest participant.
- C. The heights of the men in Group B had a larger spread than the heights of the men in Group A.
- D. The median height of Group B is larger than the median height of Group A.

ID: d0efc1dd

15, 14, 18, 17, *x*

The mean and the median of the five numbers above are equal. Which of the following is NOT a possible value of \boldsymbol{x} ?

- A. 6
- B. 11
- C. 16
- D. 21

International Tourist Arrivals, in millions

Country	2012	2013
France	83.0	84.7
United States	66.7	69.8
Spain	57.5	60.7
China	57.7	55.7
Italy	46.4	47.7
Turkey	35.7	37.8
Germany	30.4	31.5
United Kingdom	26.3	32.2
Russia	24.7	28.4

The table above shows the number of international tourist arrivals, rounded to the nearest tenth of a million, to the top nine tourist destinations in both 2012 and 2013. Based on the information given in the table, how much greater, in millions, was the median number of international tourist arrivals to the top nine tourist destinations in 2013 than the median number in 2012, to the nearest tenth of a million?

ID: 7b65bb28

Station 1	Station 2	Station 3	Station 4	Station 5
\$3.699	\$3.609	\$3.729	\$3.679	\$3.729

In the table above, Melissa recorded the price of one gallon of regular gas from five different local gas stations on the same day. What is the median of the gas prices Melissa recorded?

- A. \$3.679
- B. \$3.689
- C. \$3.699
- D. \$3.729

ID: be00d896

For which of the following data sets is the mean greater than the median?

A. 5, 5, 5, 5, 5, 5, 5, 5

B. 0, 10, 20, 30, 40, 50, 60, 70, 80

C. 2, 4, 8, 16, 32, 64, 128, 256, 512

D. 7, 107, 107, 207, 207, 207, 307, 307, 307

ID: 560fab82

The table shows the frequency of values in a data set.

Value	Frequency
19	7
21	1
23	7
25	4

What is the minimum value of the data set?

ID: 5c3c2e3c

The weights, in pounds, for 15 horses in a stable were reported, and the mean, median, range, and standard deviation for the data were found. The horse with the lowest reported weight was found to actually weigh 10 pounds less than its reported weight. What value remains unchanged if the four values are reported using the corrected weight?

- A. Mean
- B. Median
- C. Range
- D. Standard deviation

ID: 9110c120

Data set A: 5, 5, 5, 5, 5, 5, 5, 5, 5

Data set B: 5, 5, 5, 5, 5, 5, 5, 5, 100

Which of the following statements about the means and medians of data set A and data set B is true?

- A. Only the means are different.
- B. Only the medians are different.
- C. Both the means and the medians are different.
- D. Neither the means nor the medians are different.

ID: 881ef5f5

If a is the mean and b is the median of nine consecutive integers, what is the value of |a-b|?

ID: 9e2bf782

A fish hatchery has three tanks for holding fish before they are introduced into the wild. Ten fish weighing less than 5 ounces are placed in tank A. Eleven fish weighing at least 5 ounces but no more than 13 ounces are placed in tank B. Twelve fish weighing more than 13 ounces are placed in tank C. Which of the following could be the median of the weights, in ounces, of these 33 fish?

- A. 4.5
- B. 8
- C. 13.5
- D. 15

ID: 8193e8cd

2, 10, 3, 7, 6

The mean of the list of numbers above is what fraction of the sum of the five numbers?