Comparison Barplots

Who? Charles Redmond

When? November 20, 2017

Outline

Install and load libraries

- ```
  library(dplyr)
  ```
  ```

Install and load libraries

- ```
  library(dplyr)
  ```
- ```
  library(ggplot2)
  ```

Install and load libraries

- `library(dplyr)`
- `library(ggplot2)`
- `library(gutenbergr)`

Install and load libraries

- `library(dplyr)`
- `library(ggplot2)`
- `library(gutenbergr)`
- `library(stringr)`

Install and load libraries

- `library(dplyr)`
- `library(ggplot2)`
- `library(gutenbergr)`
- `library(stringr)`
- `library(tidytext)`

Access Project Gutenberg

```
df<-gutenberg_works(str_detect(title,'Dracula'
df$gutenberg_id

## [1]   345 10150

df$title

## [1] "Dracula"          "Dracula's Guest"
```

Download Dracula

```
dracula<-gutenberg_download(345)
colnames(dracula)

## [1] "gutenberg_id" "text"

substr(dracula$text[500],1,21)

## [1] "my own disappointment"
```

Unpack the Words

```
dracula_words<-dracula%>%
 unnest_tokens(word,text)
   colnames(dracula_words)

## [1] "gutenberg_id" "word"

   dracula_words[498:500, ]

## # A tibble: 3 x 2
##   gutenberg_id  word
##          <int> <chr>
## 1          345  fail
## 2          345    to
## 3          345  have
```

The Bing Lexicon

```
   bing<-get_sentiments('bing')
   colnames(bing)

## [1] "word"      "sentiment"

   bing[498:500,]

## # A tibble: 3 x 2
##          word sentiment
##         <chr>     <chr>
## 1     bereave  negative
## 2 bereavement  negative
## 3      bereft  negative
```

The Inner Join

```
   dracula_words<-inner_join(dracula_words,bin

## Joining, by = "word"

   dracula_words$gutenberg_id<-NULL
   dracula_words[498:500,]

## # A tibble: 3 x 2
##       word sentiment
##      <chr>     <chr>
## 1   great  positive
## 2    love  positive
## 3 crowded  negative
```

Top 10 Positive Words I

```
 dracula_pos<-dracula_words%>%
filter(sentiment=='positive')%>%
group_by(word)%>%
summarize(count=n(),sentiment=first(sentiment)
arrange(count)%>%
top_n(10,wt=count)
```

Top 10 Positive Words II

```
dracula_pos

## # A tibble: 10 x 3
##       word count sentiment
##      <chr> <int>     <chr>
##  1  sweet    66  positive
##  2  ready    71  positive
##  3 better    77  positive
##  4   love    84  positive
##  5  right    99  positive
##  6   work   146  positive
##  7  great   183  positive
##  8   well   245  positive
##  9   good   258  positive
## 10   like   292  positive
```

Top 10 Negative Words I

```
dracula_neg<-dracula_words%>%
filter(sentiment=='negative')%>%
group_by(word)%>%
summarize(count=n(),sentiment=first(sentimen
arrange(count)%>%
filter(word != 'miss')%>%
top_n(10,wt=count)
```

Top 10 Negative Words II

```
dracula_neg

## # A tibble: 10 x 3
##         word count sentiment
##        <chr> <int>     <chr>
##  1     hard    49  negative
##  2  trouble    53  negative
##  3     fell    59  negative
##  4     dark    77  negative
##  5  strange    90  negative
##  6    death    94  negative
##  7 terrible   100  negative
##  8     dead   109  negative
##  9     fear   137  negative
## 10     poor   193  negative
```

The Comparison Bar Plots I

```
dracula_pos$word<-factor(dracula_pos$word,leve

dracula_neg$word<-factor(dracula_neg$word,leve

dracula_comp<-rbind(dracula_pos,dracula_neg)

plot<-ggplot()+
geom_bar(data=dracula_comp,aes(x=word,y=count,
fill=sentiment, color=sentiment),stat='identit
coord_flip()+
facet_wrap(~sentiment,scales='free_y')+
scale_fill_manual(values=c('black','#ea6205'))+
scale_color_manual(values=c('#ea6205','black'))
```

The Comparison Bar Plots II