


FortiGate Logs to CrowdStrike Falcon Next-Gen SIEM

Step 1

First, we need to configure the FortiGate firewall to export logs. We need to use **remote syslog** to be able to send external logs. FortiGate must send syslog to machine that can receive it, so we will use **Falcon Log Collector** for that.



Step 2

We will use **CEF format** for the logs, because it provides more structured log format, making it easier for CrowdStrike to normalize and use data.

Step 3

We will choose a log receiver, and it will be Falcon Log Collector.

Installation steps

- Download and install Falcon Log Collector
- Create / modify `config.yaml` configuration file
- Create NG-SIEM data connector
 - Which data connector you choose, depends on the data source you wish to ingest
 - Copy API key and URL for later
 - Remove `/services/collector` from URL
 - Copy API key to the `token` in the `config.yaml` file
 - Copy API URL to the `url` in the `config.yaml` file
- Start Falcon Log Collector
- Configure your data source to send data via syslog to the Falcon Log Collector


Step 4

Point the FortiGate firewall to the IP address and port of the selected receiver so the logs are sent to that system. The protocol and port on the FortiGate side must match the protocol and port configured on the receiver exactly. For example, if the receiver is listening on **TCP 1514**, then FortiGate must also send logs using **TCP 1514**.

Step 5


We need to configure the receiver to accept and forward logs. In the case of Falcon Log Collector, it acts as the middle layer between FortiGate and Falcon. Its role is to receive syslog from the firewall and then send that data onward into Falcon using the organization's CrowdStrike ingest configuration, including the correct ingest token and URL.

!!IMPORTANT! – to be able to configure correctly in CrowdStrike we can enter in Supports and Resources – Documentations – In search bar, search FortiGate and there you will the right way how to configure.



Step 6

To be able to receive better logs we need to use **Fortinet FortiGate Data connector**. Without the connector, the logs may still arrive, but they may appear only as simple or raw syslog. With the connector enabled, fields such as source IP, destination IP, action, severity, and event type are easier to search and use in detections.



Final Step

Check inside Falcon Next-Gen SIEM that the FortiGate logs are visible and searchable. In

Data Onboarding, confirm:

source activity

ingestion health or data volume

FortiGate-related source or connector visibility

incoming events after forwarding starts