

AI Readiness Assessment → GoHighLevel

Rebuild the eight-question assessment natively in GHL so click, completion, booking intent, appointments, and replies live on one contact timeline.

Base document: Plinko "GoHighLevel Recreation Guide" (v1) · **This version:** v2, with BeyondK12 amendments marked **AMENDED** ·

Approver: Ernie Delgado

Task owners: **PLINKO** Plinko technical support **MARTECH** GHL build **ERNIE** Copy, claims & approvals

0 What Changed in v2

v1 is adopted as the architecture. The native-GHL rebuild is the right call: it captures the full lifecycle (click → incomplete → complete → booking intent → booked) rather than only completed submissions, and removes the dependency on a premium Inbound Webhook trigger. Three amendments are added.

#	AMENDMENT	WHY	SECTIONS TOUCHED
A1	Channel attribution via <code>src</code>	Trigger Links only identify contacts emailed <i>from</i> GHL. Primary outreach today is phone, voicemail, and print — those arrive as anonymous traffic with no attribution.	\$5, \$6, \$7, \$11, \$12
A2	Route by lowest pillar, not tier alone	v1 stores lowest pillar but branches only on tier. The approved Stage 2 campaign routes to Branches A–D by weakest pillar. Tier sets urgency; pillar selects content.	\$5, \$6, \$9, \$10, \$12
A3	Verify tier names & thresholds against the live assessment	v1 introduces tier labels not confirmed to match what <code>assessment.beyondk12.com</code> returns today. A retaking principal must not receive a different label.	\$6, \$11, \$14

1 Desired Operating Outcome

GHL is the system of record for the assessment lifecycle:

Recipient receives a unique tracked assessment link → clicks → GHL records **Assessment opened** → completes or abandons → GHL stores score/tier/pillars and routes to the right follow-up → recipient selects an appointment time → GHL records the booking, stops the relevant nurture, and notifies the owner.

Hard rule: workflows may automate routing, reminders, and notifications. They must **never** create an appointment without the recipient selecting a time.

2 What Changes from the Current Assessment

The current page at `assessment.beyondk12.com` is a static eight-question page that scores in the browser and posts only completed submissions to a Plinko n8n webhook. It cannot see known recipients who click and leave before submitting.

Rebuild in GHL so: quiz submission writes directly to the contact record; tier, score, and pillar outcomes are available as workflow conditions; the booking calendar and appointment events sit on the same timeline; and campaign status is inspectable without reconciling two systems.

Keep the current assessment URL live as rollback until the GHL version passes end-to-end QA.

3 Tracking Definitions — Use These Exact Meanings

TERM	DEFINITION
Assessment opened	A known GHL contact clicked the Trigger Link sent to them. A link-click event — <i>not</i> proof they answered a question.
Assessment incomplete	A known contact clicked but has not submitted after the defined wait window (initial: 24 hours). Not proof they began answering.
Assessment completed	The contact submitted the quiz. Score, tier, pillar scores, and answers saved to the contact record.
Booking intent	The contact clicked the post-results booking CTA. An engagement signal, not a booked meeting.
Appointment booked	The contact selected a time and the Customer Booked Appointment event was recorded.
Replied	A contact replied to the campaign email. Routes to human review and stops unrelated automated reminders.
Anonymous visitor	A direct visitor not known to GHL before submitting. Do not claim individual open/click attribution. Store campaign attribution where available — see A1.

4 Prerequisites and Approval Gates ERNIE

1. Confirm the exact GHL sub-account/location owning BeyondK12 contacts, pipelines, calendars, sending, and workflows.
2. Confirm authority to use the relevant contacts and email follow-up rules.
3. Confirm target geographies; have privacy/disclosure language reviewed for that audience.
4. Confirm calendar owner, duration, availability, buffers, confirmation/reminder policy, response-time SLA.
5. Confirm one approved follow-up rule for incomplete assessments. Starting point: one reminder at 24 hours; no automatic appointment creation.
6. Preserve the current static assessment as rollback during validation.
7. **A3** — Confirm the tier labels and score thresholds the live assessment returns today, so the GHL version matches.
AMENDED
8. **A1** — Approve the `src` channel-attribution values before links are printed or scripted. AMENDED

5 GHL Custom Fields MARTECH

Create a field group named **AI Readiness Assessment**.

Contact identity and context

- Assessment version (text; e.g. `BK12-AI-READINESS-v1`)
- Assessment source campaign (text)
- Assessment source link / Trigger Link name (text)
- Assessment first clicked at (date/time)
- Assessment started status (single option: not opened, opened, incomplete, completed)
- Assessment completed at (date/time)
- Assessment booking intent at (date/time)

A1 — ADD THESE CHANNEL-ATTRIBUTION FIELDS

- **Assessment channel** (single option: `phone`, `voicemail`, `email`, `print`, `web`, `direct`) — populated from the `src` URL parameter
- **Assessment landing UTMs** (text) — raw `utm_source` / `utm_medium` / `utm_campaign` where present
- **Assessment referrer** (text, optional)

Rationale: Trigger Links attribute only contacts emailed from GHL. Phone, voicemail, and flyer traffic arrives anonymous. Without `src`, the phone campaign cannot be measured.

Assessment lead fields

- School name (text) · School city and state (text)
- Approximate enrollment (single option: Under 100, 100–250, 251–500, 501+)
- School role/title (single option matching approved form choices)

Assessment result fields

- AI Readiness overall score (number, 0–24)
- AI Readiness tier (single option — labels per A3 verification)
- Policy score · People score · Curriculum score · Guardrails score · Funding score (number)
- Recommended next steps (long text, optional)

A2 — REPLACE THE FREE-TEXT “LOWEST-PRIORITY PILLARS” FIELD

- **Lowest pillar** (single option: Policy, People, Curriculum, Guardrails, Funding) — **single value, tie already broken**. Must be a picklist, not text, so workflow conditions can branch on it reliably.
- **Routing branch** (single option: A–Governance, B–Capability, C–Pathway, D–Funding, Bypass–LowScore) — computed at submission; makes routing auditable and reportable.
- **Pillar tie occurred** (checkbox, optional) — flags where the tie-break rule was applied.

Do not make every question answer a permanent CRM field. Preserve only outcome fields needed for segmentation, discovery, and a meaningful human conversation; raw responses remain in the quiz response record.

6 Build the Quiz in GHL MARTECH

Sites → Quizzes → New Quiz.

Quiz structure

Page 1 — Introduction. Title: *The 5-Minute AI Readiness Assessment for K-12 Schools*. Explain coverage of AI policy, teacher readiness, student guardrails, curriculum integration, and funding readiness. **Do not repeat unsupported funding or outcome claims.** CTA: Start the assessment.

Pages 2–9 — Eight scored questions. Recreate existing wording and answer choices only after Ernie approves final commercial/legal copy. One required single-choice question per page. Same points as today. Assign each question to exactly one category: Policy, People, Curriculum, Guardrails, Funding. Preserve the 0–24 range only if verified in GHL preview.

Lead-capture page. Collect first name, last name, school email, title, school name, city and state, approximate enrollment (optional). Add a truthful consent/privacy statement distinguishing the report and approved follow-up from broader marketing consent.

Result page and tiers AMENDED — A3

v1 proposed the tier set below. **These must be verified against what the live assessment returns today before build** — a principal who retakes the assessment must not receive a different label for the same score.

TIER (PROPOSED V1)	SCORE BAND	VERIFICATION STATUS
AI Leader	18–24	Confirm against live tool ERNIE
AI Aware	12–17	Confirm against live tool
AI At-Risk	6–11	Confirm against live tool
AI Unprepared	0–5	Confirm against live tool

Present score, tier, concise next steps, and one clear booking CTA on the results page.

A1 — CAPTURE SRC ON THE QUIZ

Add a **hidden field** on the quiz that reads the `src` query parameter from the page URL and writes it to **Assessment channel** on submission. Default to `direct` when absent. Capture UTM parameters into **Assessment landing UTMs** the same way.

A2 — COMPUTE LOWEST PILLAR AT SUBMISSION

Use GHL's category scoring to produce the five pillar scores, then set **Lowest pillar** to the single weakest category. Where two or more tie, apply this fixed order and take the first match:

Policy → Guardrails → People → Curriculum → Funding

Then set **Routing branch** per the table in §9. If GHL's native category logic cannot resolve a deterministic single value, implement the tie-break in a workflow custom-code action immediately after submission, before any branch condition is evaluated.

Required field mapping

Enable quiz-result-to-contact-field mapping for overall score, tier, all five category scores, lowest pillar, routing branch, and assessment channel. Verify the exact GHL-created field keys and use them consistently in every workflow condition.

7 Branded URL and Tracked Links **MARTECH** **ERNIE**

Preferred public destination: `https://assessment.beyondk12.com`

For email to known contacts, create a GHL **Trigger Link** redirecting to the GHL-hosted quiz. Name it clearly — e.g. `BK12 – AI Assessment – Cold Email – September 2026`. Use the Trigger Link, never a naked static URL, so GHL records the click on the contact timeline.

If outbound is sent through a different sequencer, do not assume GHL sees the individual click. Either send the approved campaign from GHL, or implement a documented, approved integration that writes click/reply/identity into GHL without exposing raw contact IDs in URLs.

A1 — CHANNEL LINK MATRIX

CHANNEL	URL TO USE	NOTES
Cold email (GHL)	Trigger Link → <code>?src=email</code>	Individual attribution via Trigger Link
Phone call	<code>assessment.beyondk12.com/?src=phone</code>	Spoken aloud; anonymous until submission
Voicemail	<code>.../?src=voicemail</code>	Optional: split from phone to compare
Print / flyer	<code>.../?src=print</code>	Consider a short vanity redirect for print
Website / organic	<code>.../?src=web</code>	
Direct / unknown	<code>assessment.beyondk12.com</code>	Defaults to <code>direct</code>

UTMs remain useful for campaign attribution but do not identify an individual anonymous visitor. `src` is channel-level truth, not person-level — state it that way in reporting.

8 Calendar and Booking CTA MARTECH

Use the existing BeyondK12 GHL calendar for the 30-minute AI/Technology Plan Audit, or create a dedicated calendar with an explicit owner.

- Duration: **30 minutes** — align all outreach copy to 30 (phone scripts currently say 20–30).
- Owner / round robin: named and verified · Working hours, timezone, buffers, minimum notice: confirmed by Ernie
- Confirmation and reminder templates: approved · Reschedule/cancellation handling: explicit
- Required booking fields: name, email, school, role. Avoid unnecessary sensitive data.

On each result page use the calendar embed or a GHL appointment link. If a separate page is used, preserve contact context and test with a known contact.

9 Workflows MARTECH

Workflow A — Assessment link clicked

Trigger: Trigger Link Clicked (the specific assessment link).

1. Set *Assessment first clicked at* if empty.
2. Set *Assessment started status* = opened.
3. Add tag `assessment-clicked`.
4. Create/update opportunity at stage **Assessment opened**.
5. Wait 24 hours.
6. If no quiz submission, no appointment, and no reply: set status = incomplete, add tag `assessment-incomplete`, and either create a human follow-up task **or** send the one approved reminder.

Do not describe this stage as “started quiz” unless a separately consented, technically verified progress event exists.

Workflow B — Quiz submitted AMENDED — A2

Trigger: Quiz Submitted (AI Readiness quiz).

1. Create or update contact using **email** as primary dedupe key.
2. Map quiz results to the custom fields — overall, tier, five pillar scores, **lowest pillar, routing branch, assessment channel**.
3. Set *Assessment completed at*; set status = completed.
4. Add tag `assessment-completed`.
5. Remove incomplete reminder tags and queued tasks.

6. Move opportunity to **Assessment completed**.
7. Notify owner with name, school, role, tier, score, **lowest pillar**, channel, and booking status.
8. **Route on lowest pillar (primary), with tier setting urgency (secondary)** — table below. Approved follow-up copy and timing only.

LOWEST PILLAR	ROUTING BRANCH	LEAD DELIVERABLE
Policy or Guardrails	A — Governance	Governance Starter Kit
People	B — Capability	AI Essentials Course (framed as capability, not staffing)
Curriculum	C — Pathway	4-Year AIRS Blueprint → TechPlus AI as year-one prescription
Funding	D — Funding	Institutional Audit + federal priority (written to survive a forward to the business office)
Any — overall score < 8/24	Bypass — LowScore	Skip branches; direct consult offer

Why not tier alone: tier answers *how urgent*; lowest pillar answers *what to send*. Two schools both scoring 14 need different first emails if one is weakest on Policy and the other on Funding. Tier may still modulate pacing and tone within a branch.

Workflow C — Booking intent (recommended)

Trigger: booking CTA Trigger Link clicked.

1. Set *Assessment booking intent at*; add tag `assessment-booking-intent` .
2. Move opportunity to **Booking intent**.
3. Wait a short approved window (e.g. 2 hours).
4. If no appointment and no reply: create a human task or send one approved booking reminder.

Workflow D — Customer booked appointment

Trigger: Customer Booked Appointment on the AI assessment calendar.

1. Move opportunity to **Appointment booked**; add tag `assessment-appointment-booked` .
2. **Stop** assessment-incomplete and booking-intent follow-up paths.
3. Send approved confirmation/reminder sequence; notify the appointment owner.
4. Create a prep task including score, tier, **lowest pillar**, and school context. A2

Workflow E — Email reply received

Trigger: reply received from the relevant outreach campaign/channel.

1. Add tag `assessment-replied` ; move opportunity to **Replied — human review**.
2. Stop incomplete and booking reminder workflows.
3. Assign a human review task.

Do not auto-send a substantive sales response based only on an AI classification. A human reviews intent, context, and any appointment request.

10 Pipeline Stages

Cold email sent · Assessment opened · Assessment incomplete · Assessment completed · Booking intent · Appointment booked · Attended · No-show / reschedule · Qualified opportunity · Nurture / closed

Every stage must be driven by a named event source — Trigger Link, quiz submission, calendar booking, email reply, or human decision. Never infer a stage from guesswork.

A2 Routing branch is a **contact field, not a stage**. Do not fork the pipeline by branch; report on it as a segment so stage counts stay comparable.

11 QA Plan Before Campaign Use MARTECH ERNIE

Use clearly labelled internal test contacts. Do not test against real prospects.

1. Send the Trigger Link to Test Contact A from the intended campaign channel.
2. Click; confirm the timeline shows the Trigger Link event, tag, timestamp, and Assessment opened stage.
3. Do not submit. Confirm the 24-hour incomplete path behaves as configured (use a temporary short wait in a test copy only).
4. Submit as Test Contact B. Confirm exact score, tier, all five category fields, response record, tags, and stage after refresh.
5. Click the booking CTA without booking. Confirm only the booking-intent event occurs.
6. Book a cancellable test appointment as Test Contact B. Confirm creation, owner notification, task creation, stage move, and suppression of reminders.
7. Send a test reply as Test Contact C. Confirm human review and that unrelated reminders stop.
8. Check desktop and mobile presentation.
9. Confirm the branded URL, HTTPS, and marketing links point to the validated GHIL version **only after approval**.
10. Preserve the current static URL as rollback until test evidence is accepted.

ADDITIONAL QA — A1, A2, A3

1. **A1:** submit once via each channel URL (`?src=phone` , `?src=print` , `?src=email`) and once with no parameter. Confirm *Assessment channel* is set correctly each time and defaults to `direct` .
2. **A2:** submit four scored scenarios engineered so the lowest pillar is Policy, People, Curriculum, and Funding respectively. Confirm each lands in the correct branch A–D.
3. **A2 tie-break:** submit one scenario with two pillars tied at the lowest value. Confirm the fixed order resolves it and *Pillar tie occurred* is set.
4. **A2 bypass:** submit a scenario scoring under 8/24. Confirm branch routing is skipped for the direct consult path.
5. **A3:** run three scores across tier boundaries on both the live static assessment and the GHIL version. Confirm identical tier labels and bands.

12 Reporting Dashboard MARTECH

Saved Smart Lists / dashboard for: Trigger Link clicks (Assessment opened) · clicked but not completed after 24h · completed by tier · booking intent with no appointment · appointments booked · attended and no-show · replies needing human review.

Track these separately and **do not collapse them into a single “conversion” number**: email delivery/open/click signals; assessment submission; appointment booking; attendance; qualified opportunity; revenue outcome.

A1 + A2 — ADD THESE VIEWS

- **Completions by channel** (*Assessment channel*) — the only way to know whether phone scripts and flyers are earning their time.
- **Booking rate by channel** — volume and quality can differ sharply by source.
- **Lowest-pillar distribution across all respondents** — market intelligence, and the honest evidentiary basis for any future benchmarking claim in marketing copy.
- **Branch performance** (open/click/booking by routing branch A–D) — shows which nurture track actually converts.

13 Governance and Compliance ERNIE

- Use only approved contact data; comply with applicable email/privacy rules in the target geography.
- Use a real consent/privacy notice at lead capture. Provide an unsubscribe mechanism in follow-up email.
- Do not use deceptive tracking language or imply a link click proves an assessment was completed.
- Do not publish or promise funding amounts, outcome guarantees, testimonials, or appointment outcomes unless verified and approved.
- Keep automated appointment follow-up bounded; an appointment is created only by the recipient's calendar selection.

OPEN CLAIMS ITEMS CARRIED INTO THIS BUILD

- The current landing page opens with a “**\$20–40k left on the table**” figure that is uncited in source documents. Source it or remove it before it is recreated in the GHL intro page.
- The current page carries **three unattributed testimonials**. Verify they are real and approved, or omit them from the rebuild.
- **Grade range:** assessment and consulting are marketed K-12; the TechPlus AI curriculum is a TK–8 pathway. Branch C copy must not imply 9–12 curriculum coverage.

14 Definition of Done

- A known recipient's Trigger Link click appears on their GHL timeline.
- A completed quiz writes verified score, tier, and all five pillar fields to the correct contact.
- An incomplete known contact is identified using the defined wait rule.
- Booking intent and Customer Booked Appointment are distinct events.
- Booked appointments stop follow-up reminders and notify the owner.
- Reply events enter human review and stop unrelated automations.
- **A1** — Assessment channel is populated correctly from every channel URL, defaulting to `direct`. AMENDED
- **A2** — Lowest pillar resolves to a single deterministic value including ties, and routing branch A–D/bypass fires correctly for all five scenarios. AMENDED
- **A3** — Tier labels and bands match the live assessment exactly. AMENDED
- Every test above has been run with internal test contacts and read back.
- Ernie has approved final quiz copy, score thresholds, privacy language, follow-up language, and calendar ownership.

15 Build Sequence & Owners

✓	ORDER	OWNER	TASK
☐	1	Ernie	Approval gates §4, incl. A3 tier verification and A1 channel values
☐	2	Ernie	Resolve §13 claims items (funding figure, testimonials) before copy is rebuilt
☐	3	MarTech	Create custom fields §5 incl. A1 and A2 fields
☐	4	MarTech	Build quiz §6; hidden <code>src</code> field; category scoring; tier mapping
☐	5	MarTech + Plinko	Implement lowest-pillar + tie-break; confirm deterministic single value
☐	6	MarTech	Calendar §8; Trigger Links §7; channel link matrix
☐	7	MarTech	Workflows A–E §9 incl. pillar routing and all suppressions
☐	8	MarTech + Ernie	Full QA §11 incl. the five added A1/A2/A3 tests
☐	9	MarTech	Reporting views §12
☐	10	Plinko	Keep static assessment live as rollback until sign-off
☐	11	Ernie	Approve cutover; update phone scripts, drip, and print to final links