




HEATER 80/1

Supply and installation of
Soltek Solar Water Heater Model 80/1.



Includes:

- **82-gallon tank (53 1/2" x 23 1/2" diameter)** black steel coated in porcelain, bronze nipples, molded polystyrene insulation, stucco aluminum outer cover and aluminum bench.

- **A 34"x76" 'High Performance' solar collector** and 7 copper lines in each, double insulation, 4 air vents, tempered glass and aluminum legs.

- **Pressure and Temperature Valve (125psi).**

- **Union 3/4" bronze.**

- **Magnesium Bar** which prevents electrolysis (identified for future maintenance).

- **Steel tensioner** to the tank and the collector plates.

- **Pre-filter** for sediment removal to 5 microns in the fill line, fixed to the wall **with aluminum bracket and stainless steel screws.**

- **Includes thermostat and 4,500 watt heating element** for electrical backup, guaranteeing hot water at all times. **INCLUDES** electrical connection to the house.

- **Pressure regulator** in bronze.


Warranty:



5 years in the equipment due to malfunctions manufacture.



1 year in installation and labor.



HEATER

80/2

Supply and installation of
Soltek Solar Water Heater Model 80/2.



Includes:

- **82-gallon tank (53 1/2" x 23 1/2" diameter)** black steel coated in porcelain, bronze nipples, molded polystyrene insulation, stucco aluminum outer cover and aluminum bench.
- **Two 34"x76" 'High Performance' solar collectors** and 7 copper lines in each, double insulation, 4 air vents, tempered glass and aluminum legs.
- **Pressure and Temperature Valve (125psi).**
- **Union 3/4" bronze.**
- **Magnesium Bar** which prevents electrolysis (identified for future maintenance).
- **Steel tensioners** to the tank and the collector plates.
- **Pre-filter** for sediment removal to 5 microns in the fill line, fixed to the wall **with aluminum bracket and stainless steel screws.**
- **Includes thermostat and 4,500 watt heating element** for electrical backup, guaranteeing hot water at all times. **INCLUDES** electrical connection to the house.
- **Pressure regulator** in bronze.

Warranty:



5 years in the equipment due to malfunctions manufacture.




1 year in installation and labor.



HEATER

120/3



Supply and installation of
Soltek Solar Water Heater Model 120/3.



119-gallon tank (63" x 28" diameter) black steel coated in porcelain, bronze nipples, molded polystyrene insulation, stucco aluminum outer cover and aluminum bench.

Three 'High Performance' solar collectors measuring 34"x76" and 7 copper lines in each, double insulation, 4 air vents, tempered glass and aluminum legs.

Pressure and Temperature Valve(**125psi**).

Union**3/4" bronze**.

Bar of Magnesium which prevents electrolysis (identified for future maintenance).

Steel tensioner to the tank and the collector plates.

Pre-filter for sediment removal to 5 microns in the fill line, fixed to the wall **with aluminum bracket and stainless steel screws**.

Includes thermostat and 4,500 watt heating element for electrical backup, guaranteeing hot water at all times. **INCLUDES** electrical connection to the house.

Pressure regulator in bronze.

Warranty:



5 years in the equipment due to malfunctions manufacture.



1 year in installation and labor.



HEATER

120/4

Supply and installation of
Soltek Solar Water Heater Model 120/4.



Includes:

- **119-gallon tank (63" x 28" diameter)** black steel coated in porcelain, bronze nipples, molded polystyrene insulation, stucco aluminum outer cover and aluminum bench.
- **Four 'High Performance' solar collectors measuring 34"x76"** and 7 copper lines in each, double insulation, 4 air vents, tempered glass and aluminum legs.
- **Pressure and Temperature Valve(125psi).**
- **Union 3/4" bronze.**
- **Magnesium Bar** which prevents electrolysis (identified for future maintenance).
- **Steel tensioners** to the tank and the collector plates.
- **Pre-filter for sediment removal to 5 microns in the fill line, fixed to the wall with aluminum bracket and stainless steel screws.**
- **Includes thermostat and 4,500 watt heating element** for electrical backup, guaranteeing hot water at all times. **INCLUDES** electrical connection to the house.
- **Pressure regulator** in bronze.

Warranty:



5 years in the equipment due to malfunctions manufacture.



1 year in installation and labor.



Calentador Solar Soltek

WindMar Water



Manufactured to the highest quality standards in the industry.

Why switch to a solar water heater with Windmar Water?

Because it is an **efficient, ecological and high-performance solution** which reduces your electricity bill and guarantees you hot water every day.

Energy
natural,
saving
guaranteed.



Save up to 30% in electricity consumption.



Steel tensioners to the tank and collector plates.



Premium installation with filter, bronze fittings, bronze pressure regulator and more.



Replaceable magnesium rod that extends the life of the water heater.



electrical backup which guarantees hot water at all times.



High efficiency **even on cloudy days**.



Local technical service and **5-year warranty**.

Benefits main ones:



Hot water free thanks to solar energy.



Maintenance **simple**.



Facility **reliable and support** WindMar.



It does not generate CO₂ no polluting gases, taking care of the environment.



32"



WATER TANKER

500 GL

paint and installation of
500-gallon Erna Ecowater.

74" diameter



Includes:

- **Ecowater 500-gallon cistern**, three layers of low-density polyethylene, white on the outside and inside and the middle layer black for protection from the sun's ultraviolet rays. **Manufactured in a single piece using rotomolding (without seams or welds)** with a diameter of 74" and a height of 32". (FDA approved for contact with potable water).
- Water pump **USA 3/4 HP** with connection **110V/220V**.
- Base and cover for the pump
- Pressurized Tank **40 gallons**.
- Pre-filter for sediment removal to 5 microns in the fill line, fixed to the wall **with aluminum bracket and stainless steel screws**.
- **Copper pipe** and CPVC.
- **Steel tensioners** to the cistern and pressurized tank.
- **Automatic bypass** for gravity-fed use in emergency situations.
- **Pressure regulator** in bronze.
- **Float switch, check valves, stopcocks** and everything necessary for automatic installation.

Warranty:



10 years in the cistern due to damage manufacture.



1 year in the pump and pressure booster.



1 year in installation and labor.



61"



WATER CISTERN

600 GL

upgrade and installation of
600-gallon Hercules sterna.

56" diameter



Includes:

Hercules 600-gallon cistern Made of two layers of low-density polyethylene, white on the outside and black on the inside for protection from the sun's ultraviolet rays. **Manufactured in a single piece using rotomolding (without seams or welds)** with a diameter of 56" and a height of 61". (FDA approved for contact with potable water).

Water pump **USA 3/4 HP with 110V/220V connection.**

Base and cover for the pump

Pressurized Tank **40 gallons.**

Pre-filter for sediment removal to 5 microns in the fill line, fixed to the wall **with aluminum bracket and stainless steel screws.**

Copper pipe and CPVC.

Steel tensioner to the cistern and pressurized tank.

Automatic bypass for gravity-fed use in emergency situations.

Pressure regulator in bronze.

Float switch, check valves, stopcocks and everything necessary for automatic installation.

Warranty:



5 years in the cistern due to damage manufacture.



1 year in the pump and pressure booster.



1 year in installation and labor.



WATER CISTERN

150 GL

Supply and installation of
Ecowater 150-gallon cistern.



Includes:

Ecowater 150-gallon cistern, Three layers of low-density polyethylene: white on the outside and inside, and a black middle layer for protection against the sun's ultraviolet rays. Manufactured in one piece using rotational molding (without seams or welds). **with a diameter of 25" and a height of 72"** (FDA approved for contact with drinking water).

1/2 HP water pump **with 110V/220V connection.**

Pressurized Tank **6 gallons.**

Pre-filter for sediment removal **5 microns on the filling line.**

Piping in **copper and CPVC.**

Float switches, check valves, stopcocks, and everything else needed for the **automatic or semi-automatic installation.**

Regulator of **bronze pressure.**

Warranty:



10 years in the cistern
due to damage
manufacture



1 year in the pump and
pressure booster.



1 year in installation
and labor.



Cisternas de agua

WindMar Water



Why choose the Windmar Water water tankers?

Because of its 2 and 3 layer polyethylene design **It provides security, protection against ultraviolet rays, and confidence.** in your water supply.

Your reservation
pot for you
Storage
and available.



Made in one piece through rotomolding, without joints or welds.



Durable, safe and **FDA approved for contact with drinking water.**



Variety of capabilities according to your needs.



High efficiency motor USA and pressurized tank of **40 gallons** ensuring pressure of **50psi** and **energy saving.** (only in 500 and 600 gallon cisterns).



Protection against shortages, blackouts or rationing.



Premium installation with filter, bronze regulator, base and cover for the pump and steel tensioners.

Benefits main ones:



Tranquillity during emergencies.



Storage **corrosion-free,** clean and protected



Installation in automatic for a intelligent handling of the water flow.



WATER SUPPLY ENTRY TO

and installation of
Water Treatment inlet
point.



The only system in Puerto Rico with the **WQA Gold Seal Certified**, an international certification that validates its effectiveness, safety and quality in every drop.



Includes:

- 10" transparent housing pre-filtration system with bracket** and screws with 5-micron washable sediment removal cartridges, extra cartridge and wrench included for easy maintenance.
- Water Care Model CSPRC1054 USA unit that combines 0.5 cuft of activated carbon and 1.0 cuft of resin in a single 10"x54" tank.** Electronic valve (USA) for automatic control and regeneration of the system with "bypass". A salt tank containing 280 lbs of soft granulated salt, **99.9% purity**.
- Viqua VH410 Ultraviolet Ray Lamp with a capacity of 18GPM** for water sterilization and to eliminate the possibility of bacteria.

Warranty:



5 years in the Water Care equipment due to manufacturing defects.



1 year in all other components.



1 year in installation and labor.



Sistema Whole House Water Care

WindMar Water

4 stages of total protection:

1. It filters sediments such as sand, rust, and more.
2. Purification that **Removes heavy metals, chlorine, and more** before entering your plumbing.
3. **Softens water and prevents limescale** with certified materials.
4. **UV light** which sterilizes the water and eliminates bacteria, viruses and other microorganisms, **without using chemicals.**



co system in Puerto Rico with the WQA Seal Certified, an international certification that validates efficacy, safety and quality in the drop.

Why choose **Water Care** What is the ideal system for your entire home?

Rather than filtering or smoothing, **Water Care transforms your water with certified technology**. Real efficiency and total protection for your family and your home.

Comprehensive solution from the entrance of your home, to protect your family and your home.



Filters sediment, heavy metals, chlorine and more before entering your plumbing system.



Protect the health of your skin, clothing and household appliances.



System with certified materials, which sterilizes water **eliminating bacteria, viruses and others microorganisms** without the need for chemicals.



WET technology that OPTIMIZES the use of salt and water.

Benefits **main ones:**



High-quality water in your home: in showers, kitchen and washing machine.



Prolongs life of your equipment.



A unique experience take a bath that helps maintain your skin and hair **soft and healthy.**



Each year of use **reverses 4 years of damage** accumulated in your pipes.



WATER SUPPLY INT OF USE

and installation of
Water Treatment Plant for
use.



- **Pre-filter for removal** from sediment to 5 microns.
- Two stages of activated carbon in **10 micron block**.
- TFC membrane with capacity for **100GPD (Reverse Osmosis)**.
- Cartridge for the **removal of emerging contaminants** such as micro and nano plastics and PFAS.
- Cartridge **Alkaline BioCera**.
- Post filter of **granulated coal** of 10".
- Holding tank in **4-gallon polyethylene**.
- **Chrome dispenser** long range.
- Pressure regulator.
- Under-sink installation includes **connection to the refrigerator (if possible)**.

Warranty:



3 years in the Water Care equipment due to manufacturing defects.



1 year in all other components.



1 year in installation and labor.



Ósmosis Inversa de 7 Etapas

WindMar Water

Why choose
our system of
Reverse osmosis?

Because you deserve pure, safe water backed by advanced technology. Our 7-stage reverse osmosis system makes it possible.

More than just a filter...

Agua potable segura

p

and with

local support.



Bacteria, viruses, heavy metals, microplastics, and more. Clean water, total confidence.



Alkaline water with minerals beneficial to health.



Post-carbon filter which improves taste and smell.



International certifications NSF42 / NSF53: Quality and purity guaranteed.



Service and installation **100% local.**

Benefits main ones:



Alkaline water and purified in your kitchen.



Zero expenses in bottled water, **no more** plastics.



It does not use **electricity.**



Purity, health and tranquillity. **Only with Windmar Water.**