GENERAL ANSWERS:

1. Retrieve all columns from the PAINTER table.

```
1 SELECT * FROM PAINTER;
```

2. List the title and price of all paintings that cost more than 500.

```
1 SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
```

3. Retrieve the names (first and last) and phone numbers of all painters from area code '901'.

```
1 SELECT PTR_FIRSTNAME, PTR_LASTNAME, PTR_PHONE FROM PAINTER WHERE PTR_AREACODE = 901;
```

4. Display all paintings assigned to a gallery (i.e., where GAL_NUM is not NULL).

```
1 SELECT * FROM PAINTING WHERE GAL_NUM IS NOT NULL;
```

5. List all painters in descending order by their last name.

```
1 SELECT * FROM PAINTER ORDER BY PTR_LASTNAME DESC;
```

6. Retrieve all paintings that cost more than 500 or are assigned to gallery number '5'.

```
1 SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 OR GAL_NUM = '5';
```

7. Retrieve all paintings that do not belong to gallery number '5'.

```
1 SELECT * FROM PAINTING WHERE GAL_NUM <> '5'

1 SELECT * FROM PAINTING WHERE GAL_NUM != '5'
```

8. Retrieve all paintings with a price between 500 and 5000.

```
1 SELECT * FROM PAINTING WHERE PTNG_PRICE BETWEEN 500 AND 5000;
```

9. Using the LIKE special operator, retrieve all paintings where the title contains the word 'Rose'.

```
1 SELECT * FROM PAINTING WHERE PTNG_TITLE LIKE '%Rose%';
```

10. Retrieve the most expensive and least expensive painting from the PAINTING table.

```
1 SELECT * FROM PAINTING
2 WHERE PTNG_PRICE = (SELECT MAX(PTNG_PRICE) FROM PAINTING)
3 OR PTNG_PRICE = (SELECT MIN(PTNG_PRICE) FROM PAINTING);
```

11. Retrieve all gallery owners and all painters' last names in a single result set using the UNION operator. Use the alias "Name" for the combined column.

```
1 SELECT GAL_OWNER AS Name FROM GALLERY
2 UNION
3 SELECT PTR_LASTNAME AS Name FROM PAINTER;
```

12. Retrieve all unique gallery area codes from the GALLERY table.

```
1 SELECT DISTINCT GAL_AREACODE FROM GALLERY;
```

13. Insert a new painter into the PAINTER table with the following details:

PTR_NUM: 130

PTR_LASTNAME: Eleccion PTR_FIRSTNAME: Jhon PTR_AREACODE: 702 PTR_PHONE: 555-7890

```
1 INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)
2 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');
```

14. Create a new table named EXHIBIT with the following columns:

EXHIBIT_NUM (VARCHAR(4))
EXHIBIT_NAME (VARCHAR(50))

EXHIBIT_DATE (DATE)
GAL_NUM (VARCHAR(4))

```
1 CREATE TABLE EXHIBIT (
2 EXHIBIT_NUM VARCHAR(4),
3 EXHIBIT_NAME VARCHAR(50),
4 EXHIBIT_DATE DATE,
5 GAL_NUM VARCHAR(4)
6 );
```

15. Remove the EXHIBIT table from the database.

```
1 DROP TABLE EXHIBIT;

1 DROP TABLE IF EXISTS EXHIBIT;
```

CHUA | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING
 WHERE PTNG PRICE > 500;
- 3. SELECT PTR_FIRSTNAME, PTR_LASTNAME, PTR_PHONE FROM PAINTER
 WHERE PTR_AREACODE = 901;
- 4. SELECT * FROM PAINTING WHERE GAL_NUM IS NOT NULL;
- 5. SELECT * FROM PAINTER ORDER BY PTR LASTNAME DESC;
- 6. SELECT * FROM PAINTING
 WHERE PTNG PRICE > 500 OR GAL NUM = 5;
- 7. SELECT * FROM PAINTING
 WHERE GAL NUM <> 5 OR GAL NUM IS NULL;
- 8. SELECT * FROM PAITNING
 WHERE PTNG PRICE BETWEEN 500 AND 5000;
- 11. SELECT GAL_OWNER AS NAME FROM GALLERY UNION SELECT PTR_LASTNAME AS NAME FROM PAINTER;
- 12. SELECT DISTINCT GAL AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');
- 15. DROP TABLE EXHIBIT;

NUQUI | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
- 3. SELECT PTR_FIRSTNAME, PTR_LASTNAME, PTR_PHONE FROM PAINTER WHERE PTR_AREACODE = '901';
- 4. SELECT * FROM PAINTING WHERE GAL_NUM IS NOT NULL;
- 5. SELECT * FROM PAINTER ORDER BY PTR LASTNAME DESC;
- 6. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 OR GAL_NUM = 5;
- 7. SELECT * FROM PAINTING WHERE GAL_NUM <> 5;
- 8. SELECT * FROM PAITNING WHERE PTNG_PRICE BETWEEN 500 AND 5000;
- 9. SELECT * FROM PAINTING WHERE PTNG_TITLE LIKE '%Rose%';
- 11. (SELECT GAL_OWNER AS NAME FROM GALLERY)
 UNION
 (SELECT PTR_LASTNAME AS NAME FROM PAINTER);
- 12. SELECT DISTINCT GAL_AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');
- 15. DROP TABLE IF EXISTS EXHIBIT;

PALABRICA | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING
 WHERE PTNG PRICE > 500;
- 4. SELECT * FROM PAINTING WHERE GAL NUM IS NOT NULL;
- 5. SELECT * FROM PAINTER ORDER BY PTR_LASTNAME DESC;
- 6. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 OR GAL_NUM = 5;
- 7. SELECT * FROM PAINTING WHERE GAL_NUM <> 5;
- 8. SELECT * FROM PAITNING WHERE PTNG_PRICE BETWEEN 500 AND 5000:
- 9. SELECT * FROM PAINTING WHERE

```
PTNG_TITLE LIKE '%Rose%';
```

- 10. (SELECT * FROM PAINTING ORDER BY PTNG_PRICE ASC LIMIT 1) UNION (SELECT * FROM PAINTING ORDER BY PTNG_PRICE DESC LIMIT 1);
- 11. SELECT GAL_OWNER AS NAME FROM GALLERY UNION SELECT PTR_LASTNAME AS NAME FROM PAINTER;
- 12. SELECT DISTINCT GAL_AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');
- 14. CREATE TABLE EXHIBIT (

 EXHIBIT_NUM VARCHAR(4),

 EXHIBIT_NAME VARCHAR(50),

 EXHIBIT_DATE DATE,

 GAL_NUM VARCHAR(4)
);
- 15. DROP TABLE EXHIBIT;

DANOCUP | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING
 WHERE PTNG_PRICE > 500;
- 3. SELECT PTR_FIRSTNAME, PTR_LASTNAME, PTR_PHONE FROM PAINTER WHERE PTR_AREACODE = '901';
- 4. SELECT * FROM PAINTING WHERE GAL_NUM IS NOT NULL;
- 5. SELECT PTR_FIRSTNAME, PTR_LASTNAME FROM PAINTER ORDER BY PTR_LASTNAME DESC;
- 6. SELECT PTNG_TITLE FROM PAINTING
 WHERE PTNG_PRICE > 500 OR GAL_NUM = 5;
- 7. SELECT PTNG_TITLE FROM PAINTING WHERE GAL NUM <> 5;
- 8. SELECT PTNG_TITLE FROM PAITNING WHERE PTNG_PRICE BETWEEN 500 AND 5000;
- SELECT PTNG_TITLE FROM PAINTING WHERE PTNG TITLE LIKE '%Rose%';
- 12. SELECT DISTINCT GAL_AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');
- 14. CREATE TABLE EXHIBIT (

 EXHIBIT_NUM VARCHAR(4),

 EXHIBIT_NAME VARCHAR(50),

 EXHIBIT_DATE DATE,

 GAL_NUM VARCHAR(4));

LEDESMA | CORRECT ANSWERS:

- 1. SELECT *
 FROM PAINTER
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG PRICE > 500
- 3. SELECT PTR_FIRSTNAME, PTR_LASTNAME, PTR_PHONE FROM PAINTER
 WHERE PTR_AREACODE = '901'
- 5. SELECT *
 FROM PAINTER
 ORDER BY PTR LASTNAME DESC
- 6. SELECT *
 FROM PAINTING
 WHERE PTNG_PRICE > 500 OR GAL_NUM = '5'
- 7. SELECT *
 FROM PAINTING
 WHERE GAL_NUM!= '5'
- 8. SELECT *
 FROM PAITNING
 WHERE PTNG_PRICE BETWEEN 500 AND 5000;
- 10. SELECT MAX(PTNG_PRICE), MIN(PTNG_PRICE)
 FROM PAINTING
 GROUP BY PTNG_TITLE
- 12. SELECT DISTINCT GAL_AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER

 (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');

SENIBALO | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
- 4. SELECT * FROM PAINTING WHERE GAL NUM IS NOT NULL;
- 5. SELECT PTR_LASTNAME FROM PAINTER ORDER BY PTR_LASTNAME DESC;
- 6. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 OR GAL_NUM = '5';
- 7. SELECT * FROM PAINTING WHERE GAL_NUM <> '5';
- 12. SELECT DISTINCT GAL AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');

PILLADO | CORRECT ANSWERS:

TOTAL CORRECT SCORES IN SQL = 12

- 1. SELECT * FROM PAINTER;
- 6. SELECT * FROM PAINTING WHERE (PTNG_PRICE > 500) OR (GAL_NUM = 5);
- 7. SELECT * FROM PAINTING WHERE (GAL_NUM = 6) OR (GAL_NUM = NULL);
- 8. SELECT * FROM PAITNING WHERE PTNG PRICE BETWEEN 500 AND 5000;

```
14. CREATE TABLE EXHIBIT (
EXHIBIT_NUM VARCHAR(4),
EXHIBIT_NAME VARCHAR(50),
EXHIBIT_DATE DATE,
GAL_NUM VARCHAR(4)
);
```

15. DROP TABLE EXHIBIT;

SAGALA | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE (PTNG_PRICE > 500);
- 3. SELECT PTR_FIRSTNAME, PTR_LASTNAME, PTR_PHONE FROM PAINTER WHERE (PTR_AREACODE = 901);
- 15. DROP TABLE EXHIBIT;

ESCRUPULO | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
- 3. SELECT PTR_FIRSTNAME, PTR_LASTNAME, PTR_PHONE FROM PAINTER WHERE PTR_AREACODE=901;
- 5. SELECT * FROM PAINTER ORDER BY PTR_LASTNAME DESC;
- 11. SELECT GAL_OWNER AS NAME FROM GALLERY
 UNION
 SELECT PTR_LASTNAME AS NAME FROM PAINTER;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');
- 14. CREATE TABLE EXHIBIT (

 EXHIBIT_NUM VARCHAR(4),

 EXHIBIT_NAME VARCHAR(50),

 EXHIBIT_DATE DATE,

 GAL_NUM VARCHAR(4)

);
- 15. DROP TABLE EXHIBIT;

GEGAWIN | CORRECT ANSWERS:

TOTAL CORRECT SCORES IN SQL = 14

- 1. SELECT * FROM PAINTER;
- 4. SELECT * FROM PAINTING WHERE GAL_NUM IS NOT NULL;
- 5. SELECT * FROM PAINTER ORDER BY PTR_LASTNAME DESC;
- 7. SELECT * FROM PAINTING WHERE GAL_NUM <> 5;
- 10. (SELECT * FROM PAINTING ORDER BY PTNG_PRICE ASC LIMIT 1) UNION (SELECT * FROM PAINTING ORDER BY PTNG_PRICE DESC LIMIT 1);

15. DROP TABLE EXHIBIT;

CAPAYAN | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > '500';
- 4. SELECT PTNG_TITLE, GAL_NUM FROM PAINTING WHERE GAL_NUM IS NOT NULL;
- 5. SELECT PTR_LASTNAME FROM PAINTER ORDER BY PTR_LASTNAME DESC;
- 6. SELECT PTNG_TITLE, PTNG_PRICE, GAL_NUM FROM PAINTING WHERE PTNG_PRICE > '500' OR GAL_NUM ='5';
- 11. (SELECT GAL_OWNER AS NAME FROM GALLERY)
 UNION
 (SELECT PTR_LASTNAME AS NAME FROM PAINTER);
- 15. DROP TABLE EXHIBIT;

AMOLONG | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
- 3. SELECT PTR_FIRSTNAME, PTR_LASTNAME, PTR_PHONE FROM PAINTER WHERE PTR_AREACODE = 901;
- 6. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 OR GAL_NUM = '5';
- 12. SELECT DISTINCT GAL_AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');

JUANICO | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER:
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
- 3. SELECT PTR_FIRSTNAME, PTR_LASTNAME, PTR_PHONE FROM PAINTER WHERE PTR_AREACODE = '901';
- 4. SELECT * FROM PAINTING WHERE GAL NUM IS NOT NULL;
- 5. SELECT * FROM PAINTER ORDER BY PTR LASTNAME DESC;
- 6. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 OR GAL_NUM = 5;
- 7. SELECT * FROM PAINTING WHERE GAL_NUM != 5;
- 8. SELECT * FROM PAITNING WHERE PTNG_PRICE BETWEEN 500 AND 5000;
- 9. SELECT * FROM PAINTING WHERE PTNG_TITLE LIKE '%Rose%';
- 10. SELECT MAX(PTNG_PRICE), MIN(PTNG_PRICE) FROM PAINTING;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');
- 15. DROP TABLE EXHIBIT;

BREY | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
- 3. SELECT PTR_FIRSTNAME, PTR_LASTNAME, PTR_PHONE FROM PAINTER WHERE PTR_AREACODE = '901';
- 6. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 OR GAL_NUM = 5;
- 7. SELECT * FROM PAINTING WHERE GAL_NUM != 5;
- 12. SELECT DISTINCT GAL_AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');

ANDALAJAO | CORRECT ANSWERS:

TOTAL CORRECT SCORES IN SQL = 2

3. SELECT PTR_FIRSTNAME, PTR_LASTNAME, PTR_PHONE FROM PAINTER WHERE PTR_AREACODE = 901;

BOCALA | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 4. SELECT * FROM PAINTING WHERE GAL_NUM IS NOT NULL;
- 5. SELECT * FROM PAINTER ORDER BY PAINTER.PTR_LASTNAME DESC;
- 10. (SELECT * FROM PAINTING ORDER BY PAINTING.PTNG_PRICE DESC LIMIT 1)
 UNION
 (SELECT * FROM PAINTING ORDER BY PAINTING.PTNG_PRICE ASC LIMIT 1);
- 11. SELECT GALLERY.GAL_OWNER AS NAME FROM GALLERY
 UNION
 SELECT PAINTER.PTR_LASTNAME AS NAME FROM PAINTER;
- 12. SELECT DISTINCT GAL AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');

CALIX | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
- 3. SELECT PTR_FIRSTNAME, PTR_LASTNAME, PTR_PHONE FROM PAINTER WHERE PTR_AREACODE = '901';
- 4. SELECT PTNG_NUM, PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE GAL_NUM NOT NULL;
- 6. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 OR GAL_NUM = '5';
- 7. SELECT * FROM PAINTING WHERE GAL_NUM <> 5;
- 8. SELECT * FROM PAITNING WHERE PTNG PRICE BETWEEN 500 AND 5000:
- 9. SELECT * FROM PAINTING WHERE PTNG_TITLE LIKE ('%Rose%');
- 10. (SELECT * FROM PAINTING ORDER BY PAINTING.PTNG_PRICE DESC LIMIT 1)
 UNION
 (SELECT * FROM PAINTING ORDER BY PAINTING.PTNG_PRICE ASC LIMIT 1);
- 12. SELECT DISTINCT GAL AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');
- 15. DROP TABLE EXHIBIT;

ESPONILLA | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
- 4. SELECT * FROM PAINTING WHERE GAL_NUM IS NOT NULL;
- 5. SELECT * FROM PAINTER ORDER BY PTR_LASTNAME DESC;
- 7. SELECT * FROM PAINTING WHERE GAL_NUM <> 5;
- **10.** SELECT MAX(PTNG_PRICE), MIN(PTNG_PRICE) FROM PAINTING;
- 14. CREATE TABLE EXHIBIT (

 EXHIBIT_NUM VARCHAR(4),

 EXHIBIT_NAME VARCHAR(50),

 EXHIBIT_DATE DATE,

 GAL_NUM VARCHAR(4)

);

PORRAS | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
- 3. SELECT PTR_FIRSTNAME, PTR_LASTNAME, PTR_PHONE FROM PAINTER WHERE PTR_AREACODE = '901';
- 6. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 OR GAL_NUM = 5;
- 7. SELECT * FROM PAINTING WHERE GAL_NUM != 5;
- 8. SELECT * FROM PAITNING WHERE PTNG_PRICE BETWEEN 500 AND 5000;
- 9. SELECT * FROM PAINTING WHERE PTNG_TITLE LIKE '%Rose%';
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');
- 15. DROP TABLE EXHIBIT;

VALDEZ | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER:
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
- 4. SELECT * FROM PAINTING WHERE GAL_NUM IS NOT NULL;
- 5. SELECT * FROM PAINTER ORDER BY PTR LASTNAME DESC;
- 6. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 OR GAL_NUM = 5;
- 7. SELECT * FROM PAINTING WHERE GAL_NUM <> 5;
- 8. SELECT * FROM PAITNING WHERE PTNG_PRICE BETWEEN 500 AND 5000;
- 9. SELECT * FROM PAINTING WHERE PTNG_TITLE LIKE '%Rose%';
- 10. (SELECT * FROM PAINTING ORDER BY PTNG_PRICE DESC LIMIT 1)
 UNION
 (SELECT * FROM PAINTING ORDER BY PTNG_PRICE ASC LIMIT 1);
- 11. (SELECT GAL_OWNER AS NAME FROM GALLERY)
 UNION
 (SELECT PTR_LASTNAME AS NAME FROM PAINTER);
- 12. SELECT DISTINCT GAL_AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');
- 14. CREATE TABLE EXHIBIT (

 EXHIBIT_NUM VARCHAR(4),

 EXHIBIT_NAME VARCHAR(50),

 EXHIBIT_DATE DATE,

 GAL_NUM VARCHAR(4)
);
- 15. DROP TABLE EXHIBIT;

ALLORO | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
- 3. SELECT PTR_LASTNAME, PTR_FIRSTNAME, PTR_PHONE FROM PAINTER WHERE PTR_AREACODE = 901;
- 4. SELECT * FROM PAINTING WHERE GAL_NUM IS NOT NULL;
- 5. SELECT * FROM PAINTER ORDER BY PTR LASTNAME DESC;
- 6. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 OR GAL_NUM = 5;
- 8. SELECT * FROM PAITNING WHERE PTNG PRICE BETWEEN 500 AND 5000;
- 11. (SELECT GAL_OWNER AS NAME FROM GALLERY)
 UNION
 (SELECT PTR_LASTNAME AS NAME FROM PAINTER);
- 12. SELECT DISTINCT GAL_AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');
- 15. DROP TABLE EXHIBIT;

VILLARUEL | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER:
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
- 3. SELECT PTR_LASTNAME, PTR_FIRSTNAME, PTR_PHONE FROM PAINTER WHERE PTR_AREACODE = 901;
- 4. SELECT * FROM PAINTING WHERE NOT GAL_NUM IS NULL;
- 5. SELECT * FROM PAINTER ORDER BY PTR LASTNAME DESC;
- 6. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 OR GAL_NUM = 5;
- 7. SELECT * FROM PAINTING WHERE NOT GAL_NUM = 5;
- 8. SELECT * FROM PAITNING WHERE PTNG_PRICE BETWEEN 500 AND 5000;
- 9. SELECT * FROM PAINTING WHERE PTNG_TITLE LIKE '%Rose%';
- 11. SELECT GAL_OWNER AS NAME FROM GALLERY
 UNION
 SELECT PTR LASTNAME AS NAME FROM PAINTER;
- 12. SELECT DISTINCT GAL AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');
- 15. DROP TABLE EXHIBIT;

DIANA | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 3. SELECT PTR_LASTNAME, PTR_FIRSTNAME, PTR_PHONE FROM PAINTER WHERE PTR_AREACODE = 901;
- 4. SELECT * FROM PAINTING WHERE NOT GAL_NUM IS NULL;
- 5. SELECT * FROM PAINTER ORDER BY PTR_LASTNAME DESC;
- 6. SELECT * FROM PAINTING WHERE PTNG PRICE > 500 OR GAL NUM = 5;
- 8. SELECT PTNG_TITLE FROM PAITNING WHERE PTNG_PRICE BETWEEN 500 AND 5000;
- 11. SELECT GAL_OWNER AS NAME FROM GALLERY
 UNION
 SELECT PTR_LASTNAME AS NAME FROM PAINTER;
- 12. SELECT DISTINCT GAL_AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');
- 14. CREATE TABLE EXHIBIT (

 EXHIBIT_NUM VARCHAR(4),

 EXHIBIT_NAME VARCHAR(50),

 EXHIBIT_DATE DATE,

 GAL_NUM VARCHAR(4)

);
- 15. DROP TABLE EXHIBIT;

VILLAREAL | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER:
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
- 3. SELECT PTR_LASTNAME, PTR_FIRSTNAME, PTR_PHONE FROM PAINTER WHERE PTR_AREACODE = 901;
- 4. SELECT * FROM PAINTING WHERE NOT GAL_NUM IS NULL;
- 5. SELECT * FROM PAINTER ORDER BY PTR LASTNAME DESC;
- 6. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 OR GAL_NUM = 5;
- 7. SELECT * FROM PAINTING WHERE NOT GAL_NUM = 5;
- 8. SELECT * FROM PAITNING WHERE PTNG_PRICE BETWEEN 500 AND 5000;
- 9. SELECT * FROM PAINTING WHERE PTNG TITLE LIKE '%Rose%';
- 11. SELECT GAL_OWNER AS NAME FROM GALLERY
 UNION
 SELECT PTR LASTNAME AS NAME FROM PAINTER;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');

GRECIA | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
- 3. SELECT PTR_LASTNAME, PTR_FIRSTNAME, PTR_PHONE FROM PAINTER WHERE PTR_AREACODE = 901;
- 4. SELECT * FROM PAINTING WHERE NOT GAL_NUM IS NULL;
- 5. SELECT * FROM PAINTER ORDER BY PTR LASTNAME DESC;
- 6. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 OR GAL_NUM = 5;
- 7. SELECT * FROM PAINTING WHERE NOT GAL_NUM = 5;
- 8. SELECT * FROM PAITNING WHERE PTNG_PRICE BETWEEN 500 AND 5000;
- 9. SELECT * FROM PAINTING WHERE PTNG TITLE LIKE '%Rose%';
- 12. SELECT DISTINCT GAL_AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');
- 15. DROP TABLE IF EXISTS EXHIBIT;

LIBUNA | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
- 3. SELECT PTR_LASTNAME, PTR_FIRSTNAME, PTR_PHONE FROM PAINTER WHERE PTR_AREACODE = 901;
- 4. SELECT * FROM PAINTING WHERE NOT GAL_NUM IS NULL;
- 5. SELECT * FROM PAINTER ORDER BY PTR LASTNAME DESC;
- 6. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 OR GAL_NUM = 5;
- 7. SELECT * FROM PAINTING WHERE GAL NUM <> '5';
- 8. SELECT * FROM PAITNING WHERE PTNG_PRICE BETWEEN 500 AND 5000;
- 10. SELECT MAX(PTNG_PRICE), MIN(PTNG_PRICE) FROM PAINTING;
- 12. SELECT DISTINCT GAL_AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');
- 15. DROP TABLE EXHIBIT;

SUA | CORRECT ANSWERS:

TOTAL CORRECT SCORES IN SQL = 2

1. SELECT * FROM PAINTER;

ORTILANO | CORRECT ANSWERS:

TOTAL CORRECT SCORES IN SQL = 4

```
14. CREATE TABLE EXHIBIT (
EXHIBIT_NUM VARCHAR(4),
EXHIBIT_NAME VARCHAR(50),
EXHIBIT_DATE DATE,
GAL_NUM VARCHAR(4)
);
```

15. DROP TABLE EXHIBIT

AROSTIQUE | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
- 4. SELECT * FROM PAINTING WHERE NOT GAL_NUM IS NULL;
- SELECT PTR_LASTNAME FROM PAINTER ORDER BY PTR_LASTNAME DESC;
- 6. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 OR GAL_NUM = 5;
- 7. SELECT * FROM PAINTING WHERE GAL_NUM != 5;
- 8. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 AND PTNG_PRICE < 5000;
- 9. SELECT * FROM PAINTING WHERE PTNG_TITLE LIKE '%Rose%';
- 10. SELECT * FROM PAINTING ORDER BY PTNG_PRICE DESC LIMIT 1
 UNION
 SELECT * FROM PAINTING ORDER BY PTNG_PRICE ASC LIMIT 1;
- 11. SELECT GALLERY.GAL_OWNER AS NAME FROM GALLERY
 UNION
 SELECT PAINTER.PTR LASTNAME AS NAME FROM GALLERY;
- 12. SELECT DISTINCT GAL_AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');

```
14. CREATE TABLE EXHIBIT (

EXHIBIT_NUM VARCHAR(4),

EXHIBIT_NAME VARCHAR(50),

EXHIBIT_DATE DATE,

GAL_NUM VARCHAR(4)
);
```

AROSTIQUE | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER;
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
- 3. SELECT PTR_FIRSTNAME, PTR_LASTNAME, PTR_PHONE, PTR_AREACODE FROM PAINTER WHERE PTR_AREACODE LIKE 901;
- 4. SELECT * FROM PAINTING WHERE GAL_NUM NOT NULL;
- 5. SELECT PTR LASTNAME FROM PAINTER ORDER BY PTR LASTNAME DESC;
- 6. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 OR GAL_NUM LIKE 5;
- 7. SELECT * FROM PAINTING WHERE GAL_NUM NOT LIKE 5;
- 8. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 AND PTNG_PRICE < 5000;
- 9. SELECT * FROM PAINTING WHERE PTNG_TITLE LIKE '%Rose%';
- 12. SELECT DISTINCT GAL_AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');

CABALES | CORRECT ANSWERS:

- 1. SELECT * FROM PAINTER:
- 2. SELECT PTNG_TITLE, PTNG_PRICE FROM PAINTING WHERE PTNG_PRICE > 500;
- 3. SELECT PTR_LASTNAME, PTR_FIRSTNAME, PTR_PHONE FROM PAINTER WHERE PTR_AREACODE = 901;
- 4. SELECT * FROM PAINTING WHERE NOT GAL_NUM IS NULL;
- 5. SELECT * FROM PAINTER ORDER BY PTR LASTNAME DESC;
- 6. SELECT * FROM PAINTING WHERE PTNG_PRICE > 500 OR GAL_NUM = 5;
- 7. SELECT * FROM PAINTING WHERE NOT GAL_NUM = 5;
- 8. SELECT * FROM PAITNING WHERE PTNG_PRICE BETWEEN 500 AND 5000;
- 9. SELECT * FROM PAINTING WHERE PTNG TITLE LIKE '%Rose%';
- 11. SELECT GAL_OWNER AS NAME FROM GALLERY
 UNION
 SELECT PTR LASTNAME AS NAME FROM PAINTER;
- 12. SELECT DISTINCT GAL AREACODE FROM GALLERY;
- 13. INSERT INTO PAINTER (PTR_NUM, PTR_LASTNAME, PTR_FIRSTNAME, PTR_AREACODE, PTR_PHONE)

 VALUES (130, 'Eleccion', 'Jhon', 702, '555-7890');
- 15. DROP TABLE EXHIBIT;