## Upcoming maintenance

We will be upgrading critical infrastructure on June 16th, 12:00 am GMT+9 (June 15th, 3:00 pm UTC). Follow our status page for updates.

⊕ LogisticsTimer ∨

⊕ WEB SERVICE

Connect

# LogisticsTimer

Node Free Upgrade your instance ightarrow

JoBongGeun94 / LogisticsTimer 🗠 main

Manual Deploy ∨

https://logisticstimer.onrender.com

## Settings

## General

#### Name

A unique name for your Web Service.

LogisticsTimer

Edit

#### Region

Your services in the same region can communicate over a private network.


Singapore (Southeast Asia)

## **Instance Type**

Free
0.1 CPU 512 MB

① Please ask the owner (qhdwhrms@gmail.com) to enter their payment information.

③ See remaining free usage, or learn about free service limits.



## **Root Directory** Optional

If set, Render runs commands from this directory instead of the repository root. Additionally, code changes outside of this directory do not trigger an auto-deploy. Most commonly used with a monorepo.

Edit

## **Build Filters**

Include or ignore specific paths in your repo when determining whether to trigger an autodeploy. Paths are relative to your repo's root directory. Learn more.

#### Included Paths

Changes that match these paths will trigger a new build.

Add Included Path

#### **Ignored Paths**

Changes that match these paths will not trigger a new build.

Add Ignored Path

#### **Build Command**

Render runs this command to build your app before each deploy.

\$ rm -rf dist && rm -rf node\_modules/.vite && npm install && npm run build

∠ Edit

## **Pre-Deploy Command** Optional

Render runs this command before the start command. Useful for database migrations and static asset uploads.

\$

#### **Start Command**

Render runs this command to start your app with each deploy.

	Edit
	ts code or
	~
to keep this a s	secret.
	rer you update i

## **Custom Domains**

Your service is always available at https://logisticstimer.onrender.com

You can also point custom domains you own to this service. See DNS configuration instructions.

+ Add Custom Domain

## **PR Previews**

## **Pull Request Previews**

Spin up temporary instances to test pull requests opened against the main branch of JoBongGeun94/LogisticsTimer. Choose **Automatic** to preview all PRs, or **Manual** for only PRs with [render preview] in their title. Pull Request Previews create a new

instance for just this service. Use Preview Environments to clone a group of services for every PR.

Off

\_\_\_\_\_

## **Notifications**

#### **Service Notifications**

Set notifications to receive for your service. This setting will override your workspace's default settings.

Use workspace default (Only failure notifications)



#### **Preview Environment Notifications**

Configure notifications for preview environments and service previews.

Use account default (Disabled)



## **Health Checks**

## **Health Check Path**

Provide an HTTP endpoint path that Render messages periodically to monitor your service. Learn More.

/healthz

M My Workspace 🗘

Q

## **Maintenance Mode**

#### **Maintenance Mode**

Temporarily disable public access to your service. While enabled, Render serves a static maintenance page for all incoming requests. Learn more.

Maintenance Mode Disabled

## **Custom Maintenance Page** Optional

If provided, Render uses the specified URL for your maintenance page instead of serving the default page.

PAID

Maintenance mode is only available for paid instances.

Upgrade