```
1
      /*jshint esversion: 6*/
 2
      /*globals $:false */
 3
 4
           Core logic/payment flow for this comes from here:
 5
          https://stripe.com/docs/payments/accept-a-payment
 6
 7
           CSS from here:
 8
          https://stripe.com/docs/stripe-js
 9
10
11
      var stripePublicKey = $('#id stripe public key').text().slice(1, -1);
      var clientSecret = $('#id_client_secret').text().slice(1, -1);
12
      var stripe = Stripe(stripePublicKey);
13
14
      var elements = stripe.elements();
15
      var style = {
16
           base: {
               color: '#000'
17
               fontFamily: '"Helvetica Neue", Helvetica, sans-serif',
18
               fontSmoothing: 'antialiased',
19
               fontSize: '16px',
20
21
               '::placeholder': {
                   color: '#aab7c4'
22
23
               }
24
           invalid: {
25
               color: '#dc3545'
26
               iconColor: '#dc3545'
27
28
29
30
      var card = elements.create('card', {style: style});
31
      card.mount('#card-element');
32
      // Handle realtime validation errors on the card element
33
34
      card.addEventListener('change', function (event) {
35
          var errorDiv = document.getElementById('card-errors');
           if (event.error) {
36
               var html =
37
                   <span class="icon" role="alert">
38
39
                       <i class="fas fa-times"></i></i>
40
                   </span>
41
                   <span>${event.error.message}</span>
42
43
               $(errorDiv).html(html);
44
           } else {
45
               errorDiv.textContent = '';
46
47
      });
48
49
      // Handle form submit
50
      var form = document.getElementById('payment-form');
51
      form.addEventListener('submit', function(ev) {
52
53
          ev.preventDefault();
54
           card.update({ 'disabled': true});
           $('#submit-button').attr('disabled', true);
55
           $('#payment-form').fadeToggle(100);
56
          $('#loading-overlay').fadeToggle(100);
57
58
          var saveInfo = Boolean($('#id-save-info').attr('checked'));
59
           // From using {% csrf_token %} in the form
60
          var csrfToken = $('input[name="csrfmiddlewaretoken"]').val();
61
          var postData = {
62
63
               'csrfmiddlewaretoken': csrfToken,
64
               'client_secret': clientSecret,
65
               'save_info': saveInfo,
66
67
          var url = '/checkout/cache_checkout_data/';
68
          $.post(url, postData).done(function () {
69
70
               stripe.confirmCardPayment(clientSecret, {
```



version 2.13,4 There are 5 functions (https://github.com/jshint/j: Function with the larg

About median is 1.

Documentation (/docs) has

The most complex fu Install (/install) of 3 while the median Contribute (/contribute)

Blog (/blog)

One undefined va

https://jshint.com

```
71
                    payment method: {
                        card: card,
72
73
                        billing_details: {
74
                            name: $.trim(form.full_name.value),
75
                            phone: $.trim(form.phone_number.value),
76
                            email: $.trim(form.email.value),
                            address:{
77
78
                                 line1: $.trim(form.street_address1.value),
                                 line2: $.trim(form.street_address2.value),
79
                                 city: $.trim(form.town_or_city.value),
80
                                 country: $.trim(form.country.value),
81
82
                                 state: $.trim(form.county.value),
83
                            }
                        }
84
85
                    shipping: {
86
87
                        name: $.trim(form.full_name.value),
88
                        phone: $.trim(form.phone_number.value),
89
                        address: {
90
                            line1: $.trim(form.street_address1.value),
                            line2: $.trim(form.street_address2.value),
91
92
                            city: $.trim(form.town or city.value),
                            country: $.trim(form.country.value),
93
                            postal_code: $.trim(form.postcode.value),
94
95
                            state: $.trim(form.county.value),
96
                   },
97
98
               }).then(function(result) {
                   if (result.error) {
99
100
                        var errorDiv = document.getElementById('card-errors');
                        var html =
101
                            <span class="icon" role="alert">
102
103
                            <i class="fas fa-times"></i></i>
104
                            </span>
105
                            <span>${result.error.message}</span>`;
106
                        $(errorDiv).html(html);
                        $('#payment-form').fadeToggle(100);
107
108
                        $('#loading-overlay').fadeToggle(100);
                        card.update({ 'disabled': false});
$('#submit-button').attr('disabled', false);
109
110
111
                    } else {
                        if (result.paymentIntent.status === 'succeeded') {
112
113
                            form.submit();
114
                        }
115
               });
116
           }).fail(function () {
117
               // the error will be in django messages
118
               location.reload();
119
120
           });
       });
121
```



version 2.13,4 There are 5 functions (https://github.com/jshint/j: Function with the larg

About (median is 1.

Documentation (/docs) has
The most complex fu
Install (/install)
of 3 while the median
Contribute (/contribute)

Blog (/blog)

One undefined va 13 Stripe

https://jshint.com