# Ptask Library: A Quick Guide

Giorgio Buttazzo and Giuseppe Lipari RETIS Lab - Scuola Superiore Sant'Anna

#### version 0.2

## **Summary**

**Ptask** is a C-library for fast development of periodic and aperiodic real-time tasks under Linux. It is written on top of the **Pthread** library with the aim of simplifying the creation of threads with typical timing parameters, like periods and deadlines. Ptask functions allow programmers to quickly

- create periodic and aperiodic tasks;
- specify timing constraints such periods and relative deadlines;
- monitor deadline misses;
- monitor average and worst-case execution times;
- activate tasks with specific offsets;
- manage task groups;
- handle mode changes.

#### **Table of contents**

This document includes the following sections:

- 1. New data types.
- System functions
- 3. Task functions
- 4. Measuring execution times
- 5. Handling mode changes
- 6. Examples

## 1. New data types

The following new types are defined in the ptask library:

**ptime** this is the type used for the time variables. It is basically a shortcut for a **long** integer.

this type is used for specifying a precise time, and it is used by the library for internal time representation. It is a shortcut for **struct timespec**. The Ptask library provides appropriate functions to operate on **tspec** and to convert a **ptime** into a **tspec**, and viceversa.

tpars this type of structure is used to store all task parameters and it is initialized at task creation.

### 2. System functions

```
void ptask_init(int scheduler, int schedtype, int protocol);
```

Initializes the **ptask** library, resets the system time, set the scheduler for all the tasks and the resource access protocol for all the semaphores.

```
scheduler can be SCHED_OTHER, SCHED_FIFO, SCHED_RR.
```

schedtype can be PARTITIONED or GLOBAL, and it is only useful for multicore systems.

protocol can be NO\_PROTOCOL for classical semaphores, INHERITANCE for Priority

Inheritance, or CEILING for Immediate Priority Ceiling.

```
ptime ptask_gettime(int unit);
```

Returns the current time (from the system start time) in the specified unit, which can be SEC, MILLI, MICRO, or NANO.

```
int ptask_getnumcores();
```

Returns the number of available cores in the system.

#### 3. Task functions

The Ptask library maintains a Task Control Block (TCB) for every task, used to store the task state, the current task parameters, and some information collected about the task during its execution. The content of the TCB is for internal use only, therefore it is not reported in this manual. Please refer to the source code for more information.

```
int ptask_create(void (*body)(void), int period, int prio, int flag);
```

Creates a concurrent task and returns the task index that can be used to differentiate multiple instances of the same task. The arguments have the following meaning:

```
is the name of the function containing the task body;

period specifies the task period (equal to the relative deadline) in milliseconds.

prio specifies the task priority between 1 (low) and 99 (high);

specifies the activation mode of the task (NOW or DEFERRED): if set to NOW, the task is immediately activated; if set to DEFERRED, the task will block on the wait for activation() until a ptask activate() is invoked by another task.
```

If task creation cannot be performed or an error occurs, the function returns the value -1.

```
void ptask_activate(int tid);
```

Activates the task with index tid.

```
void ptask_activate_at(int tid, ptime t);
```

Activates the task with index tid at the absolute time t. If t has already passed, the task is immediately activated.

```
void ptask_wait_for_period();
```

It suspends the calling task until the beginning of its next period. The typical usage of this call in a task body is shown in Figure 1.

```
void ptask_wait_for_activation();
```

It suspends the calling task until an explicit activation is invoked by another task. The typical usage of this call in a task body is shown in Figure 2.

Figure 1: General structure of a periodic task.

Figure 2: General structure of an aperiodic task.

The example illustrated in Figure 3 shows how to define a periodic task that starts executing upon an explicit activation.

Figure 3: General structure of a periodic task with an explicit activation.

The following functions are used to obtain and modify the parameters of a running task.

```
int ptask_get_index();
```

Returns the index of the calling task.

```
int ptask_get_priority(int i);
```

Returns the priority of the task with index i.

```
void ptask_set_priority(int i, int prio);
```

Sets the priority of the task with index i to the value specified by prio, which must be a value between 1 (the lowest priority) and 99 (the highest priority).

```
int ptask_get_period(int i, int units);
```

Returns the period of the task with index i (in units).

```
void ptask_set_period(int i, int myper, int units);
```

Sets the period of the task with index i to myper (in units).

```
ptime ptask_get_deadline(int i, int units);
```

Returns the relative deadline of the task with index i (in units).

```
void ptask_set_deadline(int i, int mydline, int units);
```

Sets the relative deadline of the task with index i to mydline (in units).

```
int    ptask_deadline_miss();
```

Returns 1 if the current time is greater than the absolute deadline of the current job, 0 otherwise.

```
int    ptask_migrate_to(int i, int core_id);
```

Moves the task with index i to the core specified by core id.

More specific parameters can be passed to a task at creation time through the following structure:

```
typedefstruct {
                                   // task period (in ms)
       tspec
                  period;
                  rdline;
                                   // relative deadline (in ms)
       tspec
       int
                  priority;
                                   // from 1 (low) to 99 (high)
       int
                  processor;
                                   // processor where task should be allocated
       int
                  act flag;
                                   // activation flag (NOW, DEFERRED)
       int
                  measure flag;
                                   // enable/disable exec. time measurements
       void
                  *arg;
                                   // pointer to a task argument
       rtmode t *modes;
                                   // pointer to the mode handler
                  mode list[RTMODE MAX MODES];
                                                                        maximum
number of modes
       int
                  nmodes:
                                   // num of modes in which the task is active
} tpars;
```

#### In particular:

period specifies the task period in ms;

rdline specifies the task relative deadline in ms (by default it is set equal to period);

priority specifies the task priority between 1 (low) and 99 (high);

processor specifies the processor where the task has to be allocated (default value is 0);

act\_flag if set to NOW, the task is immediately activated, if set to DEFERRED (default value),

the task will block on the wait\_for\_activation() until a ptask\_activate() is invoked by

another task:

measure flagif set to a non-zero the library automatically profiles the execution time of the task;

arg pointer to a memory area used to pass arguments to the task; the structure and the

content of such a memory are user-defined;

modes used to manage mode changes (see Section 5);

nmodes number of modes of the task;

mode list list of task modes.

Such parameters can be set either directly or by using the following functions (for efficiency reasons, and following a common practice in C programming, these functions are actually implemented as macros).

```
void ptask_param_init(tpars tp);
```

Initializes the task parameters in the tp structure with the default values.

```
void ptask_param_period(tpars tp, int myper, int units);
```

Initializes the task period in the tp structure with the value specified by myper expressed in given units (SEC, MILLI, MICRO, or NANO).

```
void ptask_param_deadline(tpars tp, int mydline, int units);
```

Initializes the task relative deadline in the tp structure with the value specified by mydline expressed in given units (SEC, MILLI, MICRO, or NANO).

```
void ptask_param_priority(tpars tp, int myprio);
```

Initializes the task priority in the tp structure with the value specified by myprio, which must be a value between 1 (the lowest priority) and 99 (the highest priority).

```
void ptask_param_activation(tpars tp, int myact);
```

Initializes the task activation mode in the tp structure with the value specified by myact, which can be either NOW, for immediately activation, or DEFERRED; in this case the task will block on the **wait\_for\_activation()** until a **ptask\_activate()** is invoked by another task.

```
void ptask_param_processor(tpars tp, int proc_id);
```

Specifies the index of the processor on which the task is supposed to run. Note that this is valid only if the PARTITIONED strategy has been set by **ptask\_init()**. This call has no effect when the scheduling strategy is set to GLOBAL.

```
void ptask_param_measure(tpars tp);
```

Sets the measuring flag to 1, so enabling **ptask** to automatically profile the execution time of the task.

```
void ptask_param_argument(tpars tp, void *arg);
```

Passes to the tp structure the user-defined arguments pointed by arg.

```
void ptask_param_modes(tpars tp, rtmode *modes, int nmodes);
```

Allows specifying the set of execution modes in the task that is going to be created. The argument modes is a pointer to a structure that defines the system modes and nmodes specifies the number of modes in which this task is going to be active.

```
void ptask_param_mode_add(tpars tp, int mode_num);
```

Specifies that the current task is active in mode <code>mode\_num</code>. See Section 5 for an example of use of this function.

Once all the specific parameters are set, the task can be created using the following function.

```
int ptask_create_param(void (*body) (void), tpars *tp);
```

Creates a concurrent task and returns the task index that can be used to differentiate multiple instances of the same task. The arguments have the following meaning:

body is the name of the function containing the task body;

tp is a pointer to the task parameter structure; if tp is set to NULL, then the task is created

with the following default values:

type: APERIODIC

period 1000 ms rdline 1000 ms

priority 1

act\_flag DEFERRED

processor 0 measure NO

arg NULL

modes NULL

nmodes 0

mode\_list an empty array

### 4. Measuring execution times

To measure the execution time of a task it is necessary to set its <code>measure\_flag</code> when the task is created. Then, after the task has completed its execution, it is possible to obtain its execution time by calling the following functions.

WARNING:

calling these functions while the task is executing may give inconsistent values, because the internal data structures are not protected by semaphores for containing the overhead. Therefore, it is up to the user to make sure that the task is no executing before calling this function.

```
tspec ptask_stat_getwcet(int i)
```

Returns the maximum execution time among all the jobs of task i since its first activation.

```
tspec ptask_stat_getavg(int i)
```

Returns the average execution time among all the jobs of task i since its first activation.

```
int ptask_stat_getnuminstances(int i)
```

Returns the number of jobs of task i activated since its creation.

```
tspec ptask_stat_gettotal(int i)
```

Returns the total execution time consumed by all the jobs of task i since its creation.

## 5. Handling mode changes

The Ptask library allows the user to specify a set of execution modes for the whole system and handle mode changes transparently through the following functions.

```
int rtmode_init(rtmode_t *g, int nmodes);
```

Initializes the mode manager and the data structure pointed by g, which will contain the task groups involved in each mode. The second parameter nmodes is the total number of system modes.

```
void rtmode_changemode(rtmode_t *g, int new_mode_id);
```

This function has to be called every time we want the system to perform a mode change. The parameter  $new_mode_id$  specifies the new mode in which the system must switch. The mode change is performed by an internal mode manager that executes the mode change protocol. In the current implementation, before activating the tasks involved in the new mode, the mode manager

waits for the largest absolute deadline of those tasks that are only present in the old mode. An example of mode change is shown in Figure 4.

```
#define
          MODE OFF
#define
          MODE ON
                       1
#define
          MODE FAIL
ptask
          taskbody()
          ptask wait for activation();
          while (1) {
                 printf("Task T%d is running\n", ptask_get_index());
                 ptask wait for period();
          }
}
          main()
int
rtmode t
          mymodes;
tpars
          param;
int
          res;
          ptask init(SCHED FIFO, GLOBAL, PRIO INHERITANCE);
          res = rtmode init(&mymodes, 3);  // System with 3 modes
          ptask param init(param);
          ptask param period(param, 1, SEC);
          ptask param priority(param, 4);
          // this task is present in two modes
          ptask param modes(param, &mymodes, 2);
          // the task is present in mode MODE ON
          ptask param mode add(param, MODE ON);
          // The task is present in mode MODE FAIL
          ptask param mode add(param, MODE FAIL);
          // The task is NOT present in MODE OFF
          res = ptask create param(taskbody, &param);
          // create the other tasks in a similar way
          rtmode changemode(&mymodes, MODE OFF);    // set initial mode
          if (condition)
                 // activates MODE ON; all tasks not in this mode
                 // are suspended; after that, the tasks in MODE ON
                 // not already active, are activated
                 rtmode changemode(&mymodes, MODE ON);
          else if (error condition)
                 // activates MODE FAIL; all tasks not in this mode
                 // are suspended; after that, the tasks in MODE FAIL
                 // not yet active, are activated
                 rtmode changemode(&mymodes, MODE FAIL);
```

Figure 4: example of mode change.