

Tab 1

Session Notes Template

Session ID: 1

User ID: 1

Facilitator: Sölvi Santos

Date: 070426

Start time: 2100

End time: 2130

Device: iPad

Pre-Session

- External user (not in group): Yes
- Consent for note taking: Yes
- Logging active: Yes

Task Results

Task	Completed (Y/N)	Time (sec)	Help needed (Y/N)	Notes
1. Login + folder + subfolder	Y	2:24	Y	Accidentally made a secondary folder and not a subfolder. Unclear what is a subfolder
2. Solve + review steps + show solution	Y	5:41	Y	Slow writing, the pencil was not responsive. Took quite a few attempts to figure out where to write. Got right solution with a small error but ended up with correct answer. 40 sek delay on

Task	Completed (Y/N)	Time (sec)	Help needed (Y/N)	Notes
				the request. Second request took up to three minutes. Started to scroll around while waiting for the answer for show solution
3. New problem + first step + hint + complete	Y	3:52	N	Again, when trying to press camera, accidentally opens camera roll. Around a 40 second for hint. Thought the buttons to switch pages was undo/redo.
4. Seeded error + hint + recovery	Y	4:01	N	At no point did the user crop the photos, only zoomed in. Even though the option is there. Around 1:30 minute latency for the request which had the user scrolling around. Didn't react to the error at first but after the AI told her about the error she

Task	Completed (Y/N)	Time (sec)	Help needed (Y/N)	Notes
				immediately corrected the error and finished
5. Open error bank entry	Y	9 sek	N	Found it straight away with no problems
6. Create and export PDF submission	Y	1:54	Y	Didn't have name in the profile so had to go and input that first into the profile. A user doesn't input their name when making a profile. Boxes are not fully clickable, only the parts with text. Frustrated

Task 4 (Seeded Error) Detailed Fields

- Seeded wrong step used:
- User noticed seeded error: No
- User corrected before hint: No
- Hint requested: Yes
- Recovery success: Yes
- Time to recover (sec): 10
- Notes: Didn't react to the error but after the AI told her about the error she immediately corrected the error

Unexpected Actions

Timestamp	What user tried	Expected by us? (Y/N)	Outcome	Notes
	To make a pdf but had to go to profile to attach a name to the profile since that was not a part of the profile creating process	N	The user figured it out and proceeded like intended	This needs to be fixed, users must input their name when creating a profile.

Latency Perception

Moment	User rating (1-5)	User quote
Waiting for getting a solution	2	“Tók mjög langan tíma að fá niðurstöðu, um þrjár mínútur”

Errors or Failures

Timestamp	Error/Failure	Blocking? (Y/N)	Recovery path

Debrief Answers

1. Most confusing part: First, the folders were confusing.
2. Point where unsure what to do next: No, other than that everything was straight forward.
3. Feelings about AI responses: They were very good, the hints were good and when there was an error it was clear.
4. Response time acceptable? Why: If I was using it right now I would not have the patience to wait and would simply go to other solutions like open AI models.

5. What to change first: I would organize the folders better so the separation between folders and subfolders. Have more color separation between folders and subfolders. Make more contrast between things on the dashboard, things blend together to much.

Key Quotes

- ""
- ""
- ""

Facilitator Summary

- Top finding #1: Latency way to high, left the user scrolling around
- Top finding #2: Folder structure not too clear, things blend in with each other
- Top finding #3: User didn't use all features like full screen, cropping and different pages.
- Overall severity for this session: High

Tab 2

Session Notes Template

Session ID:2

User ID:2

Facilitator:Sölvi Santos

Date:080426

Start time: 1810

End time:

Device: ipad

Pre-Session

- External user (not in group): Yes / No
- Consent for note taking: Yes / No
- Logging active: Yes / No

Task Results

Task	Completed (Y/N)	Time (sec)	Help needed (Y/N)	Notes
1. Login + folder + subfolder	Y	3:39	Y	Boxes need to be fully clickable, users usually click on the right side of the text in the box, that should open it. Icons chosen need to be more visible that they are chosen. Struggled to find where to create a subfolder, started to do a problem. Finally ended up making the subfolder after quite some time.

Task	Completed (Y/N)	Time (sec)	Help needed (Y/N)	Notes
2. Solve + review steps + show solution	Y	3:11	N	Instantly sent the review their answer before checking the prerequisite for getting entire solution. Latency was considerably lower than before since we changed models. Otherwise, no problems, other than didn't input image at first. Again though, when user first pressed camera they get the camera roll for some reason but after that they get the camera.
3. New problem + first step + hint + complete	Y	4:42	Y	Latency around 20 seconds for the hint, much better. Didn't have to much space but didnt go fullscreen, looked like he didn't see it. I told him out of convenience but this should be more obvious

Task	Completed (Y/N)	Time (sec)	Help needed (Y/N)	Notes
4. Seeded error + hint + recovery	Y	4:09	N	Hint took around 40 seconds, a bit long. Similar wait for the getting a full solution.
5. Open error bank entry	Y	17 sek	N	Worked smoothly
6. Create and export PDF submission	Y	2:49	N	Also ran into the name thing for around 30 seconds but actually found his way to the profile and changed it. The error message was not clear but he figured it out. This is a major flaw either way

Task 4 (Seeded Error) Detailed Fields

- Seeded wrong step used:
- User noticed seeded error: No
- User corrected before hint: No
- Hint requested: Yes
- Recovery success: Yes
- Time to recover (sec): few seconds
- Notes: Got a hint how to fix the current step, did and went on to the next step

Unexpected Actions

Timestamp	What user tried	Expected by us? (Y/N)	Outcome	Notes

Latency Perception

Moment	User rating (1-5)	User quote

Errors or Failures

Timestamp	Error/Failure	Blocking? (Y/N)	Recovery path

Debrief Answers

1. Most confusing part: Creating a subfolder and choosing that you have to make a subfolder. The fullscreen was not clear. Thought there was no undo button (its location is not good). Not clear that a subfolder is a subfolder. Not too much maneuverability in the writing area of a problem and not being able to zoom out. When choosing an icon, not clear which is chosen.
2. Point where unsure what to do next: Unsure how to export, i.e. didn't know what "deila" did. Note: this person is not an avid ipad user.
3. Feelings about AI responses: Found the answers good, but maybe gave a bit too much of a hint. Points exactly out where the error is, not too much wiggle room for that "aha" moment.
4. Response time acceptable? Why: Slightly too much waiting. Still within acceptable range.
5. What to change first: Folders more clear.

Key Quotes

- "In the error bank, it would be nice to see the actual problem itself so I could remember the situation in which I did it."
- "Sometimes enter works for entering into a field but sometimes you have to press a button."
- ""

Facilitator Summary

- Top finding #1: Folder structure needs fixing
- Top finding #2: Things not clear enough
- Top finding #3: Slightly too much waiting
- Overall severity for this session: High

Tab 3

Session Notes Template

Session ID:3

User ID:3

Facilitator: Jóhannes

Date: 100426

Start time:17:00

End time:17:32

Device:ipad

Pre-Session

- External user (not in group): Yes / No
- Consent for note taking: Yes / No
- Logging active: Yes / No

Task Results

Task	Completed (Y/N)	Time (sec)	Help needed (Y/N)	Notes
1. Login + folder + subfolder	Y	01:47	N	Happy with login. No problem with login, had problem finding the create folder button. Folder structure confusing. Pressed different buttons. Didn't find the folder structure intuitive.
2. Solve + review steps + show solution	Y	6:30	Y	Had problems with opening camera. Knew right away where to write. Checked

Task	Completed (Y/N)	Time (sec)	Help needed (Y/N)	Notes
				solution directly after solving. Latency not good, user started messing around. Gemini servers were most likely down, timeout too long. Got irritated. Messing around while he waited. Got a timeout and tried again directly. Got a server error as well as legibility was turned on, which took almost 3 mins.
3. New problem + first step + hint + complete	Y	5:27	N	Always used the window in smaller mode. Asked for hint without problem. A little irritated while waiting. Scrolling. Latency not too bad though. Wanted to double tap pen for eraser, irritated. Changed to lines without problem. Suspected he made an error,

Task	Completed (Y/N)	Time (sec)	Help needed (Y/N)	Notes
				made llm review solution, user a bit “eirðarlaus” while waiting for answer started drawing, Had a wrong answer, but llm noticed but still gave correct verdict.
4. Seeded error + hint + recovery	Y	3:38	N	Eirðarlaus while waiting for response, starts drawing, takes the feedback from the llm and solves. Uses the fullscreen. User little irritated, even though shorter latency.
5. Open error bank entry	Y	27	N	Didn't know initially where to look initially, didnt realise he could select the error to look at it closer.
6. Create and export PDF submission	Y	1:17	N	Found the export button directly, irritated because of name, but realized that he had to update it in the profile. Then went back to export it.

Task 4 (Seeded Error) Detailed Fields

- Seeded wrong step used:
- User noticed seeded error: Yes
- User corrected before hint: No
- Hint requested: Yes
- Recovery success: Yes
- Time to recover (sec): 38
- Notes: Asked for hint got wrong verdict, fixed and solved the problem

Unexpected Actions

Timestamp	What user tried	Expected by us? (Y/N)	Outcome	Notes

Latency Perception

Moment	User rating (1-5)	User quote
	4	Fine even though little long, gave time to think on problem

Errors or Failures

Timestamp	Error/Failure	Blocking? (Y/N)	Recovery path

Debrief Answers

1. Most confusing part: The folder structure was a little weird. The button should be close where folders are listed.
2. Point where unsure what to do next: No never felt unsure.

3. Feelings about AI responses: He said they were acceptable, helpful and clear.
4. Response time acceptable? Why: It is fine but problem with a server error in the first task.
5. What to change first: Change the folder structure and make writing experience more smooth

Key Quotes

- "I wish I could double tap to change between pens"
- ""
- ""

Facilitator Summary

- Top finding #1: Folder structure needs to be more smooth
- Top finding #2: Better fallback if Gemini server down
- Top finding #3: Needs a smoother writing experience
- Overall severity for this session: Medium

Tab 4

Session Notes Template

Session ID: 4

User ID: 4

Facilitator: Sölvi Santos

Date: 100426

Start time: 1850

End time: 19:20

Device: ipad

Pre-Session

- External user (not in group): Yes
- Consent for note taking: Yes
- Logging active: Yes

Task Results

Task	Completed (Y/N)	Time (sec)	Help needed (Y/N)	Notes
1. Login + folder + subfolder	Y	2:51	N	User didn't know which icon they were picking, like the other two users I tested. Found the new subfolder under the "Aðgerðir fyrir möppu..."
2. Solve + review steps + show solution	Y	4:37	Y	When in the initial screen of the inserting an image, since the toolkit for the pencil is visible thought that they could start writing. Wasn't clear from the

Task	Completed (Y/N)	Time (sec)	Help needed (Y/N)	Notes
				beginning that they NEEDED to put in an image. Same error with the pressing camera but getting camera roll. Good latency from model.
3. New problem + first step + hint + complete	Y	4:57	Y	Thought that adding a page was adding a new problem. Decided to not crop for some unknown reason. Got a response from the model that the image had to be readjusted. Wanted to double tap to change to eraser. Did not opt for full screen
4. Seeded error + hint + recovery	Y	4:38	N	It has to be more obvious that when getting a hint if there is an error that there is an error and it is actually not giving a hint for the next step (maybe).

Task	Completed (Y/N)	Time (sec)	Help needed (Y/N)	Notes
5. Open error bank entry	Y	54:49	N	Started from the problem and thought that the steps were error bank.
6. Create and export PDF submission	Y	1:45	N	Again, same thing with the name. Had to navigate to profile first, figured out herself

Task 4 (Seeded Error) Detailed Fields

- Seeded wrong step used:
- User noticed seeded error: No
- User corrected before hint: Yes
- Hint requested: Yes
- Recovery success: Yes
- Time to recover (sec): Twenty seconds
- Notes:

Unexpected Actions

Timestamp	What user tried	Expected by us? (Y/N)	Outcome	Notes

Latency Perception

Moment	User rating (1-5)	User quote

Moment	User rating (1-5)	User quote

Errors or Failures

Timestamp	Error/Failure	Blocking? (Y/N)	Recovery path

Debrief Answers

1. Most confusing part: The folder structure. The subfolder/folder organization. Either color code or some indication that a subfolder is an actual subfolder of a folder. Confused that a new page in a problem wasn't a new problem. (editors note: maybe we need to be more clear about that each problem is its own problem but we kind of already do.)
2. Point where unsure what to do next: Multiple points where I wasn't completely sure of what to do, but I managed to figure it out quickly.
3. Feelings about AI responses: They were good and thought-provoking, and it was also nice that they praised you for doing a good job.
4. Response time acceptable? Why: I could imagine for the younger generation that their attention span would be too short.
5. What to change first: The folders and color-coding the problems so they are the same color as the folder in which they reside.

Key Quotes

- "Possibility of having a large notes section where you can lasso areas and get assistance from the LLM on only that section. Where you essentially don't take any pictures of problems, the LLM only has to infer context from your writing. Something to think about in the future."
- "The folders and color-coding the problems so they are the same color as the folder in which they reside."
- "Multiple points where I wasn't completely sure of what to do, but I managed to figure it out quickly."

Facilitator Summary

- Top finding #1: Folder/subfolder structure not clear.
- Top finding #2: Should still aim to lower latency even though we have drastically decreased it.

- Top finding #3: Asking for a hint for something that is wrong gives you a hint for how to change it. Maybe not to that right away, but just initially tell the user that there is an error, and then they can follow up for getting a hint on how to fix it.
- Overall severity for this session: Medium

Tab 5

Session Notes Template

Session ID:5

User ID:5

Facilitator: Jóhannes

Date:130426

Start time:17:45

End time: 18:23

Device:iPad

Pre-Session

- External user (not in group): Yes
- Consent for note taking: Yes
- Logging active: Yes

Task Results

Task	Completed (Y/N)	Time (sec)	Help needed (Y/N)	Notes
1. Login + folder + subfolder	Y	1:43	N	The app was unresponsive for a few seconds after startup which annoyed user. Enjoyed user icons. Everything went smooth with signup. Found folders almost right away, but a little confused what rótarmappa was. Figured quickly though on how to create subfolder.

Task	Completed (Y/N)	Time (sec)	Help needed (Y/N)	Notes
2. Solve + review steps + show solution	Y	1:40	N	Found create problem right away, used both zoom and crop to select relevant problem. Hesitated a bit before writing but solving went smooth, did not fullscreen. Was initially confused on how to get solution but figured it out after seeing the info. Latency was good, around 10 seconds for each, user seemed fine with wait and responses
3. New problem + first step + hint + complete	Y	3:37	N	User initially looked for button to create a new problem in the problem view but figured it out and created a new problem. The llm response was very slow and also bad for the hint generation, gave exact formula as well

Task	Completed (Y/N)	Time (sec)	Help needed (Y/N)	Notes
				as formatting errors for the output. User noted weird commas in output. Used hint to solve problem and got a correct verdict for problem in only a few seconds.
4. Seeded error + hint + recovery	Y	1:51	N	Everything went smooth, user did not really think about error and asked for a hint directly after setup but noticed after the response, fixed the problem and solved. Ilm responses were good and latency was low. Still a little fiddly while waiting for response.
5. Open error bank entry	Y	58	N	Started looking around in the problem view but noticed it directly when user went out of problem view. Pressed the error but not

Task	Completed (Y/N)	Time (sec)	Help needed (Y/N)	Notes
				again to see the entire step.
6. Create and export PDF submission	Y	41	N	Everything went very smooth, I noticed however that the user had created all the problems in the generic folder not the subfolder. User did not seem to notice though.

Task 4 (Seeded Error) Detailed Fields

- Seeded wrong step used:
- User noticed seeded error: No
- User corrected before hint: No
- Hint requested: Yes
- Recovery success: Yes
- Time to recover (sec): 10
- Notes: Went very smooth

Unexpected Actions

Timestamp	What user tried	Expected by us? (Y/N)	Outcome	Notes

Latency Perception

Moment	User rating (1-5)	User quote
Hint in task 3	2	Is it always so slow.

Errors or Failures

Timestamp	Error/Failure	Blocking? (Y/N)	Recovery path
Task 3	Bad llm response, error in math formatting and answer against prompt	N	Did not affect the task but not the response we want

Debrief Answers

1. Most confusing part: What rôtarmappa is.
2. Point where unsure what to do next: For a while when asked to get solution from teacher.
3. Feelings about AI responses: Felt they were useful except.
4. Response time acceptable? Why: Yes, except for the one in task 3. Around 10 seconds and got a little time to think on problem.
5. What to change first: User did not have a concrete answer.

Key Quotes

- "Is it always so slow"
- "I like the user icons"
- ""

Facilitator Summary

- Top finding #1: We must have a better fallback for bad prompts, set the timeout to be less.
- Top finding #2: Hint should not give exact formula needed.
- Top finding #3: It might be more intuitive for users to be able to create problems directly from problem view.

- Overall severity for this session: Medium