


MANUAL DE USUARIO

FUNCIONES PRINCIPALES

- OPEN




SELECCIONE EL ARCHIVO PARA PODER OBTENER LA INFORMACION PROPORDIONADA DEL MISMO

```
value.txt - August IDE
File Edit Desarrollador View About
0

1 main:
2 #-----Struct-----
3 $t1[0]['nombre']='Hugo';
4 $t1[0]['direccion']='zona 4';
5 $t1[0]['telefono'][0]=56457854;
6 $t1[0]['telefono'][0]=45784565;
7 #linea 2
8 $t1[1]['nombre']='Paco';
9 $t1[1]['direccion']='zona 8, villa nueva';
10 $t1[1]['telefono'][0]=56412854;
11 $t1[1]['telefono'][0]=45784125;
12 #linea 3
13 $t1[2]['nombre']='Luis';
14 $t1[2]['direccion']='zona 1, San Jose Pinula';
15 $t1[2]['telefono'][0]=12412854;
16 $t1[2]['telefono'][0]=45784125;
17 #linea 4
18 $t1[3]['nombre']='Peter Parker';
19 $t1[3]['direccion']='Petapolis';
20 $t1[3]['telefono'][0]=12412124;
21 $t1[3]['telefono'][0]=45124125;
22
23 #imprimir nombres y direccion
24 $t2=0;
0- nombre: Hugo- direccion: zona 4- telefono: 45784565
1- nombre: Paco- direccion: zona 8, villa nueva- telefono: 45784125
2- nombre: Luis- direccion: zona 1, San Jose Pinula- telefono: 45784125
```


- GUARDAR



IMPLEMENTA FUNCIONES PARA SALVA GUARDAR LA INFORMACION INGRESADA



- EJECUTAR



The screenshot shows the Augus IDE with a file named 'value.txt'. The editor displays a C program that defines an array of structures. The program uses pointers to access the fields of these structures. The output window at the bottom shows the results of the program's execution, displaying the names, addresses, and phone numbers of the four individuals defined in the code.

```
1 main:
2 #-----Struct-----
3 $t1[0]['nombre']='Hugo';
4 $t1[0]['direccion']='zona 4';
5 $t1[0]['telefono'][0]=56457854;
6 $t1[0]['telefono'][0]=45784565;
7 #linea 2
8 $t1[1]['nombre']='Paco';
9 $t1[1]['direccion']='zona 8, villa nueva';
10 $t1[1]['telefono'][0]=56412854;
11 $t1[1]['telefono'][0]=45784125;
12 #linea 3
13 $t1[2]['nombre']='Luis';
14 $t1[2]['direccion']='zona 1, San Jose Pinula';
15 $t1[2]['telefono'][0]=12412854;
16 $t1[2]['telefono'][0]=45784125;
17 #linea 4
18 $t1[3]['nombre']='Peter Parker';
19 $t1[3]['direccion']='Petapolis';
20 $t1[3]['telefono'][0]=12412124;
21 $t1[3]['telefono'][0]=45124125;
22
23 #imprimir nombres y direccion
24 $t2 = 0;
0- nombre: Hugo- direccion: zona 4- telefono: 45784565
1- nombre: Paco- direccion: zona 8, villa nueva- telefono: 45784125
2- nombre: Luis- direccion: zona 1, San Jose Pinula- telefono: 45784125
```

PARA EJECUTAR EN PESTAÑAS DESARROLLADOR>EJECUTAR

- REALIZARA LA EJECUCION DEL PROYECTO
- GENERA REPORTE DE TABLA DE SIMBOLOS

PARA REPORTES EN PESTAÑAS DESARROLLADOR>REPORTES

- GENERARA REPORTES DE ARBOLE
- GENERARA REPORTES DE TABLA DE DEFINICION DE SINTAXIX

REQUISITOS MINIMOS

CPU: INTEL CORE I5

RAM: 4GB

DISCO DURO; 250MB

REQUISITOS DE PRE-INSTALACION

`run command: `pip install graphviz``