Tecnológico de Software · Fundamentos de Arquitectura de Software y Desarrollo Backend

Unidad II · Actividad 7 — Gestión de balances

Evidencias B01 a B15 ejecutadas en GraphiQL contra la API y PostgreSQL de docker compose.

Integrantes: Ariff Medina, Joaquín Uriona, Mateo Martin, Fernando Castro

Ejecutado: 2026-10-30T13:21:15 · **Sufijo de datos:** 6ae79f · **Empresas:** {"A": "27", "B": "28", "C": "29", "D": "30", "E": "31"}

Caso	Prueba	Resultado
B01	Banco, Caja, Ahorro y general del 26 al 30	**Correcto**
B02	Banco solo el 28	**Correcto**
B03	Empresa sin cuentas	**Correcto**
B04	Movimientos en los cuatro límites del período	**Correcto**
B05	Movimiento del 27 capturado después	**Correcto**
B06	0.10 + 0.20 - 0.30	**Correcto**
B07	Desactivar un movimiento de 50.00	**Correcto**
B08	Cuenta desactivada con movimientos	**Correcto**
B09	Otro concepto en una cuenta sin movimientos nuevos	**Correcto**
B10	fromDate > toDate y fecha inexistente	**Correcto**
B11	Sin token, alterado y vencido	**Correcto**
B12	Token de A con cuenta de B; general de A	**Correcto**
B13	Rol CONSULTA lee balances pero no captura	**Correcto**
B14	Retirar transactions.read al rol de prueba y restaurarlo	**Correcto**
B15	Egreso de 50.00 en cuenta vacía	**Correcto**

Saldo inicial, profit, saldo final y números rojos

Banco empieza el período del 26 al 30 con 1,000.00 (ingreso de apertura del 25). Entran 3,000.00 y salen 2,200.00: su profit es 800.00, pero su saldo final es 1,800.00 porque conserva el dinero que ya tenía. Consultando solo el 28, el profit es −1,000.00 y el saldo final sigue en 1,800.00: un día negativo no la pone en rojo.

Caja empieza en 0.00, recibe 500.00 y paga 700.00: profit −200.00 y saldo final −200.00. Como el saldo final es menor que cero, está en números rojos. El general cierra en 1,600.00 (isInRed false), pero accountsInRed = 1 revela a Caja.

Pruebas unitarias

```
test_caja_profit_negativo_y_en_rojo (pruebas.test_actividad7_balances.CuentaTest.test_caja_profit_negativo_y_en_rojo) ... ok
test_cero_no_es_rojo_y_centavos_exactos (pruebas.test_actividad7_balances.CuentaTest.test_cero_no_es_rojo_y_centavos_exactos) ... ok
test_profit_negativo_con_saldo_previo_no_es_rojo (pruebas.test_actividad7_balances.CuentaTest.test_profit_negativo_con_saldo_previo_no_es_rojo) ... ok
test_cuenta_ajena_o_inexistente_mismo_error (pruebas.test_actividad7_balances.GeneralTest.test_cuenta_ajena_o_inexistente_mismo_error) ... ok
test_empresa_sin_cuentas (pruebas.test_actividad7_balances.GeneralTest.test_empresa_sin_cuentas) ... ok
test_tabla_de_referencia (pruebas.test_actividad7_balances.GeneralTest.test_tabla_de_referencia) ... ok
test_dias_completos_en_utc_con_fin_excluido (pruebas.test_actividad7_balances.PeriodoTest.test_dias_completos_en_utc_con_fin_excluido) ... ok
test_from_posterior_a_to_se_rechaza (pruebas.test_actividad7_balances.PeriodoTest.test_from_posterior_a_to_se_rechaza) ... ok
test_transaction_date_se_normaliza_a_utc (pruebas.test_actividad7_balances.PeriodoTest.test_transaction_date_se_normaliza_a_utc) ... ok
test_un_solo_dia_es_valido (pruebas.test_actividad7_balances.PeriodoTest.test_un_solo_dia_es_valido) ... ok

----------------------------------------------------------------------
Ran 10 tests in 0.003s

OK
```

B01 · Banco, Caja, Ahorro y general del 26 al 30 · Correcto

> **Regla comprobada:** El saldo inicial sale de los movimientos anteriores al período y consultar un balance no modifica filas.

Esperado	Obtenido

{
"cuentas": {
"Banco": {
"openingBalance": "1000.00",
"totalIncome": "3000.00",
"totalExpense": "2200.00",
"profit": "800.00",
"closingBalance": "1800.00",
"isInRed": false
},
"Caja": {
"openingBalance": "0.00",
"totalIncome": "500.00",
"totalExpense": "700.00",
"profit": "-200.00",
"closingBalance": "-200.00",
"isInRed": true
},
"Ahorro": {
"openingBalance": "0.00",
"totalIncome": "0.00",
"totalExpense": "0.00",
"profit": "0.00",
"closingBalance": "0.00",
"isInRed": false
}
},
"general": {
"currency": "MXN",
"openingBalance": "1000.00",
"totalIncome": "3500.00",
"totalExpense": "2900.00",
"profit": "600.00",
"closingBalance": "1600.00",
… (completo en evidencias/resultados.json)
	{
	"cuentas": {
	"Banco": {
	"accountId": "52",
	"accountName": "Banco",
	"isActive": true,
	"openingBalance": "1000.00",
	"totalIncome": "3000.00",
	"totalExpense": "2200.00",
	"profit": "800.00",
	"closingBalance": "1800.00",
	"isInRed": false
	},
	"Caja": {
	"accountId": "53",
	"accountName": "Caja",
	"isActive": true,
	"openingBalance": "0.00",
	"totalIncome": "500.00",
	"totalExpense": "700.00",
	"profit": "-200.00",
	"closingBalance": "-200.00",
	"isInRed": true
	},
	"Ahorro": {
	"accountId": "54",
	"accountName": "Ahorro",
	"isActive": true,
	"openingBalance": "0.00",
	"totalIncome": "0.00",
	"totalExpense": "0.00",
	"profit": "0.00",
	"closingBalance": "0.00",
	"isInRed": false
	… (completo en evidencias/resultados.json)


```graphql
query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
  accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
    accountId
    accountName
    isActive
    openingBalance
    totalIncome
    totalExpense
    profit
    closingBalance
    isInRed
  }
}
```

Variables Headers

```json
{
  "a": "52",
  "f": "2026-10-26",
  "t": "2026-10-30"
}
```

GraphiQL


```json
{
  "data": {
    "accountBalance": {
      "accountId": "52",
      "accountName": "Banco",
      "isActive": true,
      "openingBalance": "1000.00",
      "totalIncome": "3000.00",
      "totalExpense": "2200.00",
      "profit": "800.00",
      "closingBalance": "1800.00",
      "isInRed": false
    }
  }
}
```


query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
GraphiQL
{
"data": {
"accountBalance": {
"accountId": "53",
"accountName": "Caja",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "500.00",
"totalExpense": "700.00",
"profit": "-200.00",
"closingBalance": "-200.00",
"isInRed": true
}
}
}
Variables
Headers
{
"a": "53",
"f": "2026-10-26",
"t": "2026-10-30"
}


```graphql
query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
  accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
    accountId
    accountName
    isActive
    openingBalance
    totalIncome
    totalExpense
    profit
    closingBalance
    isInRed
  }
}
```

Variables Headers

```json
{
  "a": "54",
  "f": "2026-10-26",
  "t": "2026-10-30"
}
```

GraphiQL

```json
{
  "data": {
    "accountBalance": {
      "accountId": "54",
      "accountName": "Ahorro",
      "isActive": true,
      "openingBalance": "0.00",
      "totalIncome": "0.00",
      "totalExpense": "0.00",
      "profit": "0.00",
      "closingBalance": "0.00",
      "isInRed": false
    }
  }
}
```


Authorization: Bearer eyJhbGciOiJIUz... · Ana (ADMINISTRADOR) · 2026-10-30 13:19:52
GraphiQL
query BalanceDeLaEmpresa($f: Date!, $t: Date!) {
generalBalance(fromDate: $f, toDate: $t) {
companyId
currency
fromDate
toDate
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
accountsInRed
accounts {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
}
Variables
Headers
{
"f": "2026-10-26",
"t": "2026-10-30"
}
{
"data": {
"generalBalance": {
"companyId": "27",
"currency": "MXN",
"fromDate": "2026-10-26",
"toDate": "2026-10-30",
"openingBalance": "1000.00",
"totalIncome": "3500.00",
"totalExpense": "2900.00",
"profit": "600.00",
"closingBalance": "1600.00",
"isInRed": false,
"accountsInRed": 1,
"accounts": [
{
"accountId": "52",
"accountName": "Banco",
"isActive": true,
"openingBalance": "1000.00",
"totalIncome": "3000.00",
"totalExpense": "2200.00",
"profit": "800.00",
"closingBalance": "1800.00",
"isInRed": false
},
{
"accountId": "53",
"accountName": "Caja",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "500.00",
"totalExpense": "700.00",
"profit": "-200.00",
"closingBalance": "-200.00",
"isInRed": true
},
{
"accountId": "54",
"accountName": "Ahorro",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "0.00",
"totalExpense": "0.00",
"profit": "0.00",
"closingBalance": "0.00",
"isInRed": false
}
]
}
}
}

B02 · Banco solo el 28 · Correcto

> **Regla comprobada:** Un profit negativo del día no implica números rojos si el saldo previo lo cubre.

Esperado	Obtenido

{
"openingBalance": "2800.00",
"totalIncome": "0.00",
"totalExpense": "1000.00",
"profit": "-1000.00",
"closingBalance": "1800.00",
"isInRed": false
}
	{
	"accountId": "52",
	"accountName": "Banco",
	"isActive": true,
	"openingBalance": "2800.00",
	"totalIncome": "0.00",
	"totalExpense": "1000.00",
	"profit": "-1000.00",
	"closingBalance": "1800.00",
	"isInRed": false
	}

```graphql
query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
  accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
    accountId
    accountName
    isActive
    openingBalance
    totalIncome
    totalExpense
    profit
    closingBalance
    isInRed
  }
}
```

Variables Headers

```json
{
  "a": "52",
  "f": "2026-10-28",
  "t": "2026-10-28"
}
```

GraphiQL



```json
{
  "data": {
    "accountBalance": {
      "accountId": "52",
      "accountName": "Banco",
      "isActive": true,
      "openingBalance": "2800.00",
      "totalIncome": "0.00",
      "totalExpense": "1000.00",
      "profit": "-1000.00",
      "closingBalance": "1800.00",
      "isInRed": false
    }
  }
}
```

B03 · Empresa sin cuentas · Correcto

> **Regla comprobada:** Una empresa sin cuentas responde con lista vacía, importes 0.00 y ninguna cuenta en rojo.

Esperado	Obtenido

{
"openingBalance": "0.00",
"totalIncome": "0.00",
"totalExpense": "0.00",
"profit": "0.00",
"closingBalance": "0.00",
"isInRed": false,
"accountsInRed": 0,
"accounts": []
}
	{
	"companyId": "29",
	"currency": "MXN",
	"fromDate": "2026-10-26",
	"toDate": "2026-10-30",
	"openingBalance": "0.00",
	"totalIncome": "0.00",
	"totalExpense": "0.00",
	"profit": "0.00",
	"closingBalance": "0.00",
	"isInRed": false,
	"accountsInRed": 0,
	"accounts": []
	}



Authorization: Bearer eyJhbGciOiJIUz... · Carla (ADMINISTRADOR) · 2026-10-30 13:19:57
GraphiQL
query BalanceDeLaEmpresa($f: Date!, $t: Date!) {
generalBalance(fromDate: $f, toDate: $t) {
companyId
currency
fromDate
toDate
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
accountsInRed
accounts {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
}
Variables
Headers
{
"f": "2026-10-26",
"t": "2026-10-30"
}
{
"data": {
"generalBalance": {
"companyId": "29",
"currency": "MXN",
"fromDate": "2026-10-26",
"toDate": "2026-10-30",
"openingBalance": "0.00",
"totalIncome": "0.00",
"totalExpense": "0.00",
"profit": "0.00",
"closingBalance": "0.00",
"isInRed": false,
"accountsInRed": 0,
"accounts": []
}
}
}

B04 · Movimientos en los cuatro límites del período · Correcto

> **Regla comprobada:** El período cubre días completos en UTC: el inicio se incluye y la medianoche siguiente a toDate queda fuera.

Esperado	Obtenido

{
"openingBalance": "10.00",
"totalIncome": "50.00",
"closingBalance": "60.00"
}
	{
	"accountId": "56",
	"accountName": "Limites",
	"isActive": true,
	"openingBalance": "10.00",
	"totalIncome": "50.00",
	"totalExpense": "0.00",
	"profit": "50.00",
	"closingBalance": "60.00",
	"isInRed": false
	}



query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
GraphiQL
{
"data": {
"accountBalance": {
"accountId": "56",
"accountName": "Limites",
"isActive": true,
"openingBalance": "10.00",
"totalIncome": "50.00",
"totalExpense": "0.00",
"profit": "50.00",
"closingBalance": "60.00",
"isInRed": false
}
}
}
Variables
Headers
{
"a": "56",
"f": "2026-10-26",
"t": "2026-10-30"
}

B05 · Movimiento del 27 capturado después · Correcto

> **Regla comprobada:** El movimiento cuenta en la fecha de operación (transactionDate), no en la fecha de captura.

Esperado	Obtenido

{
"27": {
"totalIncome": "75.00"
},
"28": {
"openingBalance": "75.00"
}
}
	{
	"movimiento": {
	"id": "108",
	"amount": "75.00",
	"transactionDate": "2026-10-27T12:00:00+00:00",
	"capturedAt": "2026-10-30T19:20:00.800022+00:00"
	},
	"27": {
	"accountId": "57",
	"accountName": "Captura tardia",
	"isActive": true,
	"openingBalance": "0.00",
	"totalIncome": "75.00",
	"totalExpense": "0.00",
	"profit": "75.00",
	"closingBalance": "75.00",
	"isInRed": false
	},
	"28": {
	"accountId": "57",
	"accountName": "Captura tardia",
	"isActive": true,
	"openingBalance": "75.00",
	"totalIncome": "0.00",
	"totalExpense": "0.00",
	"profit": "0.00",
	"closingBalance": "75.00",
	"isInRed": false
	}
	}


GraphiQL
query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
Variables
Headers
{
"a": "57",
"f": "2026-10-27",
"t": "2026-10-27"
}
{
"data": {
"accountBalance": {
"accountId": "57",
"accountName": "Captura tardia",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "75.00",
"totalExpense": "0.00",
"profit": "75.00",
"closingBalance": "75.00",
"isInRed": false
}
}
}

```graphql
query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
  accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
    accountId
    accountName
    isActive
    openingBalance
    totalIncome
    totalExpense
    profit
    closingBalance
    isInRed
  }
}
```

Variables Headers

```json
{
  "a": "57",
  "f": "2026-10-28",
  "t": "2026-10-28"
}
```

GraphiQL


```json
{
  "data": {
    "accountBalance": {
      "accountId": "57",
      "accountName": "Captura tardia",
      "isActive": true,
      "openingBalance": "75.00",
      "totalIncome": "0.00",
      "totalExpense": "0.00",
      "profit": "0.00",
      "closingBalance": "75.00",
      "isInRed": false
    }
  }
}
```

B06 · 0.10 + 0.20 - 0.30 · Correcto

> **Regla comprobada:** Con Decimal, 0.10 + 0.20 − 0.30 da exactamente 0.00, y un saldo de cero no es estar en rojo.

Esperado	Obtenido

{
"totalIncome": "0.30",
"totalExpense": "0.30",
"profit": "0.00",
"closingBalance": "0.00",
"isInRed": false
}
	{
	"accountId": "58",
	"accountName": "Centavos",
	"isActive": true,
	"openingBalance": "0.00",
	"totalIncome": "0.30",
	"totalExpense": "0.30",
	"profit": "0.00",
	"closingBalance": "0.00",
	"isInRed": false
	}



query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
GraphiQL
{
"data": {
"accountBalance": {
"accountId": "58",
"accountName": "Centavos",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "0.30",
"totalExpense": "0.30",
"profit": "0.00",
"closingBalance": "0.00",
"isInRed": false
}
}
}
Variables
Headers
{
"a": "58",
"f": "2026-10-26",
"t": "2026-10-30"
}


B07 · Desactivar un movimiento de 50.00 · Correcto

> **Regla comprobada:** Solo participan los movimientos activos; desactivar uno no afecta a los demás.

Esperado	Obtenido

{
"antes": "150.00",
"despues": "100.00"
}
	{
	"antes": {
	"accountId": "59",
	"accountName": "Anulable",
	"isActive": true,
	"openingBalance": "0.00",
	"totalIncome": "150.00",
	"totalExpense": "0.00",
	"profit": "150.00",
	"closingBalance": "150.00",
	"isInRed": false
	},
	"despues": {
	"accountId": "59",
	"accountName": "Anulable",
	"isActive": true,
	"openingBalance": "0.00",
	"totalIncome": "100.00",
	"totalExpense": "0.00",
	"profit": "100.00",
	"closingBalance": "100.00",
	"isInRed": false
	}
	}


GraphiQL
query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
{
"data": {
"accountBalance": {
"accountId": "59",
"accountName": "Anulable",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "150.00",
"totalExpense": "0.00",
"profit": "150.00",
"closingBalance": "150.00",
"isInRed": false
}
}
}
Variables
Headers
{
"a": "59",
"f": "2026-10-26",
"t": "2026-10-30"
}


Authorization: Bearer eyJhbGciOiJIUz... · Dani (ADMINISTRADOR) · 2026-10-30 13:20:13
mutation DesactivarMovimiento($id: ID!) {
deleteTransaction(id: $id) {
id
amount
isActive
}
}
GraphiQL
{
"data": {
"deleteTransaction": {
"id": "113",
"amount": "50.00",
"isActive": false
}
}
}
Variables
Headers
{
"id": "113"
}

```graphql
query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
  accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
    accountId
    accountName
    isActive
    openingBalance
    totalIncome
    totalExpense
    profit
    closingBalance
    isInRed
  }
}
```

Variables Headers

```json
{
  "a": "59",
  "f": "2026-10-26",
  "t": "2026-10-30"
}
```

GraphiQL


```json
{
  "data": {
    "accountBalance": {
      "accountId": "59",
      "accountName": "Anulable",
      "isActive": true,
      "openingBalance": "0.00",
      "totalIncome": "100.00",
      "totalExpense": "0.00",
      "profit": "100.00",
      "closingBalance": "100.00",
      "isInRed": false
    }
  }
}
```


B08 · Cuenta desactivada con movimientos · Correcto


> **Regla comprobada:** Desactivar una cuenta no borra su historial: sigue en el balance con isActive false y aporta al total.

Esperado	Obtenido

{
"isActive": false,
"closingBalance": "200.00",
"general": "sin cambios"
}
	{
	"cuenta": {
	"accountId": "60",
	"accountName": "Cerrada",
	"isActive": false,
	"openingBalance": "0.00",
	"totalIncome": "200.00",
	"totalExpense": "0.00",
	"profit": "200.00",
	"closingBalance": "200.00",
	"isInRed": false
	},
	"general_antes": "435.00",
	"general_despues": "435.00"
	}


Ariff Medina · Joaquín Uriona · Mateo Martin · Fernando Castro
Authorization: Bearer eyJhbGciOiJIUz... · Dani (ADMINISTRADOR) · 2026-10-30 13:20:18
GraphiQL
query BalanceDeLaEmpresa($f: Date!, $t: Date!) {
generalBalance(fromDate: $f, toDate: $t) {
companyId
currency
fromDate
toDate
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
accountsInRed
accounts {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
}
Variables
Headers
{
"f": "2026-10-26",
"t": "2026-10-30"
}
{
"data": {
"generalBalance": {
"companyId": "30",
"currency": "MXN",
"fromDate": "2026-10-26",
"toDate": "2026-10-30",
"openingBalance": "10.00",
"totalIncome": "425.30",
"totalExpense": "0.30",
"profit": "425.00",
"closingBalance": "435.00",
"isInRed": false,
"accountsInRed": 0,
"accounts": [
{
"accountId": "56",
"accountName": "Limites",
"isActive": true,
"openingBalance": "10.00",
"totalIncome": "50.00",
"totalExpense": "0.00",
"profit": "50.00",
"closingBalance": "60.00",
"isInRed": false
},
{
"accountId": "57",
"accountName": "Captura tardia",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "75.00",
"totalExpense": "0.00",
"profit": "75.00",
"closingBalance": "75.00",
"isInRed": false
},
{
"accountId": "58",
"accountName": "Centavos",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "0.30",
"totalExpense": "0.30",
"profit": "0.00",
"closingBalance": "0.00",
"isInRed": false
},
{
"accountId": "59",
"accountName": "Anulable",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "100.00",
"totalExpense": "0.00",
"profit": "100.00",
"closingBalance": "100.00",
"isInRed": false
},
{
"accountId": "60",
"accountName": "Cerrada",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "200.00",
"totalExpense": "0.00",
"profit": "200.00",
"closingBalance": "200.00",
"isInRed": false
}
]
}
}



query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
GraphiQL
{
"data": {
"accountBalance": {
"accountId": "60",
"accountName": "Cerrada",
"isActive": false,
"openingBalance": "0.00",
"totalIncome": "200.00",
"totalExpense": "0.00",
"profit": "200.00",
"closingBalance": "200.00",
"isInRed": false
}
}
}
Variables
Headers
{
"a": "60",
"f": "2026-10-26",
"t": "2026-10-30"
}



Ariff Medina · Joaquín Uriona · Mateo Martin · Fernando Castro
Authorization: Bearer eyJhbGciOiJIUz... · Dani (ADMINISTRADOR) · 2026-10-30 13:20:23
GraphiQL
query BalanceDeLaEmpresa($f: Date!, $t: Date!) {
generalBalance(fromDate: $f, toDate: $t) {
companyId
currency
fromDate
toDate
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
accountsInRed
accounts {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
}
Variables
Headers
{
"f": "2026-10-26",
"t": "2026-10-30"
}
{
"data": {
"generalBalance": {
"companyId": "30",
"currency": "MXN",
"fromDate": "2026-10-26",
"toDate": "2026-10-30",
"openingBalance": "10.00",
"totalIncome": "425.30",
"totalExpense": "0.30",
"profit": "425.00",
"closingBalance": "435.00",
"isInRed": false,
"accountsInRed": 0,
"accounts": [
{
"accountId": "56",
"accountName": "Limites",
"isActive": true,
"openingBalance": "10.00",
"totalIncome": "50.00",
"totalExpense": "0.00",
"profit": "50.00",
"closingBalance": "60.00",
"isInRed": false
},
{
"accountId": "57",
"accountName": "Captura tardia",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "75.00",
"totalExpense": "0.00",
"profit": "75.00",
"closingBalance": "75.00",
"isInRed": false
},
{
"accountId": "58",
"accountName": "Centavos",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "0.30",
"totalExpense": "0.30",
"profit": "0.00",
"closingBalance": "0.00",
"isInRed": false
},
{
"accountId": "59",
"accountName": "Anulable",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "100.00",
"totalExpense": "0.00",
"profit": "100.00",
"closingBalance": "100.00",
"isInRed": false
},
{
"accountId": "60",
"accountName": "Cerrada",
"isActive": false,
"openingBalance": "0.00",
"totalIncome": "200.00",
"totalExpense": "0.00",
"profit": "200.00",
"closingBalance": "200.00",
"isInRed": false
}
]
}
}

B09 · Otro concepto en una cuenta sin movimientos nuevos · Correcto

> **Regla comprobada:** El signo lo decide transaction_type; asignar más conceptos a una cuenta no duplica importes.

Esperado	Obtenido
`"general idéntico"`	`{ "antes": { "companyId": "30", "currency": "MXN", "fromDate": "2026-10-26", "toDate": "2026-10-30", "openingBalance": "10.00", "totalIncome": "425.30", "totalExpense": "0.30", "profit": "425.00", "closingBalance": "435.00", "isInRed": false, "accountsInRed": 0, "accounts": [{ "accountId": "56", "accountName": "Limites", "isActive": true, "openingBalance": "10.00", "totalIncome": "50.00", "totalExpense": "0.00", "profit": "50.00", "closingBalance": "60.00", "isInRed": false }, { "accountId": "57", "accountName": "Captura tardia", "isActive": true, "openingBalance": "0.00", "totalIncome": "75.00", "totalExpense": "0.00", "profit": "75.00", "closingBalance": "75.00", … (completo en evidencias/resultados.json)`


Ariff Medina · Joaquín Uriona · Mateo Martin · Fernando Castro
Authorization: Bearer eyJhbGciOiJIUz... · Dani (ADMINISTRADOR) · 2026-10-30 13:20:25
GraphiQL
query BalanceDeLaEmpresa($f: Date!, $t: Date!) {
generalBalance(fromDate: $f, toDate: $t) {
companyId
currency
fromDate
toDate
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
accountsInRed
accounts {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
}
Variables
Headers
{
"f": "2026-10-26",
"t": "2026-10-30"
}
{
"data": {
"generalBalance": {
"companyId": "30",
"currency": "MXN",
"fromDate": "2026-10-26",
"toDate": "2026-10-30",
"openingBalance": "10.00",
"totalIncome": "425.30",
"totalExpense": "0.30",
"profit": "425.00",
"closingBalance": "435.00",
"isInRed": false,
"accountsInRed": 0,
"accounts": [
{
"accountId": "56",
"accountName": "Limites",
"isActive": true,
"openingBalance": "10.00",
"totalIncome": "50.00",
"totalExpense": "0.00",
"profit": "50.00",
"closingBalance": "60.00",
"isInRed": false
},
{
"accountId": "57",
"accountName": "Captura tardia",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "75.00",
"totalExpense": "0.00",
"profit": "75.00",
"closingBalance": "75.00",
"isInRed": false
},
{
"accountId": "58",
"accountName": "Centavos",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "0.30",
"totalExpense": "0.30",
"profit": "0.00",
"closingBalance": "0.00",
"isInRed": false
},
{
"accountId": "59",
"accountName": "Anulable",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "100.00",
"totalExpense": "0.00",
"profit": "100.00",
"closingBalance": "100.00",
"isInRed": false
},
{
"accountId": "60",
"accountName": "Cerrada",
"isActive": false,
"openingBalance": "0.00",
"totalIncome": "200.00",
"totalExpense": "0.00",
"profit": "200.00",
"closingBalance": "200.00",
"isInRed": false
}
]
}
}



Ariff Medina · Joaquín Uriona · Mateo Martin · Fernando Castro
Authorization: Bearer eyJhbGciOiJIUz... · Dani (ADMINISTRADOR) · 2026-10-30 13:20:28
GraphiQL
query BalanceDeLaEmpresa($f: Date!, $t: Date!) {
generalBalance(fromDate: $f, toDate: $t) {
companyId
currency
fromDate
toDate
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
accountsInRed
accounts {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
}
Variables
Headers
{
"f": "2026-10-26",
"t": "2026-10-30"
}
{
"data": {
"generalBalance": {
"companyId": "30",
"currency": "MXN",
"fromDate": "2026-10-26",
"toDate": "2026-10-30",
"openingBalance": "10.00",
"totalIncome": "425.30",
"totalExpense": "0.30",
"profit": "425.00",
"closingBalance": "435.00",
"isInRed": false,
"accountsInRed": 0,
"accounts": [
{
"accountId": "56",
"accountName": "Limites",
"isActive": true,
"openingBalance": "10.00",
"totalIncome": "50.00",
"totalExpense": "0.00",
"profit": "50.00",
"closingBalance": "60.00",
"isInRed": false
},
{
"accountId": "57",
"accountName": "Captura tardia",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "75.00",
"totalExpense": "0.00",
"profit": "75.00",
"closingBalance": "75.00",
"isInRed": false
},
{
"accountId": "58",
"accountName": "Centavos",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "0.30",
"totalExpense": "0.30",
"profit": "0.00",
"closingBalance": "0.00",
"isInRed": false
},
{
"accountId": "59",
"accountName": "Anulable",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "100.00",
"totalExpense": "0.00",
"profit": "100.00",
"closingBalance": "100.00",
"isInRed": false
},
{
"accountId": "60",
"accountName": "Cerrada",
"isActive": false,
"openingBalance": "0.00",
"totalIncome": "200.00",
"totalExpense": "0.00",
"profit": "200.00",
"closingBalance": "200.00",
"isInRed": false
}
]
}
}


B10 · fromDate > toDate y fecha inexistente · Correcto


> **Regla comprobada:** Un período invertido o una fecha inexistente se rechazan sin devolver un balance.

Esperado	Obtenido

`"error sin balance"`	[
	{
	"data": null,
	"errors": [
	"fromDate no puede ser posterior a toDate"
	]
	},
	{
	"data": null,
	"errors": [
	"fromDate no puede ser posterior a toDate"
	]
	},
	{
	"data": null,
	"errors": [
	"Variable '$f' has invalid value: Value cannot represent a Date: \"2026-02-30\". day is out of range for month"
	]
	}
	]


GraphiQL
query BalanceDeLaEmpresa($f: Date!, $t: Date!) {
generalBalance(fromDate: $f, toDate: $t) {
companyId
currency
fromDate
toDate
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
accountsInRed
accounts {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
}
Variables
Headers
{
"f": "2026-10-30",
"t": "2026-10-26"
}
{
"data": null,
"errors": [
{
"message": "fromDate no puede ser posterior a toDate",
"locations": [
{
"line": 2,
"column": 3
}
],
"path": [
"generalBalance"
]
}
]
}



query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
Variables
Headers
{
"a": "52",
"f": "2026-10-30",
"t": "2026-10-26"
}
GraphiQL
{
"data": null,
"errors": [
{
"message": "fromDate no puede ser posterior a toDate",
"locations": [
{
"line": 2,
"column": 3
}
],
"path": [
"accountBalance"
]
}
]
}



Ariff Medina · Joaquín Uriona · Mateo Martin · Fernando Castro
Authorization: Bearer eyJhbGciOiJIUz... · Ana (ADMINISTRADOR) · 2026-10-30 13:20:34
query BalanceDeLaEmpresa($f: Date!, $t: Date!) {
generalBalance(fromDate: $f, toDate: $t) {
companyId
currency
fromDate
toDate
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
accountsInRed
accounts {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
}
Variables
Headers
{
"f": "2026-02-30",
"t": "2026-10-30"
}
GraphiQL
{
"data": null,
"errors": [
{
"message": "Variable '$f' has invalid value: Value cannot represent a Date: \"2026-02-30\". day is out of range for month",
"locations": [
{
"line": 1,
"column": 26
}
]
}
]
}


B11 · Sin token, alterado y vencido · Correcto

> **Regla comprobada:** Sin un token válido y vigente no se accede a ninguna de las dos consultas.

Esperado	Obtenido
`"rechazo en ambas consultas"`	`{ "sin token": [{ "data": null, "errors": ["Falta el token: envía Authorization: Bearer <token>"] }, { "data": null, "errors": ["Falta el token: envía Authorization: Bearer <token>"] }], "alterado": [{ "data": null, "errors": ["El token no es válido o ya venció"] }, { "data": null, "errors": ["El token no es válido o ya venció"] }], "vencido": [{ "data": null, "errors": ["El token no es válido o ya venció" … (completo en evidencias/resultados.json)`


query BalanceDeLaEmpresa($f: Date!, $t: Date!) {
generalBalance(fromDate: $f, toDate: $t) {
companyId
currency
fromDate
toDate
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
accountsInRed
accounts {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
}
Variables
Headers
{
"f": "2026-10-26",
"t": "2026-10-30"
}
GraphiQL
{
"data": null,
"errors": [
{
"message": "Falta el token: envía Authorization: Bearer <token>",
"locations": [
{
"line": 2,
"column": 3
}
],
"path": [
"generalBalance"
]
}
]
}


query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
Variables
Headers
{
"a": "52",
"f": "2026-10-26",
"t": "2026-10-30"
}
GraphiQL
{
"data": null,
"errors": [
{
"message": "Falta el token: envía Authorization: Bearer <token>",
"locations": [
{
"line": 2,
"column": 3
}
],
"path": [
"accountBalance"
]
}
]
}



```
query BalanceDeLaEmpresa($f: Date!, $t: Date!) {
  generalBalance(fromDate: $f, toDate: $t) {
    companyId
    currency
    fromDate
    toDate
    openingBalance
    totalIncome
    totalExpense
    profit
    closingBalance
    isInRed
    accountsInRed
    accounts {
      accountId
      accountName
      isActive
      openingBalance
      totalIncome
      totalExpense
      profit
      closingBalance
      isInRed
    }
  }
}
```

Variables Headers

```
{
  "f": "2026-10-26",
  "t": "2026-10-30"
}
```

GraphiQL

```
{
  "data": null,
  "errors": [
    {
      "message": "El token no es válido o ya venció",
      "locations": [
        {
          "line": 2,
          "column": 3
        }
      ],
      "path": [
        "generalBalance"
      ]
    }
  ]
}
```

Ariff Medina · Joaquín Uriona · Mateo Martin · Fernando Castro — Authorization: Bearer eyJhbGciOiJIUz... · token alterado o vencido · 2026-10-30 13:20:43


```graphql
query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
  accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
    accountId
    accountName
    isActive
    openingBalance
    totalIncome
    totalExpense
    profit
    closingBalance
    isInRed
  }
}
```

Variables | Headers

```json
{
  "a": "52",
  "f": "2026-10-26",
  "t": "2026-10-30"
}
```

GraphiQL

```json
{
  "data": null,
  "errors": [
    {
      "message": "El token no es válido o ya venció",
      "locations": [
        {
          "line": 2,
          "column": 3
        }
      ],
      "path": [
        "accountBalance"
      ]
    }
  ]
}
```



```graphql
query BalanceDeLaEmpresa($f: Date!, $t: Date!) {
  generalBalance(fromDate: $f, toDate: $t) {
    companyId
    currency
    fromDate
    toDate
    openingBalance
    totalIncome
    totalExpense
    profit
    closingBalance
    isInRed
    accountsInRed
    accounts {
      accountId
      accountName
      isActive
      openingBalance
      totalIncome
      totalExpense
      profit
      closingBalance
      isInRed
    }
  }
}
```

Variables Headers

```json
{
  "f": "2026-10-26",
  "t": "2026-10-30"
}
```

GraphiQL

```json
{
  "data": null,
  "errors": [
    {
      "message": "El token no es válido o ya venció",
      "locations": [
        {
          "line": 2,
          "column": 3
        }
      ],
      "path": [
        "generalBalance"
      ]
    }
  ]
}
```

Authorization: Bearer eyJhbGciOiAiSF... · token alterado o vencido · 2026-10-30 13:20:48

GraphiQL

```graphql
query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
  accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
    accountId
    accountName
    isActive
    openingBalance
    totalIncome
    totalExpense
    profit
    closingBalance
    isInRed
  }
}
```

Variables Headers

```json
{
  "a": "52",
  "f": "2026-10-26",
  "t": "2026-10-30"
}
```


```json
{
  "data": null,
  "errors": [
    {
      "message": "El token no es válido o ya venció",
      "locations": [
        {
          "line": 2,
          "column": 3
        }
      ],
      "path": [
        "accountBalance"
      ]
    }
  ]
}
```

B12 · Token de A con cuenta de B; general de A · Correcto

> **Regla comprobada:** La empresa sale del token: una cuenta ajena responde igual que una inexistente y no revela datos.

Esperado	Obtenido

<pre>{
 "error": "Cuenta no disponible",
 "general": "solo cuentas de A"
}</pre>
	<pre>{
	 "ajena": {
	 "data": null,
	 "errors": [
	 "Cuenta no disponible"
	]
	 },
	 "inexistente": {
	 "data": null,
	 "errors": [
	 "Cuenta no disponible"
	]
	 },
	 "cuentas_general_A": [
	 "Banco",
	 "Caja",
	 "Ahorro"
	]
	}</pre>


query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
Variables
Headers
{
"a": "55",
"f": "2026-10-26",
"t": "2026-10-30"
}
GraphiQL
{
"data": null,
"errors": [
{
"message": "Cuenta no disponible",
"locations": [
{
"line": 2,
"column": 3
}
],
"path": [
"accountBalance"
]
}
]
}


```graphql
query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
  accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
    accountId
    accountName
    isActive
    openingBalance
    totalIncome
    totalExpense
    profit
    closingBalance
    isInRed
  }
}
```

Variables Headers

```json
{
  "a": "999999999",
  "f": "2026-10-26",
  "t": "2026-10-30"
}
```

GraphiQL


```json
{
  "data": null,
  "errors": [
    {
      "message": "Cuenta no disponible",
      "locations": [
        {
          "line": 2,
          "column": 3
        }
      ],
      "path": [
        "accountBalance"
      ]
    }
  ]
}
```



Ariff Medina · Joaquín Uriona · Mateo Martin · Fernando Castro
Authorization: Bearer eyJhbGciOiJIUz... · Ana (ADMINISTRADOR) · 2026-10-30 13:20:54
GraphiQL
query BalanceDeLaEmpresa($f: Date!, $t: Date!) {
generalBalance(fromDate: $f, toDate: $t) {
companyId
currency
fromDate
toDate
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
accountsInRed
accounts {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
}
Variables
Headers
{
"f": "2026-10-26",
"t": "2026-10-30"
}
{
"data": {
"generalBalance": {
"companyId": "27",
"currency": "MXN",
"fromDate": "2026-10-26",
"toDate": "2026-10-30",
"openingBalance": "1000.00",
"totalIncome": "3500.00",
"totalExpense": "2900.00",
"profit": "600.00",
"closingBalance": "1600.00",
"isInRed": false,
"accountsInRed": 1,
"accounts": [
{
"accountId": "52",
"accountName": "Banco",
"isActive": true,
"openingBalance": "1000.00",
"totalIncome": "3000.00",
"totalExpense": "2200.00",
"profit": "800.00",
"closingBalance": "1800.00",
"isInRed": false
},
{
"accountId": "53",
"accountName": "Caja",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "500.00",
"totalExpense": "700.00",
"profit": "-200.00",
"closingBalance": "-200.00",
"isInRed": true
},
{
"accountId": "54",
"accountName": "Ahorro",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "0.00",
"totalExpense": "0.00",
"profit": "0.00",
"closingBalance": "0.00",
"isInRed": false
}
]
}
}
}


B13 · Rol CONSULTA lee balances pero no captura · Correcto

> **Regla comprobada:** El rol CONSULTA lee balances, pero no puede registrar movimientos.

Esperado	Obtenido

{
"lectura": {
"currency": "MXN",
"openingBalance": "1000.00",
"totalIncome": "3500.00",
"totalExpense": "2900.00",
"profit": "600.00",
"closingBalance": "1600.00",
"isInRed": false,
"accountsInRed": 1
},
"captura": "rechazada",
"filas": "iguales"
}
	{
	"lectura": {
	"companyId": "27",
	"currency": "MXN",
	"fromDate": "2026-10-26",
	"toDate": "2026-10-30",
	"openingBalance": "1000.00",
	"totalIncome": "3500.00",
	"totalExpense": "2900.00",
	"profit": "600.00",
	"closingBalance": "1600.00",
	"isInRed": false,
	"accountsInRed": 1,
	"accounts": [
	{
	"accountId": "52",
	"accountName": "Banco",
	"isActive": true,
	"openingBalance": "1000.00",
	"totalIncome": "3000.00",
	"totalExpense": "2200.00",
	"profit": "800.00",
	"closingBalance": "1800.00",
	"isInRed": false
	},
	{
	"accountId": "53",
	"accountName": "Caja",
	"isActive": true,
	"openingBalance": "0.00",
	"totalIncome": "500.00",
	"totalExpense": "700.00",
	"profit": "-200.00",
	"closingBalance": "-200.00",
	… (completo en evidencias/resultados.json)



Ariff Medina · Joaquín Uriona · Mateo Martin · Fernando Castro
Authorization: Bearer eyJhbGciOiJIUz... · Pedro (CONSULTA) · 2026-10-30 13:20:57
GraphiQL
query BalanceDeLaEmpresa($f: Date!, $t: Date!) {
generalBalance(fromDate: $f, toDate: $t) {
companyId
currency
fromDate
toDate
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
accountsInRed
accounts {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
}
Variables
Headers
{
"f": "2026-10-26",
"t": "2026-10-30"
}
{
"data": {
"generalBalance": {
"companyId": "27",
"currency": "MXN",
"fromDate": "2026-10-26",
"toDate": "2026-10-30",
"openingBalance": "1000.00",
"totalIncome": "3500.00",
"totalExpense": "2900.00",
"profit": "600.00",
"closingBalance": "1600.00",
"isInRed": false,
"accountsInRed": 1,
"accounts": [
{
"accountId": "52",
"accountName": "Banco",
"isActive": true,
"openingBalance": "1000.00",
"totalIncome": "3000.00",
"totalExpense": "2200.00",
"profit": "800.00",
"closingBalance": "1800.00",
"isInRed": false
},
{
"accountId": "53",
"accountName": "Caja",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "500.00",
"totalExpense": "700.00",
"profit": "-200.00",
"closingBalance": "-200.00",
"isInRed": true
},
{
"accountId": "54",
"accountName": "Ahorro",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "0.00",
"totalExpense": "0.00",
"profit": "0.00",
"closingBalance": "0.00",
"isInRed": false
}
]
}
}
}



Ariff Medina · Joaquín Uriona · Mateo Martin · Fernando Castro
Authorization: Bearer eyJhbGciOiJIUz... · Pedro (CONSULTA) · 2026-10-30 13:20:59
mutation CapturaConsulta($a: ID!, $c: ID!) {
createTransaction(input: {accountId: $a, conceptId: $c, transa
id
}
}
GraphiQL
{
"data": null,
"errors": [
{
"message": "Permiso denegado: el rol CONSULTA no tiene el permiso transactions.write",
"locations": [
{
"line": 2,
"column": 3
}
],
"path": [
"createTransaction"
]
}
]
}
Variables
Headers
{
"a": "52",
"c": "47"
}


B14 · Retirar transactions.read al rol de prueba y restaurarlo · Correcto


> **Regla comprobada:** El permiso se lee en cada petición: sin transactions.read el mismo token deja de ver balances.

Esperado	Obtenido
`"lee / rechaza ambas / lee"`	`{ "con_permiso": true, "sin_permiso": [ { "data": null, "errors": [ "Permiso denegado: el rol BALANCES_6AE79F no tiene el permiso transactions.read" ] }, { "data": null, "errors": [ "Permiso denegado: el rol BALANCES_6AE79F no tiene el permiso transactions.read" ] } ], "restaurado": true }`


Ariff Medina · Joaquín Uriona · Mateo Martin · Fernando Castro
Authorization: Bearer eyJhbGciOiJIUz... · Rita · 2026-10-30 13:21:02
query BalanceDeLaEmpresa($f: Date!, $t: Date!) {
generalBalance(fromDate: $f, toDate: $t) {
companyId
currency
fromDate
toDate
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
accountsInRed
accounts {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
}
Variables
Headers
{
"f": "2026-10-26",
"t": "2026-10-30"
}
GraphiQL
{
"data": {
"generalBalance": {
"companyId": "27",
"currency": "MXN",
"fromDate": "2026-10-26",
"toDate": "2026-10-30",
"openingBalance": "1000.00",
"totalIncome": "3500.00",
"totalExpense": "2900.00",
"profit": "600.00",
"closingBalance": "1600.00",
"isInRed": false,
"accountsInRed": 1,
"accounts": [
{
"accountId": "52",
"accountName": "Banco",
"isActive": true,
"openingBalance": "1000.00",
"totalIncome": "3000.00",
"totalExpense": "2200.00",
"profit": "800.00",
"closingBalance": "1800.00",
"isInRed": false
},
{
"accountId": "53",
"accountName": "Caja",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "500.00",
"totalExpense": "700.00",
"profit": "-200.00",
"closingBalance": "-200.00",
"isInRed": true
},
{
"accountId": "54",
"accountName": "Ahorro",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "0.00",
"totalExpense": "0.00",
"profit": "0.00",
"closingBalance": "0.00",
"isInRed": false
}
]
}
}
}


Authorization: Bearer eyJhbGciOiJIUz... · Rita · 2026-10-30 13:21:05
GraphiQL
query BalanceDeLaEmpresa($f: Date!, $t: Date!) {
generalBalance(fromDate: $f, toDate: $t) {
companyId
currency
fromDate
toDate
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
accountsInRed
accounts {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
}
Variables
Headers
{
"f": "2026-10-26",
"t": "2026-10-30"
}
{
"data": null,
"errors": [
{
"message": "Permiso denegado: el rol BALANCES_6AE79F no tiene el permiso transactions.read",
"locations": [
{
"line": 2,
"column": 3
}
],
"path": [
"generalBalance"
]
}
]
}


query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
Variables
Headers
{
"a": "52",
"f": "2026-10-26",
"t": "2026-10-30"
}
GraphiQL
{
"data": null,
"errors": [
{
"message": "Permiso denegado: el rol BALANCES_6AE79F no tiene el permiso transactions.read",
"locations": [
{
"line": 2,
"column": 3
}
],
"path": [
"accountBalance"
]
}
]
}



Ariff Medina · Joaquín Uriona · Mateo Martin · Fernando Castro
Authorization: Bearer eyJhbGciOiJIUz... · Rita · 2026-10-30 13:21:10
GraphiQL
query BalanceDeLaEmpresa($f: Date!, $t: Date!) {
generalBalance(fromDate: $f, toDate: $t) {
companyId
currency
fromDate
toDate
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
accountsInRed
accounts {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
}
Variables
Headers
{
"f": "2026-10-26",
"t": "2026-10-30"
}
{
"data": {
"generalBalance": {
"companyId": "27",
"currency": "MXN",
"fromDate": "2026-10-26",
"toDate": "2026-10-30",
"openingBalance": "1000.00",
"totalIncome": "3500.00",
"totalExpense": "2900.00",
"profit": "600.00",
"closingBalance": "1600.00",
"isInRed": false,
"accountsInRed": 1,
"accounts": [
{
"accountId": "52",
"accountName": "Banco",
"isActive": true,
"openingBalance": "1000.00",
"totalIncome": "3000.00",
"totalExpense": "2200.00",
"profit": "800.00",
"closingBalance": "1800.00",
"isInRed": false
},
{
"accountId": "53",
"accountName": "Caja",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "500.00",
"totalExpense": "700.00",
"profit": "-200.00",
"closingBalance": "-200.00",
"isInRed": true
},
{
"accountId": "54",
"accountName": "Ahorro",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "0.00",
"totalExpense": "0.00",
"profit": "0.00",
"closingBalance": "0.00",
"isInRed": false
}
]
}
}
}


B15 · Egreso de 50.00 en cuenta vacía · Correcto

> **Regla comprobada:** Se permite un egreso que deja saldo negativo; el backend lo informa como números rojos.

Esperado	Obtenido

{
"closingBalance": "-50.00",
"isInRed": true,
"accountsInRed": 1
}
	{
	"cuenta": {
	"accountId": "61",
	"accountName": "Vacia",
	"isActive": true,
	"openingBalance": "0.00",
	"totalIncome": "0.00",
	"totalExpense": "50.00",
	"profit": "-50.00",
	"closingBalance": "-50.00",
	"isInRed": true
	},
	"general": {
	"companyId": "31",
	"currency": "MXN",
	"fromDate": "2026-10-26",
	"toDate": "2026-10-30",
	"openingBalance": "0.00",
	"totalIncome": "0.00",
	"totalExpense": "50.00",
	"profit": "-50.00",
	"closingBalance": "-50.00",
	"isInRed": true,
	"accountsInRed": 1,
	"accounts": [
	{
	"accountId": "61",
	"accountName": "Vacia",
	"isActive": true,
	"openingBalance": "0.00",
	"totalIncome": "0.00",
	"totalExpense": "50.00",
	"profit": "-50.00",
	"closingBalance": "-50.00",
	… (completo en evidencias/resultados.json)


query BalanceDeUnaCuenta($a: ID!, $f: Date!, $t: Date!) {
accountBalance(accountId: $a, fromDate: $f, toDate: $t) {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
GraphiQL
{
"data": {
"accountBalance": {
"accountId": "61",
"accountName": "Vacia",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "0.00",
"totalExpense": "50.00",
"profit": "-50.00",
"closingBalance": "-50.00",
"isInRed": true
}
}
}
Variables
Headers
{
"a": "61",
"f": "2026-10-26",
"t": "2026-10-30"
}


Authorization: Bearer eyJhbGciOiJIUz... · Eva (ADMINISTRADOR) · 2026-10-30 13:21:15
GraphiQL
query BalanceDeLaEmpresa($f: Date!, $t: Date!) {
generalBalance(fromDate: $f, toDate: $t) {
companyId
currency
fromDate
toDate
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
accountsInRed
accounts {
accountId
accountName
isActive
openingBalance
totalIncome
totalExpense
profit
closingBalance
isInRed
}
}
}
Variables
Headers
{
"f": "2026-10-26",
"t": "2026-10-30"
}
{
"data": {
"generalBalance": {
"companyId": "31",
"currency": "MXN",
"fromDate": "2026-10-26",
"toDate": "2026-10-30",
"openingBalance": "0.00",
"totalIncome": "0.00",
"totalExpense": "50.00",
"profit": "-50.00",
"closingBalance": "-50.00",
"isInRed": true,
"accountsInRed": 1,
"accounts": [
{
"accountId": "61",
"accountName": "Vacia",
"isActive": true,
"openingBalance": "0.00",
"totalIncome": "0.00",
"totalExpense": "50.00",
"profit": "-50.00",
"closingBalance": "-50.00",
"isInRed": true
}
]
}
}
}