



My Configuration Policy

Device configuration profile

Device and user check-in status



View report

Device assignment status

This report shows all the devices that are targeted by the policy, including devices in a pending policy assignment state.

Per setting status

View the configuration status of each setting for this policy across all devices and users.

Properties

Basics [Edit](#)

Name	My Configuration Policy
Description	No Description
Platform	Windows

Assignments [Edit](#)

Included groups

Group	Status	Filter	Filter mode
Devices - Windows	Active	None	None

Excluded groups

Group	Status
No results.	

Scope tags [Edit](#)

Selected tags Default

Configuration settings [Edit](#)

^ Administrative Templates

LAPS

Enable local admin password management ⓘ Enabled

Name of administrator account to manage ⓘ Enabled

Administrator account name (Device) IntuneAdmin

Windows Components > BitLocker Drive Encryption > Operating System Drives

Select the encryption type: (Device) Used Space Only encryption

Enforce drive encryption type on operating system drives ⓘ Enabled

^ BitLocker

Configure Recovery Password Rotation ⓘ Refresh off (default)

Require Device Encryption ⓘ Enabled

^ Defender

Remediation action for Severe threats

Clean. Service tries to recover files and try to disinfect.

Allow Email Scanning ⓘ

Allowed. Turns on email scanning.

Allow Full Scan On Mapped Network Drives ⓘ

Allowed. Scans mapped network drives.

Allow Script Scanning ⓘ

Allowed.

^ Experience

Allow Cortana ⓘ

Block

^ System

Allow Telemetry ⓘ

Basic