My Lab Baseline

Device configuration profile

Device and user check-in status

Succeeded	Error	Conflict	Not applicable	In Progress
0	0	0	0	0

View report

Device assignment status

This report shows all the devices that are targeted by the policy, including devices in a pending policy assignment state.

Per setting status

View the configuration status of each setting for this policy across all devices and users.

Properties

Basics Edit

Name	My Lab Baseline
Description	No Description
Platform	Windows

Assignments Edit

Included groups

Group	Status	Filter	Filter mode
No results.			

Excluded groups

Group	Status

Windows Devices	Active

Scope tags Edit

Selected tags	Default

Configuration settings Edit

Administrative Templates

Auditing

Browser

Data Protection

Allow Direct Memory Access	Block

Defender

Allow Archive Scanning	Allowed. Scans the archive files.
Allow Behavior Monitoring	Allowed. Turns on real-time behavior monitoring.
Allow Cloud Protection	Allowed. Turns on Cloud Protection.
Allow Full Scan Removable Drive Scanning	Allowed. Scans removable drives.
Allow On Access Protection	Allowed.
Allow Realtime Monitoring	Allowed. Turns on and runs the real-time monitoring service.
Allow scanning of all downloaded files and attachments	Allowed.
Allow Script Scanning	Allowed.

Block

Block execution of potentially obfuscated scripts	
Block Win32 API calls from Office macros	Block
Block Office communication application from creating child processes	Block
Block all Office applications from creating child processes	Block
Block Adobe Reader from creating child processes	Block
Block credential stealing from the Windows local security authority subsystem	Block
Block JavaScript or VBScript from launching downloaded executable content	Block
Block untrusted and unsigned processes that run from USB	Block
Block process creations originating from PSExec and WMI commands	Audit
Block Office applications from creating executable content	Block
Block Office applications from injecting code into other processes	Block
Block executable content from email client and webmail	Block

Cloud Block Level	High
Cloud Extended Timeout	50
Disable Local Admin Merge	Disable Local Admin Merge
Enable Convert Warn To Block	Warn verdicts are converted to block
Enable File Hash Computation	Enable
Enable Network Protection	Enabled (block mode)
Hide Exclusions From Local Admins	If you enable this setting, local admins will no longer be able to see the exclusion list in Windows Security App or via PowerShell.
Oobe Enable Rtp And Sig Update	If you enable this setting, real-time protection and Security Intelligence Updates are enabled during OOBE.
Passive Remediation	PASSIVEREMEDIATIONFLAGSENSEAUTOREMEDIATION: Passive Remediation Sense AutoRemediation
PUA Protection	PUA Protection on. Detected items are blocked. They will show in history along with other threats.
Quick Scan Include Exclusions	If you set this setting to 1, all files and directories that are excluded from real-time protection using contextual exclusions are scanned during a quick scan.
Real Time Scan Direction	Monitor all files (bi-directional).
Submit Samples Consent	Send all samples automatically.

Device Guard

Device Lock

Device Password Enabled	Enabled
Device Password History	24
Min Device Password Length	14

Dma Guard

Experience

Firewall

Kerberos

Lanman Server

Lanman Workstation

LAPS

Backup Directory	Backup the password to Microsoft Entra ID only

Local Policies Security Options