

TFM - Radius Comparison: Stacking and TT plots for the null test: $\mu = 0$

Joan Ribot Oliver


2026

Universidad de Cantabria

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 1 \text{ pixel} = 1.5'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 2$ pixels = $3.0'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 3$ pixels = $4.5'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 4$ pixels = $6.0'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 5$ pixels = $7.5'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 6$ pixels = $9.0'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 7$ pixels = $10.5'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 8$ pixels = $12.0'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 9$ pixels = $13.5'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 10$ pixels = $15.0'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 11$ pixels = $16.5'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 12$ pixels = $18.0'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 13$ pixels = $19.5'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 14$ pixels = $21.0'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 15$ pixels = $22.5'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 16$ pixels = $24.0'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 17$ pixels = $25.5'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 18$ pixels = $27.0'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 19$ pixels = $28.5'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 20$ pixels = $30.0'$



TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 1 \text{ pixel} = 1.5'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 2$ pixels = $3.0'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 3$ pixels = $4.5'$



Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 4$ pixels = $6.0'$



TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 5$ pixels = $7.5'$



TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 6$ pixels = $9.0'$



TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 7$ pixels = $10.5'$



TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 8$ pixels = $12.0'$



TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 9$ pixels = $13.5'$



TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 10$ pixels = $15.0'$



TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 11$ pixels = $16.5'$



TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 12$ pixels = $18.0'$



TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 13$ pixels = $19.5'$



TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 14$ pixels = $21.0'$



TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 15$ pixels = $22.5'$



TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 16$ pixels = $24.0'$



TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 17$ pixels = $25.5'$



TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4


Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 18$ pixels = $27.0'$



TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 19$ pixels = $28.5'$



TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 20$ pixels = $30.0'$

