

TFM - Radius Comparison: Stacking and TT plots for Null test: $\mu = 0$

Joan Ribot Oliver

2026

Universidad de Cantabria

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 1$ pixel

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 2$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 3$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n s

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 4$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 5$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 6$ pixels

/Users/joanribot/Desktop/FiŃŃsica/MaŃŃster UC - UIMP/2n s

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 7$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 8$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 9$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 10$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 11$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n s

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 12$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 13$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 14$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 15$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 16$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 17$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n s

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 18$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 19$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n s

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 20$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 1$ pixel

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 2$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 3$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n s

Stacking radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 4$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 5$ pixels

/Users/joanribot/Desktop/FiŃŃsica/MaŃŃster UC - UIMP/2n s

TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 6$ pixels

/Users/joanribot/Desktop/FiŃŃsica/MaŃŃster UC - UIMP/2n s

TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 7$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 8$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 9$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 10$ pixels

/Users/joanribot/Desktop/FiŃŃsica/MaŃŃster UC - UIMP/2n s

TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 11$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n s

TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 12$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 13$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n s

TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 14$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 15$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem

TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 16$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n s

TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 17$ pixels

/Users/joanribot/Desktop/FiŃŃsica/MaŃŃster UC - UIMP/2n s

TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 18$ pixels

/Users/joanribot/Desktop/Fișica/Măster UC - UIMP/2n s

TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 19$ pixels

/Users/joanribot/Desktop/FiŃŃsica/MaŃŃster UC - UIMP/2n s

TT plot radius comparison

3 layers: tSZ, CMB and noise ($0.2\mu K \cdot \text{arcmin}$), s.m. = 10^4

Null test: $\mu = 0$, freqs = [30, 40, 90, 150, 220, 270] GHz, $r = 20$ pixels

/Users/joanribot/Desktop/Física/Máster UC - UIMP/2n sem